

PREISLISTE 2022

GÜLTIG AB 1. JUNI 2022



WEVER & DUCRÉ SWITZERLAND
Kellerstraße 22
6005 Luzern
Switzerland

The prices and terms of payment stated in the order confirmation shall apply. To all prices and all extra expenses, the seller adds the legally applicable value added taxes. Should the seller's costs increase by the time of delivery, the prices can be recalculated on a pro rata basis. Prices, terms and dates of delivery stated shall apply net ex works. Information on availability as well as delivery terms and dates are provided as a point of reference only and are not binding. Apart from that Wever & Ducré's General Terms and Conditions (www.weverducres.com) shall apply and serve as a contractual basis to all contracts between the parties. Alteration or modifications according to misprints and/or typing and printing errors remain reserved. Prices are valid till the publication of a new price list.

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
248120BB1	ROOMOR CABLE SUSP 1.1 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	259,45
248120BB2	ROOMOR CABLE SUSP 1.2 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	311,90
248120BB3	ROOMOR CABLE SUSP 1.3 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	416,80
248120BB4	ROOMOR CABLE SUSP 1.4 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	478,90
248120BF2	ROOMOR CABLE SUSP 1.2 PAR16 B-F 2.5m cable	max. 15W GU10 100-240VAC	347,80
248120BF3	ROOMOR CABLE SUSP 1.3 PAR16 B-F 2.5m cable	max. 15W GU10 100-240VAC	448,50
248120BK1	ROOMOR CABLE SUSP 1.1 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	267,75
248120BK2	ROOMOR CABLE SUSP 1.2 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	322,95
248120BK3	ROOMOR CABLE SUSP 1.3 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	433,35
248120BK4	ROOMOR CABLE SUSP 1.4 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	496,80
248120GG1	ROOMOR CABLE SUSP 1.1 PAR16 G-G 2.5m cable	max. 15W GU10 100-240VAC	267,75
2481E0BB1	ROOMOR CABLE SUSP 1.1 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	259,45
2481E0BB2	ROOMOR CABLE SUSP 1.2 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	311,90
2481E0BB3	ROOMOR CABLE SUSP 1.3 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	416,80
2481E0BB4	ROOMOR CABLE SUSP 1.4 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	478,90
2481E0BF2	ROOMOR CABLE SUSP 1.2 E27 B-F 2.5m cable	max. 15W A60 220-240VAC	347,80
2481E0BF3	ROOMOR CABLE SUSP 1.3 E27 B-F 2.5m cable	max. 15W A60 220-240VAC	448,50
2481E0BK1	ROOMOR CABLE SUSP 1.1 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	267,75
2481E0BK2	ROOMOR CABLE SUSP 1.2 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	322,95
2481E0BK3	ROOMOR CABLE SUSP 1.3 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	433,35
2481E0BK4	ROOMOR CABLE SUSP 1.4 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	496,80
2481E0GG1	ROOMOR CABLE SUSP 1.1 E27 G-G 2.5m cable	max. 15W A60 220-240VAC	267,75
248220BB1	ROOMOR CABLE SUSP 1.1 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	306,40
248220BB2	ROOMOR CABLE SUSP 1.2 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	358,80
248220BB3	ROOMOR CABLE SUSP 1.3 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	463,70
248220BB4	ROOMOR CABLE SUSP 1.4 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	525,80
248220BF2	ROOMOR CABLE SUSP 1.2 PAR16 B-F 6.0m cable	max. 15W GU10 100-240VAC	394,70
248220BF3	ROOMOR CABLE SUSP 1.3 PAR16 B-F 6.0m cable	max. 15W GU10 100-240VAC	495,45
248220BK1	ROOMOR CABLE SUSP 1.1 PAR16 B-K 6.0m cable	max. 15W GU10 100-240VAC	314,65
248220BK2	ROOMOR CABLE SUSP 1.2 PAR16 B-K 6.0m cable	max. 15W GU10 100-240VAC	369,85
248220BK3	ROOMOR CABLE SUSP 1.3 PAR16 B-K 6.0m cable	max. 15W GU10 100-240VAC	480,25
248220BK4	ROOMOR CABLE SUSP 1.4 PAR16 B-K 6.0 cable	max. 15W GU10 100-240VAC	543,75
248220GG1	ROOMOR CABLE SUSP 1.1 PAR16 G-G 6.0m cable	max. 15W GU10 100-240VAC	314,65
2482E0BB1	ROOMOR CABLE SUSP 1.1 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	306,40
2482E0BB2	ROOMOR CABLE SUSP 1.2 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	358,80
2482E0BB3	ROOMOR CABLE SUSP 1.3 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	463,70
2482E0BB4	ROOMOR CABLE SUSP 1.4 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	525,80

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
2482E0BF2	ROOMOR CABLE SUSP 1.2 E27 B-F 6.0m cable	max. 15W A60 220-240VAC	394,70
2482E0BF3	ROOMOR CABLE SUSP 1.3 E27 B-F 6.0m cable	max. 15W A60 220-240VAC	495,45
2482E0BK1	ROOMOR CABLE SUSP 1.1 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	314,65
2482E0BK2	ROOMOR CABLE SUSP 1.2 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	369,85
2482E0BK3	ROOMOR CABLE SUSP 1.3 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	480,25
2482E0BK4	ROOMOR CABLE SUSP 1.4 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	543,75
2482E0GG1	ROOMOR CABLE SUSP 1.1 E27 G-G 6.0m cable	max. 15W A60 220-240VAC	314,65
1681M5B5	ROOMOR OFFICE MICROPRISM CABLE SUSP 1.0 LED 3000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.101,25
1681M5B7	ROOMOR OFFICE MICROPRISM CABLE SUSP 1.0 LED 4000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.101,25
1681M5W5	ROOMOR OFFICE MICROPRISM CABLE SUSP 1.0 LED 3000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.101,25
1681M5W7	ROOMOR OFFICE MICROPRISM CABLE SUSP 1.0 LED 4000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.101,25
168185B5	ROOMOR OFFICE OPAL CABLE SUSP 1.0 LED 3000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.069,50
168185B7	ROOMOR OFFICE OPAL CABLE SUSP 1.0 LED 4000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.069,50
168185W5	ROOMOR OFFICE OPAL CABLE SUSP 1.0 LED 3000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.069,50
168185W7	ROOMOR OFFICE OPAL CABLE SUSP 1.0 LED 4000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.069,50
1683M5B5	ROOMOR OFFICE MICROPRISM CEILING SURF 1.0 LED 3000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.055,70
1683M5B7	ROOMOR OFFICE MICROPRISM CEILING SURF 1.0 LED 4000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.055,70
1683M5W5	ROOMOR OFFICE MICROPRISM CEILING SURF 1.0 LED 3000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.055,70
1683M5W7	ROOMOR OFFICE MICROPRISM CEILING SURF 1.0 LED 4000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.055,70
168385B5	ROOMOR OFFICE OPAL CEILING SURF 1.0 LED 3000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.010,20
168385B7	ROOMOR OFFICE OPAL CEILING SURF 1.0 LED 4000K B	35W 220-240VAC DALI PUSH DIM CRI90	1.010,20
168385W5	ROOMOR OFFICE OPAL CEILING SURF 1.0 LED 3000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.010,20
168385W7	ROOMOR OFFICE OPAL CEILING SURF 1.0 LED 4000K W	35W 220-240VAC DALI PUSH DIM CRI90	1.010,20
1684M5B5	ROOMOR OFFICE MICROPRISM ON TRACK 3-PHASE 1.0 LED 3000K B	35W 220-240VAC DALI CRI90	1.101,25
1684M5B7	ROOMOR OFFICE MICROPRISM ON TRACK 3-PHASE 1.0 LED 4000K B	35W 220-240VAC DALI CRI90	1.101,25
1684M5W5	ROOMOR OFFICE MICROPRISM ON TRACK 3-PHASE 1.0 LED 3000K W	35W 220-240VAC DALI CRI90	1.101,25
1684M5W7	ROOMOR OFFICE MICROPRISM ON TRACK 3-PHASE 1.0 LED 4000K W	35W 220-240VAC DALI CRI90	1.101,25
168485B5	ROOMOR OFFICE OPAL ON TRACK 3-PHASE 1.0 LED 3000K B	35W 220-240VAC DALI CRI90	1.069,50
168485B7	ROOMOR OFFICE OPAL ON TRACK 3-PHASE 1.0 LED 4000K B	35W 220-240VAC DALI CRI90	1.069,50
168485W5	ROOMOR OFFICE OPAL ON TRACK 3-PHASE 1.0 LED 3000K W	35W 220-240VAC DALI CRI90	1.069,50
168485W7	ROOMOR OFFICE OPAL ON TRACK 3-PHASE 1.0 LED 4000K W	35W 220-240VAC DALI CRI90	1.069,50
338120BB1	ROOMOR WALL SURF 1.1 PAR16 B-B	max. 15W GU10 100-240VAC	288,45
338120BK1	ROOMOR WALL SURF 1.1 PAR16 B-K	max. 15W GU10 100-240VAC	296,70
339120BB1	ROOMOR WALL SURF 3.1 PAR16 B-B cable plug	max. 15W GU10 100-240VAC	431,95

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
339120BK1	ROOMOR WALL SURF 3.1 PAR16 B-K cable plug	max. 15W GU10 100-240VAC	440,25
339220BB1	ROOMOR WALL SURF 3.1 PAR16 B-B wall base	max. 15W GU10 100-240VAC	425,05
339220BK1	ROOMOR WALL SURF 3.1 PAR16 B-K wall base	max. 15W GU10 100-240VAC	433,35
339620BB2	ROOMOR WALL SURF 4.2 PAR16 B-B	max. 15W GU10 100-240VAC	707,95
339620BB3	ROOMOR WALL SURF 4.3 PAR16 B-B	max. 15W GU10 100-240VAC	812,85
339620BB4	ROOMOR WALL SURF 4.4 PAR16 B-B	max. 15W GU10 100-240VAC	874,95
339620BF2	ROOMOR WALL SURF 4.2 PAR16 B-F	max. 15W GU10 100-240VAC	743,85
339620BF3	ROOMOR WALL SURF 4.3 PAR16 B-F	max. 15W GU10 100-240VAC	844,60
339620BK2	ROOMOR WALL SURF 4.2 PAR16 B-K	max. 15W GU10 100-240VAC	719,00
339620BK3	ROOMOR WALL SURF 4.3 PAR16 B-K	max. 15W GU10 100-240VAC	829,40
339620BK4	ROOMOR WALL SURF 4.4 PAR16 B-K	max. 15W GU10 100-240VAC	892,90
637120BB1	ROOMOR TABLE 1.1 PAR16 B-B	max. 15W GU10 100-240VAC	318,80
637120BK1	ROOMOR TABLE 1.1 PAR16 B-K	max. 15W GU10 100-240VAC	327,10
637120GG1	ROOMOR TABLE 1.1 PAR16 G-G	max. 15W GU10 100-240VAC	327,10
637120RR1	ROOMOR TABLE 1.1 PAR16 R-R	max. 15W GU10 100-240VAC	327,10
638120BB2	ROOMOR FLOOR SURF 1.2 PAR16 B-B	max. 15W GU10 100-240VAC	592,05
638120BB3	ROOMOR FLOOR SURF 1.3 PAR16 B-B	max. 15W GU10 100-240VAC	696,90
638120BF2	ROOMOR FLOOR SURF 1.2 PAR16 B-F	max. 15W GU10 100-240VAC	627,90
638120BF3	ROOMOR FLOOR SURF 1.3 PAR16 B-F	max. 15W GU10 100-240VAC	728,65
638120BK2	ROOMOR FLOOR SURF 1.2 PAR16 B-K	max. 15W GU10 100-240VAC	603,10
638120BK3	ROOMOR FLOOR SURF 1.3 PAR16 B-K	max. 15W GU10 100-240VAC	713,50
6321E0GB0	MIRRO CEILING / WALL SURF 1.0 A60 G-B	max. 15W E27 220-240VAC	255,30
6321E0LB0	MIRRO CEILING / WALL SURF 1.0 A60 L-B	max. 15W E27 220-240VAC	255,30
6321E0NB0	MIRRO CEILING / WALL SURF 1.0 A60 N-B	max. 15W E27 220-240VAC	255,30
6322E0GB0	MIRRO CEILING / WALL SURF 2.0 G95 G-B	max. 15W E27 220-240VAC	316,05
6322E0LB0	MIRRO CEILING / WALL SURF 2.0 G95 L-B	max. 15W E27 220-240VAC	316,05
6322E0NB0	MIRRO CEILING / WALL SURF 2.0 G95 N-B	max. 15W E27 220-240VAC	316,05
6323E0GB0	MIRRO CEILING / WALL SURF 3.0 G95 G-B	max. 15W E27 220-240VAC	518,90
6323E0LB0	MIRRO CEILING / WALL SURF 3.0 G95 L-B	max. 15W E27 220-240VAC	518,90
6323E0NB0	MIRRO CEILING / WALL SURF 3.0 G95 N-B	max. 15W E27 220-240VAC	518,90
6341E0GB0	MIRRO CEILING SUSP 1.0 A60 G-B 2.5m	max. 15W E27 220-240VAC	298,10
6344E0GB0	MIRRO CEILING SUSP 1.0 A60 G-B 6.0m	max. 15W E27 220-240VAC	350,55
6341E0LB0	MIRRO CEILING SUSP 1.0 A60 L-B 2.5m	max. 15W E27 220-240VAC	298,10
6344E0LB0	MIRRO CEILING SUSP 1.0 A60 L-B 6.0m	max. 15W E27 220-240VAC	350,55
6341E0NB0	MIRRO CEILING SUSP 1.0 A60 N-B 2.5m	max. 15W E27 220-240VAC	298,10
6344E0NB0	MIRRO CEILING SUSP 1.0 A60 N-B 6.0m	max. 15W E27 220-240VAC	350,55
6342E0GB0	MIRRO CEILING SUSP 2.0 G95 G-B 2.5m	max. 15W E27 220-240VAC	358,80
6345E0GB0	MIRRO CEILING SUSP 2.0 G95 G-B 6.0m	max. 15W E27 220-240VAC	411,25
6342E0LB0	MIRRO CEILING SUSP 2.0 G95 L-B 2.5m	max. 15W E27 220-240VAC	358,80
6345E0LB0	MIRRO CEILING SUSP 2.0 G95 L-B 6.0m	max. 15W E27 220-240VAC	411,25
6342E0NB0	MIRRO CEILING SUSP 2.0 G95 N-B 2.5m	max. 15W E27 220-240VAC	358,80
6345E0NB0	MIRRO CEILING SUSP 2.0 G95 N-B 6.0m	max. 15W E27 220-240VAC	411,25
6343E0GB0	MIRRO CEILING SUSP 3.0 G95 G-B 2.5m	max. 15W E27 220-240VAC	561,70
6346E0GB0	MIRRO CEILING SUSP 3.0 G95 G-B 6.0m	max. 15W E27 220-240VAC	614,10
6343E0LB0	MIRRO CEILING SUSP 3.0 G95 L-B 2.5m	max. 15W E27 220-240VAC	561,70
6346E0LB0	MIRRO CEILING SUSP 3.0 G95 L-B 6.0m	max. 15W E27 220-240VAC	614,10
6343E0NB0	MIRRO CEILING SUSP 3.0 G95 N-B 2.5m	max. 15W E27 220-240VAC	561,70
6346E0NB0	MIRRO CEILING SUSP 3.0 G95 N-B 6.0m	max. 15W E27 220-240VAC	614,10
6331E0GB0	MIRRO WALL SURF 1.0 EXTENDED A60 G-B	max. 15W E27 220-240VAC DIM	356,05
6331E0LB0	MIRRO WALL SURF 1.0 EXTENDED A60 L-B	max. 15W E27 220-240VAC DIM	356,05
6331E0NB0	MIRRO WALL SURF 1.0 EXTENDED A60 N-B	max. 15W E27 220-240VAC DIM	356,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
6332E0GB0	MIRRO WALL SURF 2.0 EXTENDED G95 G-B	max. 15W E27 220-240VAC DIM	416,80
6332E0LB0	MIRRO WALL SURF 2.0 EXTENDED G95 L-B	max. 15W E27 220-240VAC DIM	416,80
6332E0NB0	MIRRO WALL SURF 2.0 EXTENDED G95 N-B	max. 15W E27 220-240VAC DIM	416,80
6301E0GB0	MIRRO TABLE 1.0 A60 G-B	max. 15W E27 220-240VAC DIM	362,95
6301E0LB0	MIRRO TABLE 1.0 A60 L-B	max. 15W E27 220-240VAC DIM	362,95
6301E0NB0	MIRRO TABLE 1.0 A60 N-B	max. 15W E27 220-240VAC DIM	362,95
6311E0GB0	MIRRO FLOOR 2.0 G95 G-B	max. 15W E27 220-240VAC DIM	545,10
6311E0LB0	MIRRO FLOOR 2.0 G95 L-B	max. 15W E27 220-240VAC DIM	545,10
6311E0NB0	MIRRO FLOOR 2.0 G95 N-B	max. 15W E27 220-240VAC DIM	545,10
6312E0GB0	MIRRO FLOOR 3.0 G95 G-B	max. 15W E27 220-240VAC DIM	748,00
6312E0LB0	MIRRO FLOOR 3.0 G95 L-B	max. 15W E27 220-240VAC DIM	748,00
6312E0NB0	MIRRO FLOOR 3.0 G95 N-B	max. 15W E27 220-240VAC DIM	748,00
1721G0WB0	DRO CEILING SURF 1.0 G9 WB	max. 5W QT14 220-240VAC	175,30
1721G0YB0	DRO CEILING SURF 1.0 G9 YB	max. 5W QT14 220-240VAC	205,65
1722C0WB0	DRO CEILING SURF 2.0 E14 WB	max. 6W C35 220-240VAC	259,45
1722C0YB0	DRO CEILING SURF 2.0 E14 YB	max. 6W C35 220-240VAC	296,70
1723E0WB0	DRO CEILING SURF 3.0 E27 WB	max. 12W A60 220-240VAC	364,35
1723E0YB0	DRO CEILING SURF 3.0 E27 YB	max. 12W A60 220-240VAC	408,50
2521G0WB0	DRO CEILING SUSP 1.0 G9 WB	max. 5W QT14 220-240VAC	236,00
2521G0YB0	DRO CEILING SUSP 1.0 G9 YB	max. 5W QT14 220-240VAC	266,35
2522C0WB0	DRO CEILING SUSP 2.0 E14 WB	max. 6W C35 220-240VAC	338,10
2522C0YB0	DRO CEILING SUSP 2.0 E14 YB	max. 6W C35 220-240VAC	375,40
2523E0WB0	DRO CEILING SUSP 3.0 E27 WB	max. 12W A60 220-240VAC	449,90
2523E0YB0	DRO CEILING SUSP 3.0 E27 YB	max. 12W A60 220-240VAC	494,05
2524E0WB0	DRO CEILING SUSP 4.0 E27 WB	max. 15W A60 220-240VAC	659,65
2524E0YB0	DRO CEILING SUSP 4.0 E27 YB	max. 15W A60 220-240VAC	717,60
3431G0W0	DRO WALL SURF 1.0 G9 W	max. 5W QT14 220-240VAC	178,05
3431G0Y0	DRO WALL SURF 1.0 G9 Y	max. 5W QT14 220-240VAC	207,00
3432C0W0	DRO WALL SURF 2.0 E14 W	max. 6W C35 220-240VAC	273,25
3432C0Y0	DRO WALL SURF 2.0 E14 Y	max. 6W C35 220-240VAC	317,40
3441G0WB0	DRO WALL SURF 1.0 COMP G9 WB	3xmax. 5W QT14 220-240VAC DIM	721,75
3441G0YB0	DRO WALL SURF 1.0 COMP G9 YB	3xmax. 5W QT14 220-240VAC DIM	811,45
6421G0WB0	DRO TABLE FLOOR SURF 1.0 G9 WB	max. 5W QT14 220-240VAC DIM	198,75
6421G0YB0	DRO TABLE FLOOR SURF 1.0 G9 YB	max. 5W QT14 220-240VAC DIM	229,10
6422C0WB0	DRO TABLE FLOOR SURF 2.0 E14 WB	max. 6W C35 220-240VAC	321,55
6422C0YB0	DRO TABLE FLOOR SURF 2.0 E14 YB	max. 6W C35 220-240VAC	358,80
6423E0WB0	DRO TABLE FLOOR SURF 3.0 E27 WB	max. 12W A60 220-240VAC	426,45
6423E0YB0	DRO TABLE FLOOR SURF 3.0 E27 YB	max. 12W A60 220-240VAC	470,60
6432C0WB0	DRO TABLE 2.0 E14 WB	max. 6W C35 220-240VAC	438,85
6432C0YB0	DRO TABLE 2.0 E14 YB	max. 6W C35 220-240VAC	476,10
6433E0WB0	DRO TABLE 3.0 E27 WB	max. 12W A60 220-240VAC	571,35
6433E0YB0	DRO TABLE 3.0 E27 YB	max. 12W A60 220-240VAC	615,50
6442E0WB0	DRO FLOOR SURF 3.0 E27 WB	max. 12W A60 220-240VAC	730,05
6442E0YB0	DRO FLOOR SURF 3.0 E27 YB	max. 12W A60 220-240VAC	774,20
6443G0WB0	DRO FLOOR SURF 1.0 COMP G9 WB	3xmax. 5W QT14 220-240VAC DIM	800,40
6443G0YB0	DRO FLOOR SURF 1.0 COMP G9 YB	3xmax. 5W QT14 220-240VAC DIM	887,35
2092E0B0	WIRO 1.8 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-225 220-240VAC	387,80
2092E0V0	WIRO 1.8 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-225 220-240VAC	387,80
2090E0B0	WIRO 1.8 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-225 220-240VAC	426,45
2090E0V0	WIRO 1.8 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-225 220-240VAC	426,45
2093E0B0	WIRO 3.8 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-225 220-240VAC	492,70

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
2093E0V0	WIRO 3.8 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-225 220-240VAC	492,70
2097E0B0	WIRO 3.8 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-225 220-240VAC	531,30
2097E0V0	WIRO 3.8 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-225 220-240VAC	531,30
2096E0B0	WIRO 2.0 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60 220-240VAC	332,60
2091E0B0	WIRO 2.0 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60 220-240VAC	371,25
2094E0B0	WIRO 6.1 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	558,90
2094E0V0	WIRO 6.1 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-300 220-240VAC	558,90
2098E0B0	WIRO 6.1 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	603,10
2098E0V0	WIRO 6.1 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-300 220-240VAC	603,10
2095E0B0	WIRO 6.5 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	742,45
2095E0V0	WIRO 6.5 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-300 220-240VAC	742,45
2099E0B0	WIRO 6.5 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	786,60
2099E0V0	WIRO 6.5 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-300 220-240VAC	786,60
2291E0B0	WIRO 1.0 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	499,60
2291E0P0	WIRO 1.0 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	499,60
2296E0B0	WIRO 1.0 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	543,75
2296E0P0	WIRO 1.0 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	543,75
2441E0B0	WIRO 1.1 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	391,95
2441E0P0	WIRO 1.1 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	391,95
2442E0B0	WIRO 1.1 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	436,10
2442E0P0	WIRO 1.1 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	436,10
2292E0B0	WIRO 2.0 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	814,20
2292E0P0	WIRO 2.0 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	814,20
2297E0B0	WIRO 2.0 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	858,40
2297E0P0	WIRO 2.0 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	858,40
2293E0B0	WIRO 3.0 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	1.228,20
2293E0P0	WIRO 3.0 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	1.228,20
2298E0B0	WIRO 3.0 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	1.272,40
2298E0P0	WIRO 3.0 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	1.272,40
2281E0B0	WIRO 1.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	676,20
2284E0B0	WIRO 1.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	720,40
2282E0B0	WIRO 2.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	593,40
2285E0B0	WIRO 2.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	637,60
2431E0B0	WIRO 4.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W T30-225 220-240VAC	407,10
2434E0B0	WIRO 4.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W T30-225 220-240VAC	451,30
2432E0B0	WIRO 5.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	503,70
2435E0B0	WIRO 5.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	547,90
2451E0B0	WIRO 1.0 CONE CEILING SUSP E27 B 2.6m cable	max. 60W T30-225 220-240VAC	371,25
2451E0V0	WIRO 1.0 CONE CEILING SUSP E27 V 2.6m cable	max. 60W T30-225 220-240VAC	371,25
2452E0B0	WIRO 1.0 CONE CEILING SUSP E27 B 6.0m cable	max. 60W T30-225 220-240VAC	409,90
2452E0V0	WIRO 1.0 CONE CEILING SUSP E27 V 6.0m cable	max. 60W T30-225 220-240VAC	409,90
3341E0B0	WIRO 1.0 CONE WALL SURF E27 B	max. 60W T30-225 220-240VAC	411,25
3341E0V0	WIRO 1.0 CONE WALL SURF E27 V	max. 60W T30-225 220-240VAC	411,25
3343E0B0	WIRO 1.0 CONE WALL SURF E27 B with plug	max. 60W T30-225 220-240VAC	451,30
3343E0V0	WIRO 1.0 CONE WALL SURF E27 V with plug	max. 60W T30-225 220-240VAC	451,30
3345E0B0	WIRO 1.8 WIRO WALL SURF E27 B	max. 60W T30-225 220-240VAC	427,80
3345E0V0	WIRO 1.8 WIRO WALL SURF E27 V	max. 60W T30-225 220-240VAC	427,80
3346E0B0	WIRO 1.8 WIRO WALL SURF E27 B with plug	max. 60W T30-225 220-240VAC	467,85
3346E0V0	WIRO 1.8 WIRO WALL SURF E27 V with plug	max. 60W T30-225 220-240VAC	467,85
2080E0B0	WIRO 1.0 CONE CEILING SURF E27 B	max.60W T30 220-240VAC	382,30
2080E0V0	WIRO 1.0 CONE CEILING SURF E27 V	max. 60W T30 220-240VAC	382,30

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
2082E0B0	WIRO 1.8 WIRO CEILING SURF E27 B	max. 60W A60 220-240VAC	398,85
2082E0V0	WIRO 1.8 WIRO CEILING SURF E27 V	max. 60W A60 220-240VAC	398,85
2086E0B0	WIRO 2.0 WIRO CEILING SURF E27 B	max. 60W A60 220-240VAC	343,65
2086E0V0	WIRO 2.0 WIRO CEILING SURF E27 V	max. 60W A60 220-240VAC	343,65
2083E0B0	WIRO 3.8 WIRO CEILING SURF E27 B	max. 60W A60 220-240VAC	503,70
2083E0V0	WIRO 3.8 WIRO CEILING SURF E27 V	max. 60W A60 220-240VAC	503,70
209600B0	WIRO SHADE 2.0 WIRO B		205,65
209200V0	WIRO SHADE 1.8 WIRO V		260,85
209200B0	WIRO SHADE 1.8 WIRO B		260,85
209300V0	WIRO SHADE 3.8 WIRO V		365,70
209300B0	WIRO SHADE 3.8 WIRO B		365,70
244100P0	WIRO SHADE 1.1 DIAMOND P		253,95
244100B0	WIRO SHADE 1.1 DIAMOND B		253,95
243100B0	WIRO SHADE 4.0 GLOBE B		269,10
245100V0	WIRO SHADE 1.0 CONE V		244,30
245100B0	WIRO SHADE 1.0 CONE B		244,30
90015165	CABLE PLUG AND PLAY E27 LED 4-25W 8.5m	connector set for one shade black textile cable incl. cable plug with dimmer and 2 cable brackets	219,45
90052050	WIRO CEILING SUSP SET DECENTER 1.0 E27 B 2.6m	max. 60W 220-240VAC	141,60
90052051	WIRO CEILING SUSP SET DECENTER 1.0 E27 B 6m	max. 60W 220-240VAC	159,30
90052055	WIRO CEILING SUSP SET DECENTER 2.0 E27 B 2.6m	2xmax. 60W 220-240VAC	275,75
90052056	WIRO CEILING SUSP SET DECENTER 2.0 E27 B 6m	2xmax. 60W 220-240VAC	311,50
90052060	WIRO CEILING SUSP SET DECENTER 3.0 E27 B 2.6m	3xmax. 60W 220-240VAC	380,10
90052063	WIRO CEILING SUSP SET DECENTER 3.0 E27 B 6m	3xmax. 60W 220-240VAC	433,75
90052067	WIRO CEILING SUSP SET DECENTER 4.0 E27 B 2.6m	4xmax. 60W 220-240VAC	481,65
90052078	WIRO CEILING SUSP SET DECENTER 4.0 E27 B 6m	4xmax. 60W 220-240VAC	549,25
2054E0G0	J.J.W. WALL SURF 01 GOLD	max. 2x50W E27 A60 220-240VAC	841,80
2054E0S0	J.J.W. WALL SURF 01 SILVER	max. 2x50W E27 A60 220-240VAC	841,80
2055E0G0	J.J.W. WALL SURF 02 GOLD	max. 50W E27 A60 220-240VAC	517,50
2055E0Q0	J.J.W. WALL SURF 02 BRONZE	max. 50W E27 A60 220-240VAC	517,50
2055E0S0	J.J.W. WALL SURF 02 SILVER	max. 50W E27 A60 220-240VAC	517,50
2051E0G0	J.J.W. WALL SURF 03 GOLD	max. 3x50W E27 A60 220-240VAC	1.076,40
2051E0S0	J.J.W. WALL SURF 03 SILVER	max. 3x50W E27 A60 220-240VAC	1.076,40
2052E0G0	J.J.W. WALL SURF 04 GOLD	max. 6x50W E27 A60 220-240VAC	2.463,30
2052E0S0	J.J.W. WALL SURF 04 SILVER	max. 6x50W E27 A60 220-240VAC	2.463,30
2056E0G0	J.J.W. WALL SURF 042 GOLD	max. 6x50W E27 A60 220-240VAC	4.540,20
2056E0S0	J.J.W. WALL SURF 042 SILVER	max. 6x50W E27 A60 220-240VAC	4.540,20
2053E0G0	J.J.W. WALL SURF 05 GOLD	max. 3x50W E27 A60 220-240VAC	2.139,00
2053E0S0	J.J.W. WALL SURF 05 SILVER	max. 3x50W E27 A60 220-240VAC	2.139,00
655186B1	REVER DINING TABLE 1.0 LED 2200K B	2W TOUCH DIM CRI80	289,80
655186B2	REVER DINING TABLE 1.0 LED 2700K B	2W TOUCH DIM CRI80	289,80
655186Q1	REVER DINING TABLE 1.0 LED 2200K Q	2W TOUCH DIM CRI80	307,75
655186Q2	REVER DINING TABLE 1.0 LED 2700K Q	2W TOUCH DIM CRI80	307,75
655186W2	REVER DINING TABLE 1.0 LED 2700K W	2W TOUCH DIM CRI80	289,80
90019163	REVER DINING FLAT PLATE W	with magnetic fixation	22,10
90019164	REVER DINING FLAT PLATE B	with magnetic fixation	22,10
90019175	REVER DINING CHARGING TRAY Q	with magnetic fixation	56,60
90019165	REVER DINING CHARGING TRAY W	with magnetic fixation	56,60
90019166	REVER DINING CHARGING TRAY B	with magnetic fixation	56,60
90018007	REVER DINING MULTIPLE CHARGING TRAY B	for 4 luminaires	198,75
165161B3	DEEP BIJOU CEILING REC 1.0 LED 2700K B	6W 250mA 17V CRI90	67,35

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
165161B3C	DEEP BIJOU CEILING REC 1.0 LED 2700K B	6W 250mA 17V CRI90 / BLADE SPRINGS	68,75
165161B5	DEEP BIJOU CEILING REC 1.0 LED 3000K B	6W 250mA 17V CRI90	67,35
165161B5C	DEEP BIJOU CEILING REC 1.0 LED 3000K B	6W 250mA 17V CRI90 / BLADE SPRINGS	68,75
165161G3	DEEP BIJOU CEILING REC 1.0 LED 2700K G	6W 250mA 17V CRI90	67,35
165161G3C	DEEP BIJOU CEILING REC 1.0 LED 2700K G	6W 250mA 17V CRI90 / BLADE SPRINGS	68,75
165161G5	DEEP BIJOU CEILING REC 1.0 LED 3000K G	6W 250mA 17V CRI90	67,35
165161G5C	DEEP BIJOU CEILING REC 1.0 LED 3000K G	6W 250mA 17V CRI90 / BLADE SPRINGS	68,75
165161W3	DEEP BIJOU CEILING REC 1.0 LED 2700K W	6W 250mA 17V CRI90	67,35
165161W3C	DEEP BIJOU CEILING REC 1.0 LED 2700K W	6W 250mA 17V CRI90 / BLADE SPRINGS	68,75
165161W5	DEEP BIJOU CEILING REC 1.0 LED 3000K W	6W 250mA 17V CRI90	67,35
165161W5C	DEEP BIJOU CEILING REC 1.0 LED 3000K W	6W 250mA 17V CRI90 / BLADE SPRINGS	68,75
165261B3	DEEP BIJOU CEILING REC 2.0 LED 2700K B	2x6W 250mA 34V CRI90	128,10
165261B5	DEEP BIJOU CEILING REC 2.0 LED 3000K B	2x6W 250mA 34V CRI90	128,10
165261G3	DEEP BIJOU CEILING REC 2.0 LED 2700K G	2x6W 250mA 34V CRI90	128,10
165261G5	DEEP BIJOU CEILING REC 2.0 LED 3000K G	2x6W 250mA 34V CRI90	128,10
165261W3	DEEP BIJOU CEILING REC 2.0 LED 2700K W	2x6W 250mA 34V CRI90	128,10
165261W5	DEEP BIJOU CEILING REC 2.0 LED 3000K W	2x6W 250mA 34V CRI90	128,10
153561B3	DEEP PETIT CEILING REC 1.0 2700K B	6W 350mA 17V CRI90	95,40
153561B5	DEEP PETIT CEILING REC 1.0 3000K B	6W 350mA 17V CRI90	95,40
153561B9	DEEP PETIT CEILING REC 1.0 2000-3000K B	6W 350mA 12V CRI95	95,40
153561G3	DEEP PETIT CEILING REC 1.0 2700K G	6W 350mA 17V CRI90	95,40
153561G5	DEEP PETIT CEILING REC 1.0 3000K G	6W 350mA 17V CRI90	95,40
153561G9	DEEP PETIT CEILING REC 1.0 2000-3000K G	6W 350mA 12V CRI95	95,40
153561S3	DEEP PETIT CEILING REC 1.0 2700K S	6W 350mA 17V CRI90	95,40
153561S5	DEEP PETIT CEILING REC 1.0 3000K S	6W 350mA 17V CRI90	95,40
153561S9	DEEP PETIT CEILING REC 1.0 2000-3000K S	6W 350mA 12V CRI95	95,40
153561W3	DEEP PETIT CEILING REC 1.0 2700K W	6W 350mA 17V CRI90	95,40
153561W5	DEEP PETIT CEILING REC 1.0 3000K W	6W 350mA 17V CRI90	95,40
153561W9	DEEP PETIT CEILING REC 1.0 2000-3000K W	6W 350mA 12V CRI95	95,40
184261B3	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	119,10
184261B3C	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	120,50
184261B5	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	119,10
184261B5C	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	120,50
184261B7	DEEP CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90	119,10
184261B7C	DEEP CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	120,50
184261B9	DEEP CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	119,10
184261B9C	DEEP CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95 / BLADE SPRINGS	120,50
184261G3	DEEP CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90	119,10
184261G5	DEEP CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90	119,10
184261G7	DEEP CEILING REC 1.0 LED 4000K G	6/9W 350/500mA 17V CRI90	119,10
184261G9	DEEP CEILING REC 1.0 LED 2000-3000K G	6/9W 350/500mA 12V CRI95	119,10
184261S3	DEEP CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90	119,10
184261S5	DEEP CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90	119,10
184261S7	DEEP CEILING REC 1.0 LED 4000K S	6/9W 350/500mA 17V CRI90	119,10

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
184261S9	DEEP CEILING REC 1.0 LED 2000-3000K S	6/9W 350/500mA 12V CRI95	119,10
184261W3	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	119,10
184261W3C	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	120,50
184261W5	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	119,10
184261W5C	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	120,50
184261W7	DEEP CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90	119,10
184261W7C	DEEP CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	120,50
184261W9	DEEP CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	119,10
184261W9C	DEEP CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95 / BLADE SPRINGS	120,50
112110B0	DEEP CEILING REC 1.0 MR16 B	max. 12W QR-CBC51 GU5.3 12V	35,75
112110B0C	DEEP CEILING REC 1.0 MR16 B	max. 12W QR-CBC51 GU5.3 12V / BLADE SPRINGS	37,15
112110G0	DEEP CEILING REC 1.0 MR16 G	max. 12W QR-CBC51 GU5.3 12V	35,75
112110S0	DEEP CEILING REC 1.0 MR16 S	max. 12W QR-CBC51 GU5.3 12V	35,75
112110W0	DEEP CEILING REC 1.0 MR16 W	max. 12W QR-CBC51 GU5.3 12V	35,75
112110W0C	DEEP CEILING REC 1.0 MR16 W	max. 12W QR-CBC51 GU5.3 12V / BLADE SPRINGS	37,15
112120B0	DEEP CEILING REC 1.0 PAR16 B	max. 12W PAR16 GU10 100-240VAC	35,75
112120B0C	DEEP CEILING REC 1.0 PAR16 B	max. 12W QR-CBC51 GU5.3 12V / BLADE SPRINGS	37,15
112120G0	DEEP CEILING REC 1.0 PAR16 G	max. 12W PAR16 GU10 100-240VAC	35,75
112120S0	DEEP CEILING REC 1.0 PAR16 S	max. 12W PAR16 GU10 100-240VAC	35,75
112120W0	DEEP CEILING REC 1.0 PAR16 W	max. 12W PAR16 GU10 100-240VAC	35,75
112120W0C	DEEP CEILING REC 1.0 PAR16 W	max. 12W QR-CBC51 GU5.3 12V / BLADE SPRINGS	37,15
152361B3	DEEPER CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	128,25
152361B5	DEEPER CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	128,25
152361B9	DEEPER CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	128,25
152361G3	DEEPER CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90	128,25
152361G5	DEEPER CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90	128,25
152361G9	DEEPER CEILING REC 1.0 LED 2000-3000K G	6/9W 350/500mA 12V CRI95	128,25
152361Q3	DEEPER CEILING REC 1.0 LED 2700K Q	6/9W 350/500mA 17V CRI90	128,25
152361Q5	DEEPER CEILING REC 1.0 LED 3000K Q	6/9W 350/500mA 17V CRI90	128,25
152361Q9	DEEPER CEILING REC 1.0 LED 2000-3000K Q	6/9W 350/500mA 12V CRI95	128,25
152361S3	DEEPER CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90	128,25
152361S5	DEEPER CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90	128,25
152361S9	DEEPER CEILING REC 1.0 LED 2000-3000K S	6/9W 350/500mA 12V CRI95	128,25
152361W3	DEEPER CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	128,25
152361W5	DEEPER CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	128,25
152361W9	DEEPER CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	128,25
152110B0	DEEPER CEILING REC 1.0 MR16 B	max. 12W QR-CBC51 GU5.3 12V	57,55
152110G0	DEEPER CEILING REC 1.0 MR16 G	max. 12W QR-CBC51 GU5.3 12V	57,55
152110Q0	DEEPER CEILING REC 1.0 MR16 Q	max. 12W QR-CBC51 GU5.3 12V	57,55
152110S0	DEEPER CEILING REC 1.0 MR16 S	max. 12W QR-CBC51 GU5.3 12V	57,55

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
152110W0	DEEPER CEILING REC 1.0 MR16 W	max. 12W QR-CBC51 GU5.3 12V	57,55
152120B0	DEEPER CEILING REC 1.0 PAR16 B	max. 12W PAR16 GU10 100-240VAC	57,55
152120G0	DEEPER CEILING REC 1.0 PAR16 G	max. 12W PAR16 GU10 100-240VAC	57,55
152120Q0	DEEPER CEILING REC 1.0 PAR16 Q	max. 12W PAR16 GU10 100-240VAC	57,55
152120S0	DEEPER CEILING REC 1.0 PAR16 S	max. 12W PAR16 GU10 100-240VAC	57,55
152120W0	DEEPER CEILING REC 1.0 PAR16 W	max. 12W PAR16 GU10 100-240VAC	57,55
153661B3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K B	7W 350mA 17V CRI90	108,10
153661B3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K B	7W 350mA 17V CRI90	109,45
153661B5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K B	7W 350mA 17V CRI90	108,10
153661B5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K B	7W 350mA 17V CRI90 / BLADE SPRINGS	109,45
153661B9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K B	7W 350mA 12V CRI95	108,10
153661B9C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K B	7W 350mA 12V CRI95 / BLADE SPRINGS	109,45
153661G3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K G	7W 350mA 17V CRI90	108,10
153661G5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K G	7W 350mA 17V CRI90	108,10
153661G9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K G	7W 350mA 12V CRI95	108,10
153661M3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K M	7W 350mA 17V CRI90	108,10
153661M5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K M	7W 350mA 17V CRI90	108,10
153661M9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K M	7W 350mA 12V CRI95	108,10
153661Q3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K Q	7W 350mA 17V CRI90	108,10
153661Q5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K Q	7W 350mA 17V CRI90	108,10
153661Q9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K Q	7W 350mA 12V CRI95	108,10
153661W3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K W	7W 350mA 17V CRI90	108,10
153661W3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K W	7W 350mA 17V CRI90	109,45
153661W5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K W	7W 350mA 17V CRI90	108,10
153661W5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K W	7W 350mA 17V CRI90 / BLADE SPRINGS	109,45
153661W9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K W	7W 350mA 12V CRI95	108,10
153661W9C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K W	7W 350mA 12V CRI95 / BLADE SPRINGS	109,45
184361B3	DEEP ADJUST CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	125,60
184361B3C	DEEP ADJUST CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	127,00
184361B5	DEEP ADJUST CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	125,60
184361B5C	DEEP ADJUST CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	127,00
184361B7	DEEP ADJUST CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90	125,60
184361B7C	DEEP ADJUST CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	127,00
184361B9	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	125,60
184361B9C	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95 / BLADE SPRINGS	127,00
184361G3	DEEP ADJUST CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90	125,60
184361G5	DEEP ADJUST CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90	125,60
184361G7	DEEP ADJUST CEILING REC 1.0 LED 4000K G	6/9W 350/500mA 17V CRI90	125,60
184361G9	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K G	6/9W 350/500mA 12V CRI95	125,60
184361M3	DEEP ADJUST CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90	125,60
184361M5	DEEP ADJUST CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90	125,60
184361M7	DEEP ADJUST CEILING REC 1.0 LED 4000K M	6/9W 350/500mA 17V CRI90	125,60
184361M9	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K M	6/9W 350/500mA 12V CRI95	125,60
184361Q3	DEEP ADJUST CEILING REC 1.0 LED 2700K Q	6/9W 350/500mA 17V CRI90	125,60
184361Q5	DEEP ADJUST CEILING REC 1.0 LED 3000K Q	6/9W 350/500mA 17V CRI90	125,60

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
184361Q7	DEEP ADJUST CEILING REC 1.0 LED 4000K Q	6/9W 350/500mA 17V CRI90	125,60
184361Q9	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K Q	6/9W 350/500mA 12V CRI95	125,60
184361S3	DEEP ADJUST CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90	125,60
184361S5	DEEP ADJUST CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90	125,60
184361S7	DEEP ADJUST CEILING REC 1.0 LED 4000K S	6/9W 350/500mA 17V CRI90	125,60
184361S9	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K S	6/9W 350/500mA 12V CRI95	125,60
184361W3	DEEP ADJUST CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	125,60
184361W3C	DEEP ADJUST CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	127,00
184361W5	DEEP ADJUST CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	125,60
184361W5C	DEEP ADJUST CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	127,00
184361W7	DEEP ADJUST CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90	125,60
184361W7C	DEEP ADJUST CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	127,00
184361W9	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	125,60
184361W9C	DEEP ADJUST CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95 / BLADE SPRINGS	127,00
112310B0	DEEP ADJUST CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	54,95
112310B0C	DEEP ADJUST CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V / BLADE SPRINGS	56,35
112310G0	DEEP ADJUST CEILING REC 1.0 MR16 G	max. 12W GU5.3 12V	54,95
112310M0	DEEP ADJUST CEILING REC 1.0 MR16 M	max. 12W GU5.3 12V	54,95
112310Q0	DEEP ADJUST CEILING REC 1.0 MR16 Q	max. 12W GU5.3 12V	54,95
112310S0	DEEP ADJUST CEILING REC 1.0 MR16 S	max. 12W GU5.3 12V	54,95
112310W0	DEEP ADJUST CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	54,95
112310W0C	DEEP ADJUST CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V / BLADE SPRINGS	56,35
112320B0	DEEP ADJUST CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	54,95
112320B0C	DEEP ADJUST CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC / BLADE SPRINGS	56,35
112320G0	DEEP ADJUST CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	54,95
112320M0	DEEP ADJUST CEILING REC 1.0 PAR16 M	max. 12W GU10 100-240VAC	54,95
112320Q0	DEEP ADJUST CEILING REC 1.0 PAR16 Q	max. 12W GU10 100-240VAC	54,95
112320S0	DEEP ADJUST CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	54,95
112320W0	DEEP ADJUST CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	54,95
112320W0C	DEEP ADJUST CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC / BLADE SPRINGS	56,35
184761B3	DEEP ADJUST CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	248,85
184761B5	DEEP ADJUST CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	248,85
184761B7	DEEP ADJUST CEILING REC 2.0 LED 4000K B	2x6/9W 350/500mA 17V CRI90	248,85
184761B9	DEEP ADJUST CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 12V CRI95	248,85
184761W3	DEEP ADJUST CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	248,85
184761W5	DEEP ADJUST CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	248,85
184761W7	DEEP ADJUST CEILING REC 2.0 LED 4000K W	2x6/9W 350/500mA 17V CRI90	248,85
184761W9	DEEP ADJUST CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 12V CRI95	248,85
112720B0	DEEP ADJUST CEILING REC 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	107,40
112720W0	DEEP ADJUST CEILING REC 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	107,40
184861B3	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	135,25
184861B5	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	135,25
184861B7	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90	135,25
184861B9	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	135,25
184861G3	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90	135,25
184861G5	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90	135,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
184861G7	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 4000K G	6/9W 350/500mA 17V CRI90	135,25
184861G9	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 2000-3000K G	6/9W 350/500mA 12V CRI95	135,25
184861W3	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	135,25
184861W5	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	135,25
184861W7	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90	135,25
184861W9	DEEP ADJUST TRIMLESS CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	135,25
112810B0	DEEP ADJUST TRIMLESS CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	64,60
112810G0	DEEP ADJUST TRIMLESS CEILING REC 1.0 MR16 G	max. 12W GU5.3 12V	64,60
112810W0	DEEP ADJUST TRIMLESS CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	64,60
112820B0	DEEP ADJUST TRIMLESS CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	64,60
112820G0	DEEP ADJUST TRIMLESS CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	64,60
112820W0	DEEP ADJUST TRIMLESS CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	64,60
184461B3	DEEP ASYM ADJUST CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	142,15
184461B5	DEEP ASYM ADJUST CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	142,15
184461B9	DEEP ASYM ADJUST CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	142,15
184461G3	DEEP ASYM ADJUST CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90	142,15
184461G5	DEEP ASYM ADJUST CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90	142,15
184461G9	DEEP ASYM ADJUST CEILING REC 1.0 LED 2000-3000K G	6/9W 350/500mA 12V CRI95	142,15
184461S3	DEEP ASYM ADJUST CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90	142,15
184461S5	DEEP ASYM ADJUST CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90	142,15
184461S9	DEEP ASYM ADJUST CEILING REC 1.0 LED 2000-3000K S	6/9W 350/500mA 12V CRI95	142,15
184461W3	DEEP ASYM ADJUST CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	142,15
184461W5	DEEP ASYM ADJUST CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	142,15
184461W9	DEEP ASYM ADJUST CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	142,15
112420B0	DEEP ASYM ADJUST CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	71,50
112420G0	DEEP ASYM ADJUST CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	71,50
112420S0	DEEP ASYM ADJUST CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	71,50
112420W0	DEEP ASYM ADJUST CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	71,50
112961B5	DEEP ADJUST FORT CEILING REC 1.0 LED 3000K B	25W 700mA 35V CRI90	202,90
112961B7	DEEP ADJUST FORT CEILING REC 1.0 LED 4000K B	25W 700mA 35V CRI90	202,90
112961W5	DEEP ADJUST FORT CEILING REC 1.0 LED 3000K W	25W 700mA 35V CRI90	202,90
112961W7	DEEP ADJUST FORT CEILING REC 1.0 LED 4000K W	25W 700mA 35V CRI90	202,90
160120W0	SPINEO CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	44,05
160120B0	SPINEO CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	44,05
160120W0C	SPINEO CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	45,45
160120B0C	SPINEO CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	45,45
110261B3	RONY CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	165,90
110261B5	RONY CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	165,90
110261B9	RONY CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	165,90
110261W3	RONY CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	165,90
110261W5	RONY CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	165,90
110261W9	RONY CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	165,90
110120B0	RONY CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	95,25
110120W0	RONY CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	95,25
150161B3	PIRRO CEILING REC 1.0 LED 2700K B	5W 500mA 8V CRI90	93,85
150161B5	PIRRO CEILING REC 1.0 LED 3000K B	5W 500mA 8V CRI90	93,85
150161E3	PIRRO CEILING REC 1.0 LED 2700K E	5W 500mA 8V CRI90	93,85
150161E5	PIRRO CEILING REC 1.0 LED 3000K E	5W 500mA 8V CRI90	93,85
150161J3	PIRRO CEILING REC 1.0 LED 2700K J	5W 500mA 8V CRI90	93,85
150161J5	PIRRO CEILING REC 1.0 LED 3000K J	5W 500mA 8V CRI90	93,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
150161K3	PIRRO CEILING REC 1.0 LED 2700K K	5W 500mA 8V CRI90	93,85
150161K5	PIRRO CEILING REC 1.0 LED 3000K K	5W 500mA 8V CRI90	93,85
150261B3	PIRRO CEILING REC 2.0 LED 2700K B	2x5W 500mA 17V CRI90	118,00
150261B5	PIRRO CEILING REC 2.0 LED 3000K B	2x5W 500mA 17V CRI90	118,00
150261E3	PIRRO CEILING REC 2.0 LED 2700K E	2x5W 500mA 17V CRI90	118,00
150261E5	PIRRO CEILING REC 2.0 LED 3000K E	2x5W 500mA 17V CRI90	118,00
150261J3	PIRRO CEILING REC 2.0 LED 2700K J	2x5W 500mA 17V CRI90	118,00
150261J5	PIRRO CEILING REC 2.0 LED 3000K J	2x5W 500mA 17V CRI90	118,00
150261K3	PIRRO CEILING REC 2.0 LED 2700K K	2x5W 500mA 17V CRI90	118,00
150261K5	PIRRO CEILING REC 2.0 LED 3000K K	2x5W 500mA 17V CRI90	118,00
150461B3	PIRRO CEILING REC 4.0 LED 2700K B	4x5W 500mA 34V CRI90	175,30
150461B5	PIRRO CEILING REC 4.0 LED 3000K B	4x5W 500mA 34V CRI90	175,30
150461E3	PIRRO CEILING REC 4.0 LED 2700K E	4x5W 500mA 34V CRI90	175,30
150461E5	PIRRO CEILING REC 4.0 LED 3000K E	4x5W 500mA 34V CRI90	175,30
150461J3	PIRRO CEILING REC 4.0 LED 2700K J	4x5W 500mA 34V CRI90	175,30
150461J5	PIRRO CEILING REC 4.0 LED 3000K J	4x5W 500mA 34V CRI90	175,30
150461K3	PIRRO CEILING REC 4.0 LED 2700K K	4x5W 500mA 34V CRI90	175,30
150461K5	PIRRO CEILING REC 4.0 LED 3000K K	4x5W 500mA 34V CRI90	175,30
150661B3	PIRRO CEILING REC 6.0 LED 2700K B	6x5W 500mA 2x25V CRI90	231,85
150661B5	PIRRO CEILING REC 6.0 LED 3000K B	6x5W 500mA 2x25V CRI90	231,85
150661E3	PIRRO CEILING REC 6.0 LED 2700K E	6x5W 500mA 2x25V CRI90	231,85
150661E5	PIRRO CEILING REC 6.0 LED 3000K E	6x5W 500mA 2x25V CRI90	231,85
150661J3	PIRRO CEILING REC 6.0 LED 2700K J	6x5W 500mA 2x25V CRI90	231,85
150661J5	PIRRO CEILING REC 6.0 LED 3000K J	6x5W 500mA 2x25V CRI90	231,85
150661K3	PIRRO CEILING REC 6.0 LED 2700K K	6x5W 500mA 2x25V CRI90	231,85
150661K5	PIRRO CEILING REC 6.0 LED 3000K K	6x5W 500mA 2x25V CRI90	231,85
111461B3	RON CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	165,90
111461B5	RON CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	165,90
111461B9	RON CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	165,90
111461W3	RON CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	165,90
111461W5	RON CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	165,90
111461W9	RON CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	165,90
111120B0	RON CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	95,25
111120W0	RON CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	95,25
111561B3	RON CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	307,75
111561B5	RON CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	307,75
111561B9	RON CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 12V CRI95	307,75
111561W3	RON CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	307,75
111561W5	RON CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	307,75
111561W9	RON CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 12V CRI95	307,75
111220B0	RON CEILING REC 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	166,30
111220W0	RON CEILING REC 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	166,30
162461B3	PLANO PETIT CEILING REC 1.0 LED 2700K B	7W 350mA 17V CRI90	119,95
162461B5	PLANO PETIT CEILING REC 1.0 LED 3000K B	7W 350mA 17V CRI90	119,95
162461B9	PLANO PETIT CEILING REC 1.0 LED 2000-3000K B	7W 350mA 12V CRI95	119,95
162461Q3	PLANO PETIT CEILING REC 1.0 LED 2700K Q	7W 350mA 17V CRI90	119,95
162461Q5	PLANO PETIT CEILING REC 1.0 LED 3000K Q	7W 350mA 17V CRI90	119,95
162461Q9	PLANO PETIT CEILING REC 1.0 LED 2000-3000K Q	7W 350mA 12V CRI95	119,95
162461W3	PLANO PETIT CEILING REC 1.0 LED 2700K W	7W 350mA 17V CRI90	119,95
162461W5	PLANO PETIT CEILING REC 1.0 LED 3000K W	7W 350mA 17V CRI90	119,95
162461W9	PLANO PETIT CEILING REC 1.0 LED 2000-3000K W	7W 350mA 12V CRI95	119,95

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
162561B3	PLANO PETIT CEILING REC 2.0 LED 2700K B	2x7W 350mA 17V CRI90	206,35
162561B5	PLANO PETIT CEILING REC 2.0 LED 3000K B	2x7W 350mA 17V CRI90	206,35
162561B9	PLANO PETIT CEILING REC 2.0 LED 2000-3000K B	2x7W 350mA 12V CRI95	206,35
162561Q3	PLANO PETIT CEILING REC 2.0 LED 2700K Q	2x7W 350mA 17V CRI90	206,35
162561Q5	PLANO PETIT CEILING REC 2.0 LED 3000K Q	2x7W 350mA 17V CRI90	206,35
162561Q9	PLANO PETIT CEILING REC 2.0 LED 2000-3000K Q	2x7W 350mA 12V CRI95	206,35
162561W3	PLANO PETIT CEILING REC 2.0 LED 2700K W	2x7W 350mA 17V CRI90	206,35
162561W5	PLANO PETIT CEILING REC 2.0 LED 3000K W	2x7W 350mA 17V CRI90	206,35
162561W9	PLANO PETIT CEILING REC 2.0 LED 2000-3000K W	2x7W 350mA 12V CRI95	206,35
162661B3	PLANO PETIT CEILING REC 3.0 LED 2700K B	3x7W 350mA 17V CRI90	289,15
162661B5	PLANO PETIT CEILING REC 3.0 LED 3000K B	3x7W 350mA 17V CRI90	289,15
162661B9	PLANO PETIT CEILING REC 3.0 LED 2000-3000K B	3x7W 350mA 12V CRI95	289,15
162661Q3	PLANO PETIT CEILING REC 3.0 LED 2700K Q	3x7W 350mA 17V CRI90	289,15
162661Q5	PLANO PETIT CEILING REC 3.0 LED 3000K Q	3x7W 350mA 17V CRI90	289,15
162661Q9	PLANO PETIT CEILING REC 3.0 LED 2000-3000K Q	3x7W 350mA 12V CRI95	289,15
162661W3	PLANO PETIT CEILING REC 3.0 LED 2700K W	3x7W 350mA 17V CRI90	289,15
162661W5	PLANO PETIT CEILING REC 3.0 LED 3000K W	3x7W 350mA 17V CRI90	289,15
162661W9	PLANO PETIT CEILING REC 3.0 LED 2000-3000K W	3x7W 350mA 12V CRI95	289,15
118561B3	PLANO CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	130,00
118561B5	PLANO CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	130,00
118561B9	PLANO CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	130,00
118561Q3	PLANO CEILING REC 1.0 LED 2700K Q	6/9W 350/500mA 17V CRI90	130,00
118561Q5	PLANO CEILING REC 1.0 LED 3000K Q	6/9W 350/500mA 17V CRI90	130,00
118561Q9	PLANO CEILING REC 1.0 LED 2000-3000K Q	6/9W 350/500mA 12V CRI95	130,00
118561S3	PLANO CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90	130,00
118561S5	PLANO CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90	130,00
118561S9	PLANO CEILING REC 1.0 LED 2000-3000K S	6/9W 350/500mA 12V CRI95	130,00
118561W3	PLANO CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	130,00
118561W5	PLANO CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	130,00
118561W9	PLANO CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	130,00
118120B0	PLANO CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	59,35
118120Q0	PLANO CEILING REC 1.0 PAR16 Q	max. 12W GU10 100-240VAC	59,35
118120S0	PLANO CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	59,35
118120W0	PLANO CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	59,35
118661B3	PLANO CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	244,95
118661B5	PLANO CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	244,95
118661B9	PLANO CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 12V CRI95	244,95
118661Q3	PLANO CEILING REC 2.0 LED 2700K Q	2x6/9W 350/500mA 17V CRI90	244,95
118661Q5	PLANO CEILING REC 2.0 LED 3000K Q	2x6/9W 350/500mA 17V CRI90	244,95
118661Q9	PLANO CEILING REC 2.0 LED 2000-3000K Q	2x6/9W 350/500mA 12V CRI95	244,95
118661S3	PLANO CEILING REC 2.0 LED 2700K S	2x6/9W 350/500mA 17V CRI90	244,95
118661S5	PLANO CEILING REC 2.0 LED 3000K S	2x6/9W 350/500mA 17V CRI90	244,95
118661S9	PLANO CEILING REC 2.0 LED 2000-3000K S	2x6/9W 350/500mA 12V CRI95	244,95
118661W3	PLANO CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	244,95
118661W5	PLANO CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	244,95
118661W9	PLANO CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 12V CRI95	244,95
118220B0	PLANO CEILING REC 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	103,50
118220Q0	PLANO CEILING REC 2.0 PAR16 Q	2xmax. 12W GU10 100-240VAC	103,50
118220S0	PLANO CEILING REC 2.0 PAR16 S	2xmax. 12W GU10 100-240VAC	103,50
118220W0	PLANO CEILING REC 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	103,50
118961B5	PLANO FORT CEILING REC 1.0 LED 3000K B	25W 700mA 35V CRI90	213,90

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
118961B7	PLANO FORT CEILING REC 1.0 LED 4000K B	25W 700mA 35V CRI90	213,90
118961W5	PLANO FORT CEILING REC 1.0 LED 3000K W	25W 700mA 35V CRI90	213,90
118961W7	PLANO FORT CEILING REC 1.0 LED 4000K W	25W 700mA 35V CRI90	213,90
163461B3	STRANGE PETIT CEILING REC 1.0 LED 2700K B	7W 350mA 17V CRI90	124,90
163461B5	STRANGE PETIT CEILING REC 1.0 LED 3000K B	7W 350mA 17V CRI90	124,90
163461B9	STRANGE PETIT CEILING REC 1.0 LED 2000-3000K B	7W 350mA 12V CRI95	124,90
163461M3	STRANGE PETIT CEILING REC 1.0 LED 2700K M	7W 350mA 17V CRI90	124,90
163461M5	STRANGE PETIT CEILING REC 1.0 LED 3000K M	7W 350mA 17V CRI90	124,90
163461M9	STRANGE PETIT CEILING REC 1.0 LED 2000-3000K M	7W 350mA 12V CRI95	124,90
163461W3	STRANGE PETIT CEILING REC 1.0 LED 2700K W	7W 350mA 17V CRI90	124,90
163461W5	STRANGE PETIT CEILING REC 1.0 LED 3000K W	7W 350mA 17V CRI90	124,90
163461W9	STRANGE PETIT CEILING REC 1.0 LED 2000-3000K W	7W 350mA 12V CRI95	124,90
163561B3	STRANGE PETIT CEILING REC 2.0 LED 2700K B	2x7W 350mA 17V CRI90	214,60
163561B5	STRANGE PETIT CEILING REC 2.0 LED 3000K B	2x7W 350mA 17V CRI90	214,60
163561B9	STRANGE PETIT CEILING REC 2.0 LED 2000-3000K B	2x7W 350mA 12V CRI95	214,60
163561M3	STRANGE PETIT CEILING REC 2.0 LED 2700K M	2x7W 350mA 17V CRI90	214,60
163561M5	STRANGE PETIT CEILING REC 2.0 LED 3000K M	2x7W 350mA 17V CRI90	214,60
163561M9	STRANGE PETIT CEILING REC 2.0 LED 2000-3000K M	2x7W 350mA 12V CRI95	214,60
163561W3	STRANGE PETIT CEILING REC 2.0 LED 2700K W	2x7W 350mA 17V CRI90	214,60
163561W5	STRANGE PETIT CEILING REC 2.0 LED 3000K W	2x7W 350mA 17V CRI90	214,60
163561W9	STRANGE PETIT CEILING REC 2.0 LED 2000-3000K W	2x7W 350mA 12V CRI95	214,60
163661B3	STRANGE PETIT CEILING REC 3.0 LED 2700K B	3x7W 350mA 17V CRI90	301,55
163661B5	STRANGE PETIT CEILING REC 3.0 LED 3000K B	3x7W 350mA 17V CRI90	301,55
163661B9	STRANGE PETIT CEILING REC 3.0 LED 2000-3000K B	3x7W 350mA 12V CRI95	301,55
163661M3	STRANGE PETIT CEILING REC 3.0 LED 2700K M	3x7W 350mA 17V CRI90	301,55
163661M5	STRANGE PETIT CEILING REC 3.0 LED 3000K M	3x7W 350mA 17V CRI90	301,55
163661M9	STRANGE PETIT CEILING REC 3.0 LED 2000-3000K M	3x7W 350mA 12V CRI95	301,55
163661W3	STRANGE PETIT CEILING REC 3.0 LED 2700K W	3x7W 350mA 17V CRI90	301,55
163661W5	STRANGE PETIT CEILING REC 3.0 LED 3000K W	3x7W 350mA 17V CRI90	301,55
163661W9	STRANGE PETIT CEILING REC 3.0 LED 2000-3000K W	3x7W 350mA 12V CRI95	301,55
131461B3	STRANGE CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	137,60
131461B5	STRANGE CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	137,60
131461B9	STRANGE CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	137,60
131461M3	STRANGE CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90	137,60
131461M5	STRANGE CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90	137,60
131461M9	STRANGE CEILING REC 1.0 LED 2000-3000K M	6/9W 350/500mA 12V CRI95	137,60
131461W3	STRANGE CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	137,60
131461W5	STRANGE CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	137,60
131461W9	STRANGE CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	137,60
131120B0	STRANGE CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	66,95
131120M0	STRANGE CEILING REC 1.0 PAR16 M	max. 12W GU10 100-240VAC	66,95
131120W0	STRANGE CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	66,95
131561B3	STRANGE CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	264,00
131561B5	STRANGE CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	264,00
131561B9	STRANGE CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 12V CRI95	264,00
131561M3	STRANGE CEILING REC 2.0 LED 2700K M	2x6/9W 350/500mA 17V CRI90	264,00
131561M5	STRANGE CEILING REC 2.0 LED 3000K M	2x6/9W 350/500mA 17V CRI90	264,00
131561M9	STRANGE CEILING REC 2.0 LED 2000-3000K M	2x6/9W 350/500mA 12V CRI95	264,00
131561W3	STRANGE CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	264,00
131561W5	STRANGE CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	264,00
131561W9	STRANGE CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 12V CRI95	264,00

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
131220B0	STRANGE CEILING REC 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	122,55
131220M0	STRANGE CEILING REC 2.0 PAR16 M	2xmax. 12W GU10 100-240VAC	122,55
131220W0	STRANGE CEILING REC 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	122,55
155751B3	SNEAK TRIM CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	140,10
155751B5	SNEAK TRIM CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	140,10
155751B9	SNEAK TRIM CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	140,10
155751K3	SNEAK TRIM CEILING REC 1.0 LED 2700K K	6/9W 350/500mA 17V CRI90	143,15
155751K5	SNEAK TRIM CEILING REC 1.0 LED 3000K K	6/9W 350/500mA 17V CRI90	143,15
155751K9	SNEAK TRIM CEILING REC 1.0 LED 2000-3000K K	6/9W 350/500mA 12V CRI95	143,15
155751W3	SNEAK TRIM CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	140,10
155751W5	SNEAK TRIM CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	140,10
155751W9	SNEAK TRIM CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	140,10
155851B3	SNEAK TRIM CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	265,10
155851B5	SNEAK TRIM CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	265,10
155851B9	SNEAK TRIM CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 12V CRI95	265,10
155851K3	SNEAK TRIM CEILING REC 2.0 LED 2700K K	2x6/9W 350/500mA 17V CRI90	271,20
155851K5	SNEAK TRIM CEILING REC 2.0 LED 3000K K	2x6/9W 350/500mA 17V CRI90	271,20
155851K9	SNEAK TRIM CEILING REC 2.0 LED 2000-3000K K	2x6/9W 350/500mA 12V CRI95	271,20
155851W3	SNEAK TRIM CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	265,10
155851W5	SNEAK TRIM CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	265,10
155851W9	SNEAK TRIM CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 12V CRI95	265,10
155551B3	SNEAK TRIMLESS CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	147,70
155551B5	SNEAK TRIMLESS CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	147,70
155551B9	SNEAK TRIMLESS CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	147,70
155551K3	SNEAK TRIMLESS CEILING REC 1.0 LED 2700K K	6/9W 350/500mA 17V CRI90	150,70
155551K5	SNEAK TRIMLESS CEILING REC 1.0 LED 3000K K	6/9W 350/500mA 17V CRI90	150,70
155551K9	SNEAK TRIMLESS CEILING REC 1.0 LED 2000-3000K K	6/9W 350/500mA 12V CRI95	150,70
155551W3	SNEAK TRIMLESS CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	147,70
155551W5	SNEAK TRIMLESS CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	147,70
155551W9	SNEAK TRIMLESS CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	147,70
155651B3	SNEAK TRIMLESS CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	284,15
155651B5	SNEAK TRIMLESS CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	284,15
155651B9	SNEAK TRIMLESS CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 12V CRI95	284,15
155651K3	SNEAK TRIMLESS CEILING REC 2.0 LED 2700K K	2x6/9W 350/500mA 17V CRI90	290,25
155651K5	SNEAK TRIMLESS CEILING REC 2.0 LED 3000K K	2x6/9W 350/500mA 17V CRI90	290,25
155651K9	SNEAK TRIMLESS CEILING REC 2.0 LED 2000-3000K K	2x6/9W 350/500mA 12V CRI95	290,25
155651W3	SNEAK TRIMLESS CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	284,15
155651W5	SNEAK TRIMLESS CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	284,15
155651W9	SNEAK TRIMLESS CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 12V CRI95	284,15
1671E0B0	RUVI CEILING REC 1.0 E27 B	max. 12W G95 220-240VAC	111,80
190151B3	MATCH CEILING REC 1.0 LED 2700K B	6W 350mA 18V CRI90	164,25
190151B5	MATCH CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90	164,25
190151H3	MATCH CEILING REC 1.0 LED 2700K H	6W 350mA 18V CRI90	164,25
190151H5	MATCH CEILING REC 1.0 LED 3000K H	6W 350mA 18V CRI90	164,25
190151W3	MATCH CEILING REC 1.0 LED 2700K W	6W 350mA 18V CRI90	164,25
190151W5	MATCH CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90	164,25
190851B3	MATCH TRIMLESS CEILING REC 1.0 LED 2700K B	6W 350mA 18V CRI90	205,65
190851B5	MATCH TRIMLESS CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90	205,65
190851W3	MATCH TRIMLESS CEILING REC 1.0 LED 2700K W	6W 350mA 18V CRI90	205,65
190851W5	MATCH TRIMLESS CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90	205,65
190251B3	MATCH CEILING REC 2.0 LED 2700K B	6W 700mA 18V CRI90	247,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
190251B5	MATCH CEILING REC 2.0 LED 3000K B	6W 700mA 18V CRI90	247,05
190251W3	MATCH CEILING REC 2.0 LED 2700K W	6W 700mA 18V CRI90	247,05
190251W5	MATCH CEILING REC 2.0 LED 3000K W	6W 700mA 18V CRI90	247,05
176161B3	CENO CEILING REC 1.0 LED 2700K B	7W 350mA 17V CRI90	154,60
176161B5	CENO CEILING REC 1.0 LED 3000K B	7W 350mA 17V CRI90	154,60
176161B9	CENO CEILING REC 1.0 LED 2000-3000K B	7W 350mA 12V CRI95	154,60
176161G3	CENO CEILING REC 1.0 LED 2700K G	7W 350mA 17V CRI90	154,60
176161G5	CENO CEILING REC 1.0 LED 3000K G	7W 350mA 17V CRI90	154,60
176161G9	CENO CEILING REC 1.0 LED 2000-3000K G	7W 350mA 12V CRI95	154,60
176161K3	CENO CEILING REC 1.0 LED 2700K K	7W 350mA 17V CRI90	154,60
176161K5	CENO CEILING REC 1.0 LED 3000K K	7W 350mA 17V CRI90	154,60
176161K9	CENO CEILING REC 1.0 LED 2000-3000K K	7W 350mA 12V CRI95	154,60
176161Q3	CENO CEILING REC 1.0 LED 2700K Q	7W 350mA 17V CRI90	154,60
176161Q5	CENO CEILING REC 1.0 LED 3000K Q	7W 350mA 17V CRI90	154,60
176161Q9	CENO CEILING REC 1.0 LED 2000-3000K Q	7W 350mA 12V CRI95	154,60
176161W3	CENO CEILING REC 1.0 LED 2700K W	7W 350mA 17V CRI90	154,60
176161W5	CENO CEILING REC 1.0 LED 3000K W	7W 350mA 17V CRI90	154,60
176161W9	CENO CEILING REC 1.0 LED 2000-3000K W	7W 350mA 12V CRI95	154,60
176561B3	CENO CEILING SEMI REC 1.0 LED 2700K B	7W 350mA 17V CRI90	269,10
176561B5	CENO CEILING SEMI REC 1.0 LED 3000K B	7W 350mA 17V CRI90	269,10
176561W3	CENO CEILING SEMI REC 1.0 LED 2700K W	7W 350mA 17V CRI90	269,10
176561W5	CENO CEILING SEMI REC 1.0 LED 3000K W	7W 350mA 17V CRI90	269,10
176461B3	CENO CEILING REC 1.1 LED 2700K B	7W 350mA 17V CRI90	158,45
176461B5	CENO CEILING REC 1.1 LED 3000K B	7W 350mA 17V CRI90	158,45
176461K3	CENO CEILING REC 1.1 LED 2700K K	7W 350mA 17V CRI90	158,45
176461K5	CENO CEILING REC 1.1 LED 3000K K	7W 350mA 17V CRI90	158,45
176461Q3	CENO CEILING REC 1.1 LED 2700K Q	7W 350mA 17V CRI90	158,45
176461Q5	CENO CEILING REC 1.1 LED 3000K Q	7W 350mA 17V CRI90	158,45
176461W3	CENO CEILING REC 1.1 LED 2700K W	7W 350mA 17V CRI90	158,45
176461W5	CENO CEILING REC 1.1 LED 3000K W	7W 350mA 17V CRI90	158,45
176261B3	CENO CEILING REC 2.0 LED 2700K B	2x7W 700mA 17V CRI90	220,15
176261B5	CENO CEILING REC 2.0 LED 3000K B	2x7W 700mA 17V CRI90	220,15
176261K3	CENO CEILING REC 2.0 LED 2700K K	2x7W 700mA 17V CRI90	220,15
176261K5	CENO CEILING REC 2.0 LED 3000K K	2x7W 700mA 17V CRI90	220,15
176261Q3	CENO CEILING REC 2.0 LED 2700K Q	2x7W 700mA 17V CRI90	220,15
176261Q5	CENO CEILING REC 2.0 LED 3000K Q	2x7W 700mA 17V CRI90	220,15
176261W3	CENO CEILING REC 2.0 LED 2700K W	2x7W 700mA 17V CRI90	220,15
176261W5	CENO CEILING REC 2.0 LED 3000K W	2x7W 700mA 17V CRI90	220,15
176361B3	CENO CEILING REC 3.0 LED 2700K B	3x7W 700mA 26V CRI90	280,70
176361B5	CENO CEILING REC 3.0 LED 3000K B	3x7W 700mA 26V CRI90	280,70
176361K3	CENO CEILING REC 3.0 LED 2700K K	3x7W 700mA 26V CRI90	280,70
176361K5	CENO CEILING REC 3.0 LED 3000K K	3x7W 700mA 26V CRI90	280,70
176361Q3	CENO CEILING REC 3.0 LED 2700K Q	3x7W 700mA 26V CRI90	280,70
176361Q5	CENO CEILING REC 3.0 LED 3000K Q	3x7W 700mA 26V CRI90	280,70
176361W3	CENO CEILING REC 3.0 LED 2700K W	3x7W 700mA 26V CRI90	280,70
176361W5	CENO CEILING REC 3.0 LED 3000K W	3x7W 700mA 26V CRI90	280,70
164361B3	BLIEK ROUND PETIT CEILING REC 1.0 LED 2700K B	7W 700mA 8V CRI90	169,05
164361B5	BLIEK ROUND PETIT CEILING REC 1.0 LED 3000K B	7W 700mA 8V CRI90	169,05
164361B9	BLIEK ROUND PETIT CEILING REC 1.0 LED 2000-3000K B	7W 700mA 12V CRI95	169,05
164361K3	BLIEK ROUND PETIT CEILING REC 1.0 LED 2700K K	7W 700mA 8V CRI90	169,05
164361K5	BLIEK ROUND PETIT CEILING REC 1.0 LED 3000K K	7W 700mA 8V CRI90	169,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
164361K9	BLIEK ROUND PETIT CEILING REC 1.0 LED 2000-3000K K	7W 700mA 12V CRI95	169,05
164361W3	BLIEK ROUND PETIT CEILING REC 1.0 LED 2700K W	7W 700mA 8V CRI90	169,05
164361W5	BLIEK ROUND PETIT CEILING REC 1.0 LED 3000K W	7W 700mA 8V CRI90	169,05
164361W9	BLIEK ROUND PETIT CEILING REC 1.0 LED 2000-3000K W	7W 700mA 12V CRI95	169,05
164261B3	BLIEK ROUND PETIT CEILING REC 2.0 LED 2700K B	2x7W 700mA 17V CRI90	293,85
164261B5	BLIEK ROUND PETIT CEILING REC 2.0 LED 3000K B	2x7W 700mA 17V CRI90	293,85
164261K3	BLIEK ROUND PETIT CEILING REC 2.0 LED 2700K K	2x7W 700mA 17V CRI90	293,85
164261K5	BLIEK ROUND PETIT CEILING REC 2.0 LED 3000K K	2x7W 700mA 17V CRI90	293,85
164261W3	BLIEK ROUND PETIT CEILING REC 2.0 LED 2700K W	2x7W 700mA 17V CRI90	293,85
164261W5	BLIEK ROUND PETIT CEILING REC 2.0 LED 3000K W	2x7W 700mA 17V CRI90	293,85
125361B3	BLIEK ROUND CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	260,15
125361B3C	BLIEK ROUND CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361B5	BLIEK ROUND CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	260,15
125361B5C	BLIEK ROUND CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361B7	BLIEK ROUND CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90	260,15
125361B7C	BLIEK ROUND CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361B9	BLIEK ROUND CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	260,15
125361B9C	BLIEK ROUND CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95 / BLADE SPRINGS	261,55
125361K3	BLIEK ROUND CEILING REC 1.0 LED 2700K K	6/9W 350/500mA 17V CRI90	260,15
125361K3C	BLIEK ROUND CEILING REC 1.0 LED 2700K K	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361K5	BLIEK ROUND CEILING REC 1.0 LED 3000K K	6/9W 350/500mA 17V CRI90	260,15
125361K5C	BLIEK ROUND CEILING REC 1.0 LED 3000K K	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361K7	BLIEK ROUND CEILING REC 1.0 LED 4000K K	6/9W 350/500mA 17V CRI90	260,15
125361K7C	BLIEK ROUND CEILING REC 1.0 LED 4000K K	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361K9	BLIEK ROUND CEILING REC 1.0 LED 2000-3000K K	6/9W 350/500mA 12V CRI95	260,15
125361K9C	BLIEK ROUND CEILING REC 1.0 LED 2000-3000K K	6/9W 350/500mA 12V CRI95 / BLADE SPRINGS	261,55
125361W3	BLIEK ROUND CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	260,15
125361W3C	BLIEK ROUND CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361W5	BLIEK ROUND CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	260,15
125361W5C	BLIEK ROUND CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361W7	BLIEK ROUND CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90	260,15
125361W7C	BLIEK ROUND CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	261,55
125361W9	BLIEK ROUND CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	260,15
125361W9C	BLIEK ROUND CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95 / BLADE SPRINGS	261,55
125120B0	BLIEK ROUND CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	187,00
125120B0C	BLIEK ROUND CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC / BLADE SPRINGS	188,40
125120K0	BLIEK ROUND CEILING REC 1.0 PAR16 K	max. 12W GU10 100-240VAC	187,00
125120K0C	BLIEK ROUND CEILING REC 1.0 PAR16 K	max. 12W GU10 100-240VAC / BLADE SPRINGS	188,40
125120W0	BLIEK ROUND CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	187,00
125120W0C	BLIEK ROUND CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC / BLADE SPRINGS	188,40
125461B3	BLIEK SQUARE CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	269,80

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
125461B5	BLIEK SQUARE CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	269,80
125461B7	BLIEK SQUARE CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90	269,80
125461B9	BLIEK SQUARE CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	269,80
125461W3	BLIEK SQUARE CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	269,80
125461W5	BLIEK SQUARE CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	269,80
125461W7	BLIEK SQUARE CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90	269,80
125461W9	BLIEK SQUARE CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	269,80
125220B0	BLIEK SQUARE CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	196,65
125220W0	BLIEK SQUARE CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	196,65
112610B0	DEEP IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	72,35
112610B0C	DEEP IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V / BLADE SPRINGS	73,70
112610W0	DEEP IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	72,35
112610W0C	DEEP IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V / BLADE SPRINGS	73,70
112620B0	DEEP IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	72,35
112620B0C	DEEP IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC / BLADE SPRINGS	73,70
112620W0	DEEP IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	72,35
112620W0C	DEEP IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC / BLADE SPRINGS	73,70
152461B3	DEEPER IP44 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	148,35
152461B5	DEEPER IP44 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	148,35
152461B9	DEEPER IP44 CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	148,35
152461W3	DEEPER IP44 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	148,35
152461W5	DEEPER IP44 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	148,35
152461W9	DEEPER IP44 CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	148,35
152210B0	DEEP IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	77,70
152210W0	DEEP IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	77,70
152220B0	DEEP IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	77,70
152220W0	DEEP IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	77,70
114888B5	LUNA ROUND IP44 CEILING REC 1.0 LED HV 3000K B	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	129,45
114888W5	LUNA ROUND IP44 CEILING REC 1.0 LED HV 3000K W	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	129,45
114810B0	LUNA ROUND IP44 CEILING REC 1.0 MR16 B	max. 10W GU5.3 12V / BLADE SPRINGS	53,00
114810W0	LUNA ROUND IP44 CEILING REC 1.0 MR16 W	max. 10W GU5.3 12V / BLADE SPRINGS	53,00
114820B0	LUNA ROUND IP44 CEILING REC 1.0 PAR16 B	max. 10W GU10 100-240VAC / BLADE SPRINGS	53,00
114820W0	LUNA ROUND IP44 CEILING REC 1.0 PAR16 W	max. 10W GU10 100-240VAC / BLADE SPRINGS	53,00
154461B3	RINI SNEAK IP44 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	123,65
154461B5	RINI SNEAK IP44 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	123,65
154461B9	RINI SNEAK IP44 CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 12V CRI95	123,65
154461W3	RINI SNEAK IP44 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	123,65
154461W5	RINI SNEAK IP44 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	123,65
154461W9	RINI SNEAK IP44 CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 12V CRI95	123,65
154210B0	RINI SNEAK IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	53,00
154210W0	RINI SNEAK IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	53,00
154220B0	RINI SNEAK IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	53,00
154220W0	RINI SNEAK IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	53,00
114988B5	LUNA SQUARE IP44 CEILING REC 1.0 LED HV 3000K B	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	129,45

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
114988W5	LUNA SQUARE IP44 CEILING REC 1.0 LED HV 3000K W	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	129,45
114910B0	LUNA SQUARE IP44 CEILING REC 1.0 MR16 B	max. 10W GU5.3 12V	55,90
114910W0	LUNA SQUARE IP44 CEILING REC 1.0 MR16 W	max. 10W GU5.3 12V	55,90
114920B0	LUNA SQUARE IP44 CEILING REC 1.0 PAR16 B	max. 10W GU10 100-240VAC	55,90
114920W0	LUNA SQUARE IP44 CEILING REC 1.0 PAR16 W	max. 10W GU10 100-240VAC	55,90
118861B3	PLANO IP44 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	143,55
118861B5	PLANO IP44 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	143,55
118861B9	PLANO IP44 CEILING REC 1.0 LED 1800-2850K B	6/9W 350/500mA 12V CRI95	143,55
118861W3	PLANO IP44 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	143,55
118861W5	PLANO IP44 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	143,55
118861W9	PLANO IP44 CEILING REC 1.0 LED 1800-2850K W	6/9W 350/500mA 12V CRI95	143,55
118410B0	PLANO IP44 CEILING REC 1.0 MR16 B	max. 35W GU5.3 12V	72,90
118410W0	PLANO IP44 CEILING REC 1.0 MR16 W	max. 35W GU5.3 12V	72,90
118420B0	PLANO IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	72,90
118420W0	PLANO IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	72,90
17548805	MIRBI IP44 CEILING REC 1.0 LED 3000K W	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	175,30
17558805	MIRBI IP44 CEILING REC 2.0 LED 3000K W	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	175,30
115484B5	CITY IP44 CEILING REC 1.6 LED 3000K B	12W 220-240VAC DIM CRI90	215,30
115484W5	CITY IP44 CEILING REC 1.6 LED 3000K W	12W 220-240VAC DIM CRI90	215,30
115584B5	CITY IP44 CEILING REC 2.6 LED 3000K B	18W 220-240VAC DIM CRI90	329,85
115584W5	CITY IP44 CEILING REC 2.6 LED 3000K W	18W 220-240VAC DIM CRI90	329,85
258220B0	RAY MINI CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	68,45
258220G0	RAY MINI CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	70,70
258220Q0	RAY MINI CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	70,70
258220W0	RAY MINI CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	68,45
900199B4	RAY MINI CEILING INNER REFLECTOR B	max. 10W	18,50
900199G4	RAY MINI CEILING INNER REFLECTOR G	max. 10W	18,50
900199Q4	RAY MINI SINGLE INNER REFLECTOR Q	max. 10W	18,50
900199W4	RAY MINI CEILING INNER REFLECTOR W	max. 10W	18,50
186764B2	RAY CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI80	231,85
186764B4	RAY CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI80	231,85
186764B9	RAY CEILING SURF 1.0 LED 2000-3000K B	8W 220-240VAC DIM CRI95	231,85
186765B2	RAY CEILING SURF 1.0 LED 2700K B	10W 220-240VAC DALI CRI80	278,80
186765B4	RAY CEILING SURF 1.0 LED 3000K B	10W 220-240VAC DALI CRI80	278,80
186764G2	RAY CEILING SURF 1.0 LED 2700K G	8W 220-240VAC DIM CRI80	234,60
186764G4	RAY CEILING SURF 1.0 LED 3000K G	8W 220-240VAC DIM CRI80	234,60
186764G9	RAY CEILING SURF 1.0 LED 2000-3000K G	8W 220-240VAC DIM CRI95	234,60
186765G2	RAY CEILING SURF 1.0 LED 2700K G	10W 220-240VAC DALI CRI80	281,55
186765G4	RAY CEILING SURF 1.0 LED 3000K G	10W 220-240VAC DALI CRI80	281,55
186764L2	RAY CEILING SURF 1.0 LED 2700K L	8W 220-240VAC DIM CRI80	234,60
186764L4	RAY CEILING SURF 1.0 LED 3000K L	8W 220-240VAC DIM CRI80	234,60
186764L9	RAY CEILING SURF 1.0 LED 2000-3000K L	8W 220-240VAC DIM CRI95	234,60
186765L2	RAY CEILING SURF 1.0 LED 2700K L	10W 220-240VAC DALI CRI80	281,55
186765L4	RAY CEILING SURF 1.0 LED 3000K L	10W 220-240VAC DALI CRI80	281,55
186764P2	RAY CEILING SURF 1.0 LED 2700K P	8W 220-240VAC DIM CRI80	234,60
186764P4	RAY CEILING SURF 1.0 LED 3000K P	8W 220-240VAC DIM CRI80	234,60
186764P9	RAY CEILING SURF 1.0 LED 2000-3000K P	8W 220-240VAC DIM CRI95	234,60
186765P2	RAY CEILING SURF 1.0 LED 2700K P	10W 220-240VAC DALI CRI80	281,55
186765P4	RAY CEILING SURF 1.0 LED 3000K P	10W 220-240VAC DALI CRI80	281,55

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
186764Q2	RAY CEILING SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CR180	234,60
186764Q4	RAY CEILING SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CR180	234,60
186764Q9	RAY CEILING SURF 1.0 LED 2000-3000K Q	8W 220-240VAC DIM CR195	234,60
186765Q2	RAY CEILING SURF 1.0 LED 2700K Q	10W 220-240VAC DALI CR180	281,55
186765Q4	RAY CEILING SURF 1.0 LED 3000K Q	10W 220-240VAC DALI CR180	281,55
186764W2	RAY CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CR180	231,85
186764W4	RAY CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CR180	231,85
186764W9	RAY CEILING SURF 1.0 LED 2000-3000K W	8W 220-240VAC DIM CR195	231,85
186765W2	RAY CEILING SURF 1.0 LED 2700K W	10W 220-240VAC DALI CR180	278,80
186765W4	RAY CEILING SURF 1.0 LED 3000K W	10W 220-240VAC DALI CR180	278,80
146720B0	RAY CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	76,60
146720G0	RAY CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	79,35
146720L0	RAY CEILING SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	79,35
146720P0	RAY CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	79,35
146720Q0	RAY CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	79,35
146720W0	RAY CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	76,60
911041G1	RAY INNER COVER G	max. 10W	26,95
258120B0	BOX MINI CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	68,45
258120G0	BOX MINI CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	70,70
258120Q0	BOX MINI CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	70,70
258120W0	BOX MINI CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	68,45
900199B1	BOX MINI CEILING INNER REFLECTOR B	max. 10W	18,50
900199G1	BOX MINI CEILING INNER REFLECTOR G	max. 10W	18,50
900199Q1	BOX MINI SINGLE INNER REFLECTOR Q	max. 10W	18,50
900199W1	BOX MINI CEILING INNER REFLECTOR W	max. 10W	18,50
186164B2	BOX CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CR180	231,85
186164B4	BOX CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CR180	231,85
186164B9	BOX CEILING SURF 1.0 LED 2000-3000K B	8W 220-240VAC DIM CR195	231,85
186165B2	BOX CEILING SURF 1.0 LED 2700K B	10W 220-240VAC DALI CR180	278,80
186165B4	BOX CEILING SURF 1.0 LED 3000K B	10W 220-240VAC DALI CR180	278,80
186164G2	BOX CEILING SURF 1.0 LED 2700K G	8W 220-240VAC DIM CR180	234,60
186164G4	BOX CEILING SURF 1.0 LED 3000K G	8W 220-240VAC DIM CR180	234,60
186164G9	BOX CEILING SURF 1.0 LED 2000-3000K G	8W 220-240VAC DIM CR195	234,60
186165G2	BOX CEILING SURF 1.0 LED 2700K G	10W 220-240VAC DALI CR180	281,55
186165G4	BOX CEILING SURF 1.0 LED 3000K G	10W 220-240VAC DALI CR180	281,55
186164L2	BOX CEILING SURF 1.0 LED 2700K L	8W 220-240VAC DIM CR180	234,60
186164L4	BOX CEILING SURF 1.0 LED 3000K L	8W 220-240VAC DIM CR180	234,60
186164L9	BOX CEILING SURF 1.0 LED 2000-3000K L	8W 220-240VAC DIM CR195	234,60
186165L2	BOX CEILING SURF 1.0 LED 2700K L	10W 220-240VAC DALI CR180	281,55
186165L4	BOX CEILING SURF 1.0 LED 3000K L	10W 220-240VAC DALI CR180	281,55
186164P2	BOX CEILING SURF 1.0 LED 2700K P	8W 220-240VAC DIM CR180	234,60
186164P4	BOX CEILING SURF 1.0 LED 3000K P	8W 220-240VAC DIM CR180	234,60
186164P9	BOX CEILING SURF 1.0 LED 2000-3000K P	8W 220-240VAC DIM CR195	234,60
186165P2	BOX CEILING SURF 1.0 LED 2700K P	10W 220-240VAC DALI CR180	281,55
186165P4	BOX CEILING SURF 1.0 LED 3000K P	10W 220-240VAC DALI CR180	281,55
186164Q2	BOX CEILING SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CR180	234,60
186164Q4	BOX CEILING SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CR180	234,60
186164Q9	BOX CEILING SURF 1.0 LED 2000-3000K Q	8W 220-240VAC DIM CR195	234,60
186165Q2	BOX CEILING SURF 1.0 LED 2700K Q	10W 220-240VAC DALI CR180	281,55
186165Q4	BOX CEILING SURF 1.0 LED 3000K Q	10W 220-240VAC DALI CR180	281,55
186164W2	BOX CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CR180	231,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
186164W4	BOX CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI80	231,85
186164W9	BOX CEILING SURF 1.0 LED 2000-3000K W	8W 220-240VAC DIM CRI95	231,85
186165W2	BOX CEILING SURF 1.0 LED 2700K W	10W 220-240VAC DALI CRI80	278,80
186165W4	BOX CEILING SURF 1.0 LED 3000K W	10W 220-240VAC DALI CRI80	278,80
146120B0	BOX CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	76,60
146120G0	BOX CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	79,35
146120L0	BOX CEILING SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	79,35
146120P0	BOX CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	79,35
146120Q0	BOX CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	79,35
146120W0	BOX CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	76,60
186264B2	BOX CEILING SURF 2.0 LED 2700K B	2x8W 220-240VAC DIM CRI80	385,05
186264B4	BOX CEILING SURF 2.0 LED 3000K B	2x8W 220-240VAC DIM CRI80	385,05
186264B9	BOX CEILING SURF 2.0 LED 2000-3000K B	2x8W 220-240VAC DIM CRI95	385,05
186264G2	BOX CEILING SURF 2.0 LED 2700K G	2x8W 220-240VAC DIM CRI80	389,20
186264G4	BOX CEILING SURF 2.0 LED 3000K G	2x8W 220-240VAC DIM CRI80	389,20
186264G9	BOX CEILING SURF 2.0 LED 2000-3000K G	2x8W 220-240VAC DIM CRI95	389,20
186264L2	BOX CEILING SURF 2.0 LED 2700K L	2x8W 220-240VAC DIM CRI80	389,20
186264L4	BOX CEILING SURF 2.0 LED 3000K L	2x8W 220-240VAC DIM CRI80	389,20
186264L9	BOX CEILING SURF 2.0 LED 2000-3000K L	2x8W 220-240VAC DIM CRI95	389,20
186264P2	BOX CEILING SURF 2.0 LED 2700K P	2x8W 220-240VAC DIM CRI80	389,20
186264P4	BOX CEILING SURF 2.0 LED 3000K P	2x8W 220-240VAC DIM CRI80	389,20
186264P9	BOX CEILING SURF 2.0 LED 2000-3000K P	2x8W 220-240VAC DIM CRI95	389,20
186264Q2	BOX CEILING SURF 2.0 LED 2700K Q	2x8W 220-240VAC DIM CRI80	389,20
186264Q4	BOX CEILING SURF 2.0 LED 3000K Q	2x8W 220-240VAC DIM CRI80	389,20
186264Q9	BOX CEILING SURF 2.0 LED 2000-3000K Q	2x8W 220-240VAC DIM CRI95	389,20
186264W2	BOX CEILING SURF 2.0 LED 2700K W	2x8W 220-240VAC DIM CRI80	385,05
186264W4	BOX CEILING SURF 2.0 LED 3000K W	2x8W 220-240VAC DIM CRI80	385,05
186264W9	BOX CEILING SURF 2.0 LED 2000-3000K W	2x8W 220-240VAC DIM CRI95	385,05
146220B0	BOX CEILING SURF 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	160,10
146220G0	BOX CEILING SURF 2.0 PAR16 G	2xmax. 12W GU10 100-240VAC	164,25
146220L0	BOX CEILING SURF 2.0 PAR16 L	2xmax. 12W GU10 100-240VAC	164,25
146220P0	BOX CEILING SURF 2.0 PAR16 P	2xmax. 12W GU10 100-240VAC	164,25
146220Q0	BOX CEILING SURF 2.0 PAR16 Q	2xmax. 12W GU10 100-240VAC	164,25
146220W0	BOX CEILING SURF 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	160,10
911211G1	BOX 1.0 INNER REFLECTOR G	max. 10W	23,90
911011G1	BOX INNER COVER G	max. 10W	26,95
911251B1	BOX 2.0 INNER REFLECTOR B	max. 10W	32,60
911251G1	BOX 2.0 INNER REFLECTOR G	max. 10W	32,60
911251W1	BOX 2.0 INNER REFLECTOR W	max. 10W	32,60
258320B0	DOCUS MINI CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	76,05
258320G0	DOCUS MINI CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	78,25
258320W0	DOCUS MINI CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	76,05
900199B2	DOCUS MINI CEILING INNER REFLECTOR B	max. 10W	18,50
900199G2	DOCUS MINI CEILING INNER REFLECTOR G	max. 10W	18,50
900199W2	DOCUS MINI CEILING INNER REFLECTOR W	max. 10W	18,50
186364B2	DOCUS CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI80	240,30
186364B4	DOCUS CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI80	240,30
186364B9	DOCUS CEILING SURF 1.0 LED 2000-3000K B	8W 220-240VAC DIM CRI95	240,30
186365B2	DOCUS CEILING SURF 1.0 LED 2700K B	10W 220-240VAC DALI CRI80	287,20
186365B4	DOCUS CEILING SURF 1.0 LED 3000K B	10W 220-240VAC DALI CRI80	287,20
186364G2	DOCUS CEILING SURF 1.0 LED 2700K G	8W 220-240VAC DIM CRI80	243,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
186364G4	DOCUS CEILING SURF 1.0 LED 3000K G	8W 220-240VAC DIM CRI80	243,05
186364G9	DOCUS CEILING SURF 1.0 LED 2000-3000K G	8W 220-240VAC DIM CRI95	243,05
186365G2	DOCUS CEILING SURF 1.0 LED 2700K G	10W 220-240VAC DALI CRI80	289,95
186365G4	DOCUS CEILING SURF 1.0 LED 3000K G	10W 220-240VAC DALI CRI80	289,95
186364L2	DOCUS CEILING SURF 1.0 LED 2700K L	8W 220-240VAC DIM CRI80	243,05
186364L4	DOCUS CEILING SURF 1.0 LED 3000K L	8W 220-240VAC DIM CRI80	243,05
186364L9	DOCUS CEILING SURF 1.0 LED 2000-3000K L	8W 220-240VAC DIM CRI95	243,05
186365L2	DOCUS CEILING SURF 1.0 LED 2700K L	10W 220-240VAC DALI CRI80	289,95
186365L4	DOCUS CEILING SURF 1.0 LED 3000K L	10W 220-240VAC DALI CRI80	289,95
186364P2	DOCUS CEILING SURF 1.0 LED 2700K P	8W 220-240VAC DIM CRI80	243,05
186364P4	DOCUS CEILING SURF 1.0 LED 3000K P	8W 220-240VAC DIM CRI80	243,05
186364P9	DOCUS CEILING SURF 1.0 LED 2000-3000K P	8W 220-240VAC DIM CRI95	243,05
186365P2	DOCUS CEILING SURF 1.0 LED 2700K P	10W 220-240VAC DALI CRI80	289,95
186365P4	DOCUS CEILING SURF 1.0 LED 3000K P	10W 220-240VAC DALI CRI80	289,95
186364W2	DOCUS CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI80	240,30
186364W4	DOCUS CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI80	240,30
186364W9	DOCUS CEILING SURF 1.0 LED 2000-3000K W	8W 220-240VAC DIM CRI95	240,30
186365W2	DOCUS CEILING SURF 1.0 LED 2700K W	10W 220-240VAC DALI CRI80	287,20
186365W4	DOCUS CEILING SURF 1.0 LED 3000K W	10W 220-240VAC DALI CRI80	287,20
146320B0	DOCUS CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	85,05
146320G0	DOCUS CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	87,80
146320L0	DOCUS CEILING SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	87,80
146320P0	DOCUS CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	87,80
146320W0	DOCUS CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	85,05
186464B2	DOCUS CEILING SURF 2.0 LED 2700K B	2x8W 220-240VAC DIM CRI80	390,55
186464B4	DOCUS CEILING SURF 2.0 LED 3000K B	2x8W 220-240VAC DIM CRI80	390,55
186464B9	DOCUS CEILING SURF 2.0 LED 2000-3000K B	2x8W 220-240VAC DIM CRI95	390,55
186464G2	DOCUS CEILING SURF 2.0 LED 2700K G	2x8W 220-240VAC DIM CRI80	394,70
186464G4	DOCUS CEILING SURF 2.0 LED 3000K G	2x8W 220-240VAC DIM CRI80	394,70
186464G9	DOCUS CEILING SURF 2.0 LED 2000-3000K G	2x8W 220-240VAC DIM CRI95	394,70
186464L2	DOCUS CEILING SURF 2.0 LED 2700K L	2x8W 220-240VAC DIM CRI80	394,70
186464L4	DOCUS CEILING SURF 2.0 LED 3000K L	2x8W 220-240VAC DIM CRI80	394,70
186464L9	DOCUS CEILING SURF 2.0 LED 2000-3000K L	2x8W 220-240VAC DIM CRI95	394,70
186464P2	DOCUS CEILING SURF 2.0 LED 2700K P	2x8W 220-240VAC DIM CRI80	394,70
186464P4	DOCUS CEILING SURF 2.0 LED 3000K P	2x8W 220-240VAC DIM CRI80	394,70
186464P9	DOCUS CEILING SURF 2.0 LED 2000-3000K P	2x8W 220-240VAC DIM CRI95	394,70
186464W2	DOCUS CEILING SURF 2.0 LED 2700K W	2x8W 220-240VAC DIM CRI80	390,55
186464W4	DOCUS CEILING SURF 2.0 LED 3000K W	2x8W 220-240VAC DIM CRI80	390,55
186464W9	DOCUS CEILING SURF 2.0 LED 2000-3000K W	2x8W 220-240VAC DIM CRI95	390,55
146420B0	DOCUS CEILING SURF 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	165,60
146420G0	DOCUS CEILING SURF 2.0 PAR16 G	2xmax. 12W GU10 100-240VAC	169,75
146420L0	DOCUS CEILING SURF 2.0 PAR16 L	2xmax. 12W GU10 100-240VAC	169,75
146420P0	DOCUS CEILING SURF 2.0 PAR16 P	2xmax. 12W GU10 100-240VAC	169,75
146420W0	DOCUS CEILING SURF 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	165,60
911021B1	DOCUS INNER COVER B	max. 10W	26,95
911021G1	DOCUS INNER COVER G	max. 10W	26,95
911021W1	DOCUS INNER COVER W	max. 10W	26,95
258420B0	HEXO MINI CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	76,05
258420G0	HEXO MINI CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	78,25
258420Q0	HEXO MINI CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	78,25
258420W0	HEXO MINI CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	76,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
900199B3	HEXO MINI CEILING INNER REFLECTOR B	max. 10W	18,50
900199G3	HEXO MINI CEILING INNER REFLECTOR G	max. 10W	18,50
900199Q3	HEXO MINI SINGLE INNER REFLECTOR Q	max. 10W	18,50
900199W3	HEXO MINI CEILING INNER REFLECTOR W	max. 10W	18,50
186564B2	HEXO CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI80	240,30
186564B4	HEXO CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI80	240,30
186564B9	HEXO CEILING SURF 1.0 LED 2000-3000K B	8W 220-240VAC DIM CRI95	240,30
186565B2	HEXO CEILING SURF 1.0 LED 2700K B	10W 220-240VAC DALI CRI80	287,20
186565B4	HEXO CEILING SURF 1.0 LED 3000K B	10W 220-240VAC DALI CRI80	287,20
186564G2	HEXO CEILING SURF 1.0 LED 2700K G	8W 220-240VAC DIM CRI80	243,05
186564G4	HEXO CEILING SURF 1.0 LED 3000K G	8W 220-240VAC DIM CRI80	243,05
186564G9	HEXO CEILING SURF 1.0 LED 2000-3000K G	8W 220-240VAC DIM CRI95	243,05
186565G2	HEXO CEILING SURF 1.0 LED 2700K G	10W 220-240VAC DALI CRI80	289,95
186565G4	HEXO CEILING SURF 1.0 LED 3000K G	10W 220-240VAC DALI CRI80	289,95
186564P2	HEXO CEILING SURF 1.0 LED 2700K P	8W 220-240VAC DIM CRI80	243,05
186564P4	HEXO CEILING SURF 1.0 LED 3000K P	8W 220-240VAC DIM CRI80	243,05
186564P9	HEXO CEILING SURF 1.0 LED 2000-3000K P	8W 220-240VAC DIM CRI95	243,05
186565P2	HEXO CEILING SURF 1.0 LED 2700K P	10W 220-240VAC DALI CRI80	289,95
186565P4	HEXO CEILING SURF 1.0 LED 3000K P	10W 220-240VAC DALI CRI80	289,95
186564Q2	HEXO CEILING SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CRI80	243,05
186564Q4	HEXO CEILING SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CRI80	243,05
186564Q9	HEXO CEILING SURF 1.0 LED 2000-3000K Q	8W 220-240VAC DIM CRI95	243,05
186565Q2	HEXO CEILING SURF 1.0 LED 2700K Q	10W 220-240VAC DALI CRI80	289,95
186565Q4	HEXO CEILING SURF 1.0 LED 3000K Q	10W 220-240VAC DALI CRI80	289,95
186564W2	HEXO CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI80	240,30
186564W4	HEXO CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI80	240,30
186564W9	HEXO CEILING SURF 1.0 LED 2000-3000K W	8W 220-240VAC DIM CRI95	240,30
186565W2	HEXO CEILING SURF 1.0 LED 2700K W	10W 220-240VAC DALI CRI80	287,20
186565W4	HEXO CEILING SURF 1.0 LED 3000K W	10W 220-240VAC DALI CRI80	287,20
146520B0	HEXO CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	85,05
146520G0	HEXO CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	87,80
146520P0	HEXO CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	87,80
146520Q0	HEXO CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	87,80
146520W0	HEXO CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	85,05
186664B2	HEXO CEILING SURF 2.0 LED 2700K B	2x8W 220-240VAC DIM CRI80	390,55
186664B4	HEXO CEILING SURF 2.0 LED 3000K B	2x8W 220-240VAC DIM CRI80	390,55
186664B9	HEXO CEILING SURF 2.0 LED 2000-3000K B	2x8W 220-240VAC DIM CRI95	390,55
186664G2	HEXO CEILING SURF 2.0 LED 2700K G	2x8W 220-240VAC DIM CRI80	394,70
186664G4	HEXO CEILING SURF 2.0 LED 3000K G	2x8W 220-240VAC DIM CRI80	394,70
186664G9	HEXO CEILING SURF 2.0 LED 2000-3000K G	2x8W 220-240VAC DIM CRI95	394,70
186664P2	HEXO CEILING SURF 2.0 LED 2700K P	2x8W 220-240VAC DIM CRI80	394,70
186664P4	HEXO CEILING SURF 2.0 LED 3000K P	2x8W 220-240VAC DIM CRI80	394,70
186664P9	HEXO CEILING SURF 2.0 LED 2000-3000K P	2x8W 220-240VAC DIM CRI95	394,70
186664Q2	HEXO CEILING SURF 2.0 LED 2700K Q	2x8W 220-240VAC DIM CRI80	394,70
186664Q4	HEXO CEILING SURF 2.0 LED 3000K Q	2x8W 220-240VAC DIM CRI80	394,70
186664Q9	HEXO CEILING SURF 2.0 LED 2000-3000K Q	2x8W 220-240VAC DIM CRI95	394,70
186664W2	HEXO CEILING SURF 2.0 LED 2700K W	2x8W 220-240VAC DIM CRI80	390,55
186664W4	HEXO CEILING SURF 2.0 LED 3000K W	2x8W 220-240VAC DIM CRI80	390,55
186664W9	HEXO CEILING SURF 2.0 LED 2000-3000K W	2x8W 220-240VAC DIM CRI95	390,55
146620B0	HEXO CEILING SURF 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	165,60
146620G0	HEXO CEILING SURF 2.0 PAR16 G	2xmax. 12W GU10 100-240VAC	169,75

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
146620P0	HEXO CEILING SURF 2.0 PAR16 P	2xmax. 12W GU10 100-240VAC	169,75
146620Q0	HEXO CEILING SURF 2.0 PAR16 Q	2xmax. 12W GU10 100-240VAC	169,75
146620W0	HEXO CEILING SURF 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	165,60
911031B1	HEXO INNER COVER B	max. 10W	26,95
911031G1	HEXO INNER COVER G	max. 10W	26,95
911031W1	HEXO INNER COVER W	max. 10W	26,95
151164B3	PIRRO SPOT CEILING SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	176,65
151164B5	PIRRO SPOT CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	176,65
151164E3	PIRRO SPOT CEILING SURF 1.0 LED 2700K E	6W 220-240VAC DIM CRI90	176,65
151164E5	PIRRO SPOT CEILING SURF 1.0 LED 3000K E	6W 220-240VAC DIM CRI90	176,65
151164J3	PIRRO SPOT CEILING SURF 1.0 LED 2700K J	6W 220-240VAC DIM CRI90	176,65
151164J5	PIRRO SPOT CEILING SURF 1.0 LED 3000K J	6W 220-240VAC DIM CRI90	176,65
151164K3	PIRRO SPOT CEILING SURF 1.0 LED 2700K K	6W 220-240VAC DIM CRI90	176,65
151164K5	PIRRO SPOT CEILING SURF 1.0 LED 3000K K	6W 220-240VAC DIM CRI90	176,65
151564B3	PIRRO SPOT CEILING SURF 4.1 LED 2700K B	4x5W 220-240VAC DIM CRI90	285,70
151564B5	PIRRO SPOT CEILING SURF 4.1 LED 3000K B	4x5W 220-240VAC DIM CRI90	285,70
151564E3	PIRRO SPOT CEILING SURF 4.1 LED 2700K E	4x5W 220-240VAC DIM CRI90	285,70
151564E5	PIRRO SPOT CEILING SURF 4.1 LED 3000K E	4x5W 220-240VAC DIM CRI90	285,70
151564J3	PIRRO SPOT CEILING SURF 4.1 LED 2700K J	4x5W 220-240VAC DIM CRI90	285,70
151564J5	PIRRO SPOT CEILING SURF 4.1 LED 3000K J	4x5W 220-240VAC DIM CRI90	285,70
151564K3	PIRRO SPOT CEILING SURF 4.1 LED 2700K K	4x5W 220-240VAC DIM CRI90	285,70
151564K5	PIRRO SPOT CEILING SURF 4.1 LED 3000K K	4x5W 220-240VAC DIM CRI90	285,70
151664B3	PIRRO SPOT CEILING SURF 6.0 LED 2700K B	6x5W 220-240VAC DIM CRI90	408,50
151664B5	PIRRO SPOT CEILING SURF 6.0 LED 3000K B	6x5W 220-240VAC DIM CRI90	408,50
151664E3	PIRRO SPOT CEILING SURF 6.0 LED 2700K E	6x5W 220-240VAC DIM CRI90	408,50
151664E5	PIRRO SPOT CEILING SURF 6.0 LED 3000K E	6x5W 220-240VAC DIM CRI90	408,50
151664J3	PIRRO SPOT CEILING SURF 6.0 LED 2700K J	6x5W 220-240VAC DIM CRI90	408,50
151664J5	PIRRO SPOT CEILING SURF 6.0 LED 3000K J	6x5W 220-240VAC DIM CRI90	408,50
151664K3	PIRRO SPOT CEILING SURF 6.0 LED 2700K K	6x5W 220-240VAC DIM CRI90	408,50
151664K5	PIRRO SPOT CEILING SURF 6.0 LED 3000K K	6x5W 220-240VAC DIM CRI90	408,50
151284B3	PIRRO OPAL CEILING SURF 2.0 LED 2700K B	7W 220-240VAC DIM CRI90	218,05
151284B5	PIRRO OPAL CEILING SURF 2.0 LED 3000K B	7W 220-240VAC DIM CRI90	218,05
151284E3	PIRRO OPAL CEILING SURF 2.0 LED 2700K E	7W 220-240VAC DIM CRI90	218,05
151284E5	PIRRO OPAL CEILING SURF 2.0 LED 3000K E	7W 220-240VAC DIM CRI90	218,05
151284J3	PIRRO OPAL CEILING SURF 2.0 LED 2700K J	7W 220-240VAC DIM CRI90	218,05
151284J5	PIRRO OPAL CEILING SURF 2.0 LED 3000K J	7W 220-240VAC DIM CRI90	218,05
151284K3	PIRRO OPAL CEILING SURF 2.0 LED 2700K K	7W 220-240VAC DIM CRI90	218,05
151284K5	PIRRO OPAL CEILING SURF 2.0 LED 3000K K	7W 220-240VAC DIM CRI90	218,05
151484B3	PIRRO OPAL CEILING SURF 4.0 LED 2700K B	12W 220-240VAC DIM CRI90	291,20
151484B5	PIRRO OPAL CEILING SURF 4.0 LED 3000K B	12W 220-240VAC DIM CRI90	291,20
151484E3	PIRRO OPAL CEILING SURF 4.0 LED 2700K E	12W 220-240VAC DIM CRI90	291,20
151484E5	PIRRO OPAL CEILING SURF 4.0 LED 3000K E	12W 220-240VAC DIM CRI90	291,20
151484J3	PIRRO OPAL CEILING SURF 4.0 LED 2700K J	12W 220-240VAC DIM CRI90	291,20
151484J5	PIRRO OPAL CEILING SURF 4.0 LED 3000K J	12W 220-240VAC DIM CRI90	291,20
151484K3	PIRRO OPAL CEILING SURF 4.0 LED 2700K K	12W 220-240VAC DIM CRI90	291,20
151484K5	PIRRO OPAL CEILING SURF 4.0 LED 3000K K	12W 220-240VAC DIM CRI90	291,20
133864B3	SOLID PETIT CEILING SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	168,10
133864B5	SOLID PETIT CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	168,10
133864H3	SOLID PETIT CEILING SURF 1.0 LED 2700K H	6W 220-240VAC DIM CRI90	170,20
133864H5	SOLID PETIT CEILING SURF 1.0 LED 3000K H	6W 220-240VAC DIM CRI90	170,20
133864J3	SOLID PETIT CEILING SURF 1.0 LED 2700K J	6W 220-240VAC DIM CRI90	168,10

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
133864J5	SOLID PETIT CEILING SURF 1.0 LED 3000K J	6W 220-240VAC DIM CRI90	168,10
133864K3	SOLID PETIT CEILING SURF 1.0 LED 2700K K	6W 220-240VAC DIM CRI90	168,10
133864K5	SOLID PETIT CEILING SURF 1.0 LED 3000K K	6W 220-240VAC DIM CRI90	168,10
133864W3	SOLID PETIT CEILING SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	168,10
133864W5	SOLID PETIT CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	168,10
133964B3	SOLID PETIT CEILING SURF 2.0 LED 2700K B	9W 220-240VAC DIM CRI90	212,25
133964B5	SOLID PETIT CEILING SURF 2.0 LED 3000K B	9W 220-240VAC DIM CRI90	212,25
133964B9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K B	9W 220-240VAC DIM CRI95	212,25
133964H3	SOLID PETIT CEILING SURF 2.0 LED 2700K H	9W 220-240VAC DIM CRI90	215,05
133964H5	SOLID PETIT CEILING SURF 2.0 LED 3000K H	9W 220-240VAC DIM CRI90	215,05
133964H9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K H	9W 220-240VAC DIM CRI95	215,05
133964J3	SOLID PETIT CEILING SURF 2.0 LED 2700K J	9W 220-240VAC DIM CRI90	212,25
133964J5	SOLID PETIT CEILING SURF 2.0 LED 3000K J	9W 220-240VAC DIM CRI90	212,25
133964J9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K J	9W 220-240VAC DIM CRI95	212,25
133964K3	SOLID PETIT CEILING SURF 2.0 LED 2700K K	9W 220-240VAC DIM CRI90	212,25
133964K5	SOLID PETIT CEILING SURF 2.0 LED 3000K K	9W 220-240VAC DIM CRI90	212,25
133964K9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K K	9W 220-240VAC DIM CRI95	212,25
133964W3	SOLID PETIT CEILING SURF 2.0 LED 2700K W	9W 220-240VAC DIM CRI90	212,25
133964W5	SOLID PETIT CEILING SURF 2.0 LED 3000K W	9W 220-240VAC DIM CRI90	212,25
133964W9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K W	9W 220-240VAC DIM CRI95	212,25
133764B3	SOLID CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90	246,35
133764B5	SOLID CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	246,35
133764B9	SOLID CEILING SURF 1.0 LED 2000-3000K B	12W 220-240VAC DIM CRI95	246,35
133765B3	SOLID CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DALI CRI90	283,60
133765B5	SOLID CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DALI CRI90	283,60
133765B9	SOLID CEILING SURF 1.0 LED 2000-3000K B	12W 220-240VAC DALI CRI95	283,60
133764H3	SOLID CEILING SURF 1.0 LED 2700K H	12W 220-240VAC DIM CRI90	250,50
133764H5	SOLID CEILING SURF 1.0 LED 3000K H	12W 220-240VAC DIM CRI90	250,50
133764H9	SOLID CEILING SURF 1.0 LED 2000-3000K H	12W 220-240VAC DIM CRI95	250,50
133765H3	SOLID CEILING SURF 1.0 LED 2700K H	12W 220-240VAC DALI CRI90	287,75
133765H5	SOLID CEILING SURF 1.0 LED 3000K H	12W 220-240VAC DALI CRI90	287,75
133765H9	SOLID CEILING SURF 1.0 LED 2000-3000K H	12W 220-240VAC DALI CRI95	287,75
133764J3	SOLID CEILING SURF 1.0 LED 2700K J	12W 220-240VAC DIM CRI90	246,35
133764J5	SOLID CEILING SURF 1.0 LED 3000K J	12W 220-240VAC DIM CRI90	246,35
133764J9	SOLID CEILING SURF 1.0 LED 2000-3000K J	12W 220-240VAC DIM CRI95	246,35
133765J3	SOLID CEILING SURF 1.0 LED 2700K J	12W 220-240VAC DALI CRI90	283,60
133765J5	SOLID CEILING SURF 1.0 LED 3000K J	12W 220-240VAC DALI CRI90	283,60
133765J9	SOLID CEILING SURF 1.0 LED 2000-3000K J	12W 220-240VAC DALI CRI95	283,60
133764K3	SOLID CEILING SURF 1.0 LED 2700K K	12W 220-240VAC DIM CRI90	246,35
133764K5	SOLID CEILING SURF 1.0 LED 3000K K	12W 220-240VAC DIM CRI90	246,35
133764K9	SOLID CEILING SURF 1.0 LED 2000-3000K K	12W 220-240VAC DIM CRI95	246,35
133765K3	SOLID CEILING SURF 1.0 LED 2700K K	12W 220-240VAC DALI CRI90	283,60
133765K5	SOLID CEILING SURF 1.0 LED 3000K K	12W 220-240VAC DALI CRI90	283,60
133765K9	SOLID CEILING SURF 1.0 LED 2000-3000K K	12W 220-240VAC DALI CRI95	283,60
133764P3	SOLID CEILING SURF 1.0 LED 2700K P	12W 220-240VAC DIM CRI90	250,50
133764P5	SOLID CEILING SURF 1.0 LED 3000K P	12W 220-240VAC DIM CRI90	250,50
133764P9	SOLID CEILING SURF 1.0 LED 2000-3000K P	12W 220-240VAC DIM CRI95	250,50
133765P3	SOLID CEILING SURF 1.0 LED 2700K P	12W 220-240VAC DALI CRI90	287,75
133765P5	SOLID CEILING SURF 1.0 LED 3000K P	12W 220-240VAC DALI CRI90	287,75
133765P9	SOLID CEILING SURF 1.0 LED 2000-3000K P	12W 220-240VAC DALI CRI95	287,75
133764Q3	SOLID CEILING SURF 1.0 LED 2700K Q	12W 220-240VAC DIM CRI90	250,50

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
133764Q5	SOLID CEILING SURF 1.0 LED 3000K Q	12W 220-240VAC DIM CRI90	250,50
133764Q9	SOLID CEILING SURF 1.0 LED 2000-3000K Q	12W 220-240VAC DIM CRI95	250,50
133765Q3	SOLID CEILING SURF 1.0 LED 2700K Q	12W 220-240VAC DALI CRI90	287,75
133765Q5	SOLID CEILING SURF 1.0 LED 3000K Q	12W 220-240VAC DALI CRI90	287,75
133765Q9	SOLID CEILING SURF 1.0 LED 2000-3000K Q	12W 220-240VAC DIM CRI95	287,75
133764W3	SOLID CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90	246,35
133764W5	SOLID CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	246,35
133764W9	SOLID CEILING SURF 1.0 LED 2000-3000K W	12W 220-240VAC DIM CRI95	246,35
133765W3	SOLID CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DALI CRI90	283,60
133765W5	SOLID CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DALI CRI90	283,60
133765W9	SOLID CEILING SURF 1.0 LED 2000-3000K W	12W 220-240VAC DIM CRI95	283,60
133120B0	SOLID CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	135,95
133120H0	SOLID CEILING SURF 1.0 PAR16 H	max. 12W GU10 100-240VAC	140,10
133120J0	SOLID CEILING SURF 1.0 PAR16 J	max. 12W GU10 100-240VAC	135,95
133120K0	SOLID CEILING SURF 1.0 PAR16 K	max. 12W GU10 100-240VAC	135,95
133120P0	SOLID CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	140,10
133120Q0	SOLID CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	140,10
133120W0	SOLID CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	135,95
189164B3	SIRRO CEILING SURF 1.0 LED 2700K B	9W 220-240VAC DIM CRI90	324,30
189164B5	SIRRO CEILING SURF 1.0 LED 3000K B	9W 220-240VAC DIM CRI90	324,30
189164B9	SIRRO CEILING SURF 1.0 LED 2000-3000K B	9W 220-240VAC DIM CRI95	324,30
189164E3	SIRRO CEILING SURF 1.0 LED 2700K E	9W 220-240VAC DIM CRI90	324,30
189164E5	SIRRO CEILING SURF 1.0 LED 3000K E	9W 220-240VAC DIM CRI90	324,30
189164E9	SIRRO CEILING SURF 1.0 LED 2000-3000K E	9W 220-240VAC DIM CRI95	324,30
189164W3	SIRRO CEILING SURF 1.0 LED 2700K W	9W 220-240VAC DIM CRI90	324,30
189164W5	SIRRO CEILING SURF 1.0 LED 3000K W	9W 220-240VAC DIM CRI90	324,30
189164W9	SIRRO CEILING SURF 1.0 LED 2000-3000K W	9W 220-240VAC DIM CRI95	324,30
139120B0	SIRRO CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	207,85
139120E0	SIRRO CEILING SURF 1.0 PAR16 E	max. 12W GU10 100-240VAC	207,85
139120W0	SIRRO CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	207,85
189264B3	SIRRO CEILING SURF 2.0 LED 2700K B	2x10W 220-240VAC DIM CRI90	536,45
189264B5	SIRRO CEILING SURF 2.0 LED 3000K B	2x10W 220-240VAC DIM CRI90	536,45
189264B9	SIRRO CEILING SURF 2.0 LED 2000-3000K B	2x10W 220-240VAC DIM CRI95	536,45
189264E3	SIRRO CEILING SURF 2.0 LED 2700K E	2x10W 220-240VAC DIM CRI90	536,45
189264E5	SIRRO CEILING SURF 2.0 LED 3000K E	2x10W 220-240VAC DIM CRI90	536,45
189264E9	SIRRO CEILING SURF 2.0 LED 2000-3000K E	2x10W 220-240VAC DIM CRI95	536,45
189264W3	SIRRO CEILING SURF 2.0 LED 2700K W	2x10W 220-240VAC DIM CRI90	536,45
189264W5	SIRRO CEILING SURF 2.0 LED 3000K W	2x10W 220-240VAC DIM CRI90	536,45
189264W9	SIRRO CEILING SURF 2.0 LED 2000-3000K W	2x10W 220-240VAC DIM CRI95	536,45
139220B0	SIRRO CEILING SURF 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	307,50
139220E0	SIRRO CEILING SURF 2.0 PAR16 E	2xmax. 12W GU10 100-240VAC	307,50
139220W0	SIRRO CEILING SURF 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	307,50
139320B0	SIRRO CEILING SURF 3.0 PAR16 B	3xmax. 12W GU10 100-240VAC	409,20
139320E0	SIRRO CEILING SURF 3.0 PAR16 E	3xmax. 12W GU10 100-240VAC	409,20
139320W0	SIRRO CEILING SURF 3.0 PAR16 W	3xmax. 12W GU10 100-240VAC	409,20
162564B3	PLANO PETIT CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	204,25
162564B5	PLANO PETIT CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	204,25
162564B9	PLANO PETIT CEILING SURF 1.0 LED 2000-3000K B	8W 220-240VAC DIM CRI95	204,25
162564CH3	PLANO PETIT CEILING SURF 1.0 LED 2700K CH	8W 220-240VAC DIM CRI90	204,25
162564CH5	PLANO PETIT CEILING SURF 1.0 LED 3000K CH	8W 220-240VAC DIM CRI90	204,25
162564CH9	PLANO PETIT CEILING SURF 1.0 LED 2000-3000K CH	8W 220-240VAC DIM CRI95	204,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
162564E3	PLANO PETIT CEILING SURF 1.0 LED 2700K E	8W 220-240VAC DIM CRI90	204,25
162564E5	PLANO PETIT CEILING SURF 1.0 LED 3000K E	8W 220-240VAC DIM CRI90	204,25
162564E9	PLANO PETIT CEILING SURF 1.0 LED 2000-3000K E	8W 220-240VAC DIM CRI95	204,25
162564W3	PLANO PETIT CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	204,25
162564W5	PLANO PETIT CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	204,25
162564W9	PLANO PETIT CEILING SURF 1.0 LED 2000-3000K W	8W 220-240VAC DIM CRI95	204,25
162664B3	PLANO PETIT CEILING SURF 2.0 LED 2700K B	2x8W 220-240VAC DIM CRI90	316,05
162664B5	PLANO PETIT CEILING SURF 2.0 LED 3000K B	2x8W 220-240VAC DIM CRI90	316,05
162664B9	PLANO PETIT CEILING SURF 2.0 LED 2000-3000K B	2x8W 220-240VAC DIM CRI95	316,05
162664CH3	PLANO PETIT CEILING SURF 2.0 LED 2700K CH	2x8W 220-240VAC DIM CRI90	316,05
162664CH5	PLANO PETIT CEILING SURF 2.0 LED 3000K CH	2x8W 220-240VAC DIM CRI90	316,05
162664CH9	PLANO PETIT CEILING SURF 2.0 LED 2000-3000K CH	2x8W 220-240VAC DIM CRI95	316,05
162664E3	PLANO PETIT CEILING SURF 2.0 LED 2700K E	2x8W 220-240VAC DIM CRI90	316,05
162664E5	PLANO PETIT CEILING SURF 2.0 LED 3000K E	2x8W 220-240VAC DIM CRI90	316,05
162664E9	PLANO PETIT CEILING SURF 2.0 LED 2000-3000K E	2x8W 220-240VAC DIM CRI95	316,05
162664W3	PLANO PETIT CEILING SURF 2.0 LED 2700K W	2x8W 220-240VAC DIM CRI90	316,05
162664W5	PLANO PETIT CEILING SURF 2.0 LED 3000K W	2x8W 220-240VAC DIM CRI90	316,05
162664W9	PLANO PETIT CEILING SURF 2.0 LED 2000-3000K W	2x8W 220-240VAC DIM CRI95	316,05
162764B3	PLANO PETIT CEILING SURF 3.0 LED 2700K B	3x8W 220-240VAC DIM CRI90	407,10
162764B5	PLANO PETIT CEILING SURF 3.0 LED 3000K B	3x8W 220-240VAC DIM CRI90	407,10
162764B9	PLANO PETIT CEILING SURF 3.0 LED 2000-3000K B	3x8W 220-240VAC DIM CRI95	407,10
162764CH3	PLANO PETIT CEILING SURF 3.0 LED 2700K CH	3x8W 220-240VAC DIM CRI90	407,10
162764CH5	PLANO PETIT CEILING SURF 3.0 LED 3000K CH	3x8W 220-240VAC DIM CRI90	407,10
162764CH9	PLANO PETIT CEILING SURF 3.0 LED 2000-3000K CH	3x8W 220-240VAC DIM CRI95	407,10
162764E3	PLANO PETIT CEILING SURF 3.0 LED 2700K E	3x8W 220-240VAC DIM CRI90	407,10
162764E5	PLANO PETIT CEILING SURF 3.0 LED 3000K E	3x8W 220-240VAC DIM CRI90	407,10
162764E9	PLANO PETIT CEILING SURF 3.0 LED 2000-3000K E	3x8W 220-240VAC DIM CRI95	407,10
162764W3	PLANO PETIT CEILING SURF 3.0 LED 2700K W	3x8W 220-240VAC DIM CRI90	407,10
162764W5	PLANO PETIT CEILING SURF 3.0 LED 3000K W	3x8W 220-240VAC DIM CRI90	407,10
162764W9	PLANO PETIT CEILING SURF 3.0 LED 2000-3000K W	3x8W 220-240VAC DIM CRI95	407,10
118564B3	PLANO CEILING SURF 1.0 LED 2700K B	11W 220-240VAC DIM CRI90	255,30
118564B5	PLANO CEILING SURF 1.0 LED 3000K B	11W 220-240VAC DIM CRI90	255,30
118564B9	PLANO CEILING SURF 1.0 LED 2000-3000K B	11W 12V 220-240VAC DIM CRI95	255,30
118564CH3	PLANO CEILING SURF 1.0 LED 2700K CH	11W 220-240VAC DIM CRI90	255,30
118564CH5	PLANO CEILING SURF 1.0 LED 3000K CH	11W 220-240VAC DIM CRI90	255,30
118564CH9	PLANO CEILING SURF 1.0 LED 2000-3000K CH	11W 12V 220-240VAC DIM CRI95	255,30
118564E3	PLANO CEILING SURF 1.0 LED 2700K E	11W 220-240VAC DIM CRI90	255,30
118564E5	PLANO CEILING SURF 1.0 LED 3000K E	11W 220-240VAC DIM CRI90	255,30
118564E9	PLANO CEILING SURF 1.0 LED 2000-3000K E	11W 12V 220-240VAC DIM CRI95	255,30
118564W3	PLANO CEILING SURF 1.0 LED 2700K W	11W 220-240VAC DIM CRI90	255,30
118564W5	PLANO CEILING SURF 1.0 LED 3000K W	11W 220-240VAC DIM CRI90	255,30
118564W9	PLANO CEILING SURF 1.0 LED 2000-3000K W	11W 12V 220-240VAC DIM CRI95	255,30
118520B0	PLANO CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	182,85
118520CH0	PLANO CEILING SURF 1.0 PAR16 CH	max. 12W GU10 100-240VAC	182,85
118520E0	PLANO CEILING SURF 1.0 PAR16 E	max. 12W GU10 100-240VAC	182,85
118520W0	PLANO CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	182,85
118664B3	PLANO CEILING SURF 2.0 LED 2700K B	2x11W 220-240VAC DIM CRI90	405,75
118664B5	PLANO CEILING SURF 2.0 LED 3000K B	2x11W 220-240VAC DIM CRI90	405,75
118664B9	PLANO CEILING SURF 2.0 LED 2000-3000K B	2x11W 12V 220-240VAC DIM CRI95	405,75
118664CH3	PLANO CEILING SURF 2.0 LED 2700K CH	2x11W 220-240VAC DIM CRI90	405,75
118664CH5	PLANO CEILING SURF 2.0 LED 3000K CH	2x11W 220-240VAC DIM CRI90	405,75

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
118664CH9	PLANO CEILING SURF 2.0 LED 2000-3000K CH	2x11W 12V 220-240VAC DIM CRI95	405,75
118664E3	PLANO CEILING SURF 2.0 LED 2700K E	2x11W 220-240VAC DIM CRI90	405,75
118664E5	PLANO CEILING SURF 2.0 LED 3000K E	2x11W 220-240VAC DIM CRI90	405,75
118664E9	PLANO CEILING SURF 2.0 LED 2000-3000K E	2x11W 12V 220-240VAC DIM CRI95	405,75
118664W3	PLANO CEILING SURF 2.0 LED 2700K W	2x11W 220-240VAC DIM CRI90	405,75
118664W5	PLANO CEILING SURF 2.0 LED 3000K W	2x11W 220-240VAC DIM CRI90	405,75
118664W9	PLANO CEILING SURF 2.0 LED 2000-3000K W	2x11W 12V 220-240VAC DIM CRI95	405,75
118620B0	PLANO CEILING SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	258,50
118620CH0	PLANO CEILING SURF 2.0 PAR16 CH	max. 2x12W GU10 100-240VAC	258,50
118620E0	PLANO CEILING SURF 2.0 PAR16 E	max. 2x12W GU10 100-240VAC	258,50
118620W0	PLANO CEILING SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	258,50
157220B0	SARA ON BASE CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	94,55
157220G0	SARA ON BASE CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	101,45
157220K0	SARA ON BASE CEILING SURF 1.0 PAR16 K	max. 12W GU10 100-240VAC	102,85
157220W0	SARA ON BASE CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	94,55
157420B0	SARA ON BASE CEILING SURF 1.1 PAR16 B	max. 12W GU10 100-240VAC	145,60
157420K0	SARA ON BASE CEILING SURF 1.1 PAR16 K	max. 12W GU10 100-240VAC	185,65
157420W0	SARA ON BASE CEILING SURF 1.1 PAR16 W	max. 12W GU10 100-240VAC	148,35
157520B0	SARA ON BASE CEILING SURF 3.0 PAR16 B	3xmax. 12W GU10 100-240VAC	309,15
157520K0	SARA ON BASE CEILING SURF 3.0 PAR16 K	3xmax. 12W GU10 100-240VAC	322,95
157520W0	SARA ON BASE CEILING SURF 3.0 PAR16 W	3xmax. 12W GU10 100-240VAC	309,15
144268B2	SQUBE ON BASE CEILING SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI80	200,80
144268B4	SQUBE ON BASE CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI80	200,80
144268B9	SQUBE ON BASE CEILING SURF 1.0 LED 1800-3000K B	6W 220-240VAC DIM CRI80	200,80
144268W2	SQUBE ON BASE CEILING SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI80	200,80
144268W4	SQUBE ON BASE CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI80	200,80
144268W9	SQUBE ON BASE CEILING SURF 1.0 LED 1800-3000K W	6W 220-240VAC DIM CRI80	200,80
144220B0	SQUBE ON BASE CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	114,85
144220W0	SQUBE ON BASE CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	114,85
144468B2	SQUBE ON BASE CEILING SURF 2.0 LED 2700K B	12W 220-240VAC DIM CRI80	232,95
144468B4	SQUBE ON BASE CEILING SURF 2.0 LED 3000K B	12W 220-240VAC DIM CRI80	232,95
144468B9	SQUBE ON BASE CEILING SURF 2.0 LED 1800-3000K B	12W 220-240VAC DIM CRI80	232,95
144468W2	SQUBE ON BASE CEILING SURF 2.0 LED 2700K W	12W 220-240VAC DIM CRI80	232,95
144468W4	SQUBE ON BASE CEILING SURF 2.0 LED 3000K W	12W 220-240VAC DIM CRI80	232,95
144468W9	SQUBE ON BASE CEILING SURF 2.0 LED 1800-3000K W	12W 220-240VAC DIM CRI80	232,95
144520B0	SQUBE ON BASE CEILING SURF 2.0 PAR16 B	2xmax. 12W GU10 100-240VAC	219,45
144520W0	SQUBE ON BASE CEILING SURF 2.0 PAR16 W	2xmax. 12W GU10 100-240VAC	219,45
144620B0	SQUBE ON BASE CEILING SURF 3.0 PAR16 B	3xmax. 12W GU10 100-240VAC	291,20
144620W0	SQUBE ON BASE CEILING SURF 3.0 PAR16 W	3xmax. 12W GU10 100-240VAC	291,20
177154B3	MATCH CEILING SURF 1.0 LED 2700K B	9W 220-240VAC DIM CRI90	213,90
177154B5	MATCH CEILING SURF 1.0 LED 3000K B	9W 220-240VAC DIM CRI90	213,90
177154W3	MATCH CEILING SURF 1.0 LED 2700K W	9W 220-240VAC DIM CRI90	213,90
177154W5	MATCH CEILING SURF 1.0 LED 3000K W	9W 220-240VAC DIM CRI90	213,90
177254B3	MATCH CEILING SURF 2.0 LED 2700K B	2x9W 220-240VAC DIM CRI90	351,90
177254B5	MATCH CEILING SURF 2.0 LED 3000K B	2x9W 220-240VAC DIM CRI90	351,90
177254W3	MATCH CEILING SURF 2.0 LED 2700K W	2x9W 220-240VAC DIM CRI90	351,90
177254W5	MATCH CEILING SURF 2.0 LED 3000K W	2x9W 220-240VAC DIM CRI90	351,90
176664B3	CENO CEILING SURF 1.0 LED 2700K B	7W 220-240VAC DIM CRI90	200,10
176664B5	CENO CEILING SURF 1.0 LED 3000K B	7W 220-240VAC DIM CRI90	200,10
176664K3	CENO CEILING SURF 1.0 LED 2700K K	7W 220-240VAC DIM CRI90	200,10
176664K5	CENO CEILING SURF 1.0 LED 3000K K	7W 220-240VAC DIM CRI90	200,10

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
176664Q3	CENO CEILING SURF 1.0 LED 2700K Q	7W 220-240VAC DIM CRI90	200,10
176664Q5	CENO CEILING SURF 1.0 LED 3000K Q	7W 220-240VAC DIM CRI90	200,10
176664W3	CENO CEILING SURF 1.0 LED 2700K W	7W 220-240VAC DIM CRI90	200,10
176664W5	CENO CEILING SURF 1.0 LED 3000K W	7W 220-240VAC DIM CRI90	200,10
176764B3	CENO CEILING SURF 2.0 LED 2700K B	2x7W 220-240VAC DIM CRI90	324,30
176764B5	CENO CEILING SURF 2.0 LED 3000K B	2x7W 220-240VAC DIM CRI90	324,30
176764K3	CENO CEILING SURF 2.0 LED 2700K K	2x7W 220-240VAC DIM CRI90	324,30
176764K5	CENO CEILING SURF 2.0 LED 3000K K	2x7W 220-240VAC DIM CRI90	324,30
176764Q3	CENO CEILING SURF 2.0 LED 2700K Q	2x7W 220-240VAC DIM CRI90	324,30
176764Q5	CENO CEILING SURF 2.0 LED 3000K Q	2x7W 220-240VAC DIM CRI90	324,30
176764W3	CENO CEILING SURF 2.0 LED 2700K W	2x7W 220-240VAC DIM CRI90	324,30
176764W5	CENO CEILING SURF 2.0 LED 3000K W	2x7W 220-240VAC DIM CRI90	324,30
176864B3	CENO CEILING SURF 4.0 LED 2700K B	4x7W 220-240VAC DIM CRI90	538,20
176864B5	CENO CEILING SURF 4.0 LED 3000K B	4x7W 220-240VAC DIM CRI90	538,20
176864K3	CENO CEILING SURF 4.0 LED 2700K K	4x7W 220-240VAC DIM CRI90	538,20
176864K5	CENO CEILING SURF 4.0 LED 3000K K	4x7W 220-240VAC DIM CRI90	538,20
176864Q3	CENO CEILING SURF 4.0 LED 2700K Q	4x7W 220-240VAC DIM CRI90	538,20
176864Q5	CENO CEILING SURF 4.0 LED 3000K Q	4x7W 220-240VAC DIM CRI90	538,20
176864W3	CENO CEILING SURF 4.0 LED 2700K W	4x7W 220-240VAC DIM CRI90	538,20
176864W5	CENO CEILING SURF 4.0 LED 3000K W	4x7W 220-240VAC DIM CRI90	538,20
176964B3	CENO CEILING SURF 4.1 LED 2700K B	4x7W 220-240VAC DIM CRI90	481,65
176964B5	CENO CEILING SURF 4.1 LED 3000K B	4x7W 220-240VAC DIM CRI90	481,65
176964K3	CENO CEILING SURF 4.1 LED 2700K K	4x7W 220-240VAC DIM CRI90	481,65
176964K5	CENO CEILING SURF 4.1 LED 3000K K	4x7W 220-240VAC DIM CRI90	481,65
176964Q3	CENO CEILING SURF 4.1 LED 2700K Q	4x7W 220-240VAC DIM CRI90	481,65
176964Q5	CENO CEILING SURF 4.1 LED 3000K Q	4x7W 220-240VAC DIM CRI90	481,65
176964W3	CENO CEILING SURF 4.1 LED 2700K W	4x7W 220-240VAC DIM CRI90	481,65
176964W5	CENO CEILING SURF 4.1 LED 3000K W	4x7W 220-240VAC DIM CRI90	481,65
159144J3	MICK CEILING SURF 1.0 LED 2700K J	14W 220-240VAC DIM CRI90	324,30
159144J5	MICK CEILING SURF 1.0 LED 3000K J	14W 220-240VAC DIM CRI90	324,30
159144K3	MICK CEILING SURF 1.0 LED 2700K K	14W 220-240VAC DIM CRI90	324,30
159144K5	MICK CEILING SURF 1.0 LED 3000K K	14W 220-240VAC DIM CRI90	324,30
159244J3	MICK CEILING / WALL SURF 2.0 LED 2700K J	2x8W 220-240VAC DIM CRI90	427,80
159244J5	MICK CEILING / WALL SURF 2.0 LED 3000K J	2x8W 220-240VAC DIM CRI90	427,80
159244K3	MICK CEILING / WALL SURF 2.0 LED 2700K K	2x8W 220-240VAC DIM CRI90	427,80
159244K5	MICK CEILING / WALL SURF 2.0 LED 3000K K	2x8W 220-240VAC DIM CRI90	427,80
181184B3	CLEA CEILING SURF 1.0 LED 2700K B	14W 220-240VAC DIM CRI90	345,00
181184B5	CLEA CEILING SURF 1.0 LED 3000K B	14W 220-240VAC DIM CRI90	345,00
181184FJ3	CLEA CEILING SURF 1.0 LED 2700K FJ	14W 220-240VAC DIM CRI90	372,60
181184FJ5	CLEA CEILING SURF 1.0 LED 3000K FJ	14W 220-240VAC DIM CRI90	372,60
181184SG3	CLEA CEILING SURF 1.0 LED 2700K SG	14W 220-240VAC DIM CRI90	372,60
181184SG5	CLEA CEILING SURF 1.0 LED 3000K SG	14W 220-240VAC DIM CRI90	372,60
181184W3	CLEA CEILING SURF 1.0 LED 2700K W	14W 220-240VAC DIM CRI90	345,00
181184W5	CLEA CEILING SURF 1.0 LED 3000K W	14W 220-240VAC DIM CRI90	345,00
181284B3	CLEA CEILING SURF 2.0 LED 2700K B	14W 220-240VAC DIM CRI90	524,40
181284B5	CLEA CEILING SURF 2.0 LED 3000K B	14W 220-240VAC DIM CRI90	524,40
181284FJ3	CLEA CEILING SURF 2.0 LED 2700K FJ	14W 220-240VAC DIM CRI90	565,80
181284FJ5	CLEA CEILING SURF 2.0 LED 3000K FJ	14W 220-240VAC DIM CRI90	565,80
181284SG3	CLEA CEILING SURF 2.0 LED 2700K SG	14W 220-240VAC DIM CRI90	565,80
181284SG5	CLEA CEILING SURF 2.0 LED 3000K SG	14W 220-240VAC DIM CRI90	565,80
181284W3	CLEA CEILING SURF 2.0 LED 2700K W	14W 220-240VAC DIM CRI90	524,40

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
181284W5	CLEA CEILING SURF 2.0 LED 3000K W	14W 220-240VAC DIM CRI90	524,40
181384B3	CLEA CEILING SURF 3.0 LED 2700K B	14W 220-240VAC DIM CRI90	688,65
181384B5	CLEA CEILING SURF 3.0 LED 3000K B	14W 220-240VAC DIM CRI90	688,65
181384FJ3	CLEA CEILING SURF 3.0 LED 2700K FJ	14W 220-240VAC DIM CRI90	742,45
181384FJ5	CLEA CEILING SURF 3.0 LED 3000K FJ	14W 220-240VAC DIM CRI90	742,45
181384SG3	CLEA CEILING SURF 3.0 LED 2700K SG	14W 220-240VAC DIM CRI90	742,45
181384SG5	CLEA CEILING SURF 3.0 LED 3000K SG	14W 220-240VAC DIM CRI90	742,45
181384W3	CLEA CEILING SURF 3.0 LED 2700K W	14W 220-240VAC DIM CRI90	688,65
181384W5	CLEA CEILING SURF 3.0 LED 3000K W	14W 220-240VAC DIM CRI90	688,65
182184B3	CLOCK CEILING SURF 1.0 LED 2700K B	14W 220-240VAC DIM CRI90	241,50
182184B5	CLOCK CEILING SURF 1.0 LED 3000K B	14W 220-240VAC DIM CRI90	241,50
182384B3	CLOCK CEILING SURF 2.0 LED 2700K B	14W 220-240VAC DIM CRI90	269,10
182384B5	CLOCK CEILING SURF 2.0 LED 3000K B	14W 220-240VAC DIM CRI90	269,10
182484B3	CLOCK CEILING SURF 3.0 LED 2700K B	14W 220-240VAC DIM CRI90	351,90
182484B5	CLOCK CEILING SURF 3.0 LED 3000K B	14W 220-240VAC DIM CRI90	351,90
135188B3	ROBY IP44 CEILING SURF 1.6 LED 2700K B	12W 220-240VAC DIM CRI90	273,25
135188B5	ROBY IP44 CEILING SURF 1.6 LED 3000K B	12W 220-240VAC DIM CRI90	273,25
135188W3	ROBY IP44 CEILING SURF 1.6 LED 2700K W	12W 220-240VAC DIM CRI90	273,25
135188W5	ROBY IP44 CEILING SURF 1.6 LED 3000K W	12W 220-240VAC DIM CRI90	273,25
135288B3	ROBY IP44 CEILING SURF 2.6 LED 2700K B	12W 220-240VAC DIM CRI90	403,00
135288B5	ROBY IP44 CEILING SURF 2.6 LED 3000K B	12W 220-240VAC DIM CRI90	403,00
135288W3	ROBY IP44 CEILING SURF 2.6 LED 2700K W	12W 220-240VAC DIM CRI90	403,00
135288W5	ROBY IP44 CEILING SURF 2.6 LED 3000K W	12W 220-240VAC DIM CRI90	403,00
135388B3	ROBY IP44 CEILING SURF 3.5 LED 2700K B	12W 220-240VAC DIM CRI90	549,25
135388B5	ROBY IP44 CEILING SURF 3.5 LED 3000K B	12W 220-240VAC DIM CRI90	549,25
135388W3	ROBY IP44 CEILING SURF 3.5 LED 2700K W	12W 220-240VAC DIM CRI90	549,25
135388W5	ROBY IP44 CEILING SURF 3.5 LED 3000K W	12W 220-240VAC DIM CRI90	549,25
178188B3	TOWNA IP44 CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90	311,90
178188B5	TOWNA IP44 CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	311,90
178188J3	TOWNA IP44 CEILING SURF 1.0 LED 2700K J	12W 220-240VAC DIM CRI90	316,05
178188J5	TOWNA IP44 CEILING SURF 1.0 LED 3000K J	12W 220-240VAC DIM CRI90	316,05
178188K3	TOWNA IP44 CEILING SURF 1.0 LED 2700K K	12W 220-240VAC DIM CRI90	316,05
178188K5	TOWNA IP44 CEILING SURF 1.0 LED 3000K K	12W 220-240VAC DIM CRI90	316,05
178188W3	TOWNA IP44 CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90	311,90
178188W5	TOWNA IP44 CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	311,90
178188Z3	TOWNA IP44 CEILING SURF 1.0 LED 2700K Z	12W 220-240VAC DIM CRI90	316,05
178188Z5	TOWNA IP44 CEILING SURF 1.0 LED 3000K Z	12W 220-240VAC DIM CRI90	316,05
178288B3	TOWNA IP44 CEILING SURF 2.0 LED 2700K B	18W 220-240VAC DIM CRI90	463,70
178288B5	TOWNA IP44 CEILING SURF 2.0 LED 3000K B	18W 220-240VAC DIM CRI90	463,70
178288J3	TOWNA IP44 CEILING SURF 2.0 LED 2700K J	18W 220-240VAC DIM CRI90	470,60
178288J5	TOWNA IP44 CEILING SURF 2.0 LED 3000K J	18W 220-240VAC DIM CRI90	470,60
178288K3	TOWNA IP44 CEILING SURF 2.0 LED 2700K K	18W 220-240VAC DIM CRI90	470,60
178288K5	TOWNA IP44 CEILING SURF 2.0 LED 3000K K	18W 220-240VAC DIM CRI90	470,60
178288W3	TOWNA IP44 CEILING SURF 2.0 LED 2700K W	18W 220-240VAC DIM CRI90	463,70
178288W5	TOWNA IP44 CEILING SURF 2.0 LED 3000K W	18W 220-240VAC DIM CRI90	463,70
178288Z3	TOWNA IP44 CEILING SURF 2.0 LED 2700K Z	18W 220-240VAC DIM CRI90	470,60
178288Z5	TOWNA IP44 CEILING SURF 2.0 LED 3000K Z	18W 220-240VAC DIM CRI90	470,60
178388B3	TOWNA IP44 CEILING SURF 3.0 LED 2700K B	32W 220-240VAC DIM CRI90	618,25
178388B5	TOWNA IP44 CEILING SURF 3.0 LED 3000K B	32W 220-240VAC DIM CRI90	618,25
178388J3	TOWNA IP44 CEILING SURF 3.0 LED 2700K J	32W 220-240VAC DIM CRI90	627,90
178388J5	TOWNA IP44 CEILING SURF 3.0 LED 3000K J	32W 220-240VAC DIM CRI90	627,90

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
178388K3	TOWNA IP44 CEILING SURF 3.0 LED 2700K K	32W 220-240VAC DIM CRI90	627,90
178388K5	TOWNA IP44 CEILING SURF 3.0 LED 3000K K	32W 220-240VAC DIM CRI90	627,90
178388W3	TOWNA IP44 CEILING SURF 3.0 LED 2700K W	32W 220-240VAC DIM CRI90	618,25
178388W5	TOWNA IP44 CEILING SURF 3.0 LED 3000K W	32W 220-240VAC DIM CRI90	618,25
178388Z3	TOWNA IP44 CEILING SURF 3.0 LED 2700K Z	32W 220-240VAC DIM CRI90	627,90
178388Z5	TOWNA IP44 CEILING SURF 3.0 LED 3000K Z	32W 220-240VAC DIM CRI90	627,90
175488E5	MIRBI IP44 CEILING SURF 1.0 LED 3000K E	7W 220-240VAC DIM CRI90	218,05
175488W5	MIRBI IP44 CEILING SURF 1.0 LED 3000K W	7W 220-240VAC DIM CRI90	218,05
175588E5	MIRBI IP44 CEILING SURF 2.0 LED 3000K E	7W 220-240VAC DIM CRI90	233,25
175588W5	MIRBI IP44 CEILING SURF 2.0 LED 3000K W	7W 220-240VAC DIM CRI90	233,25
90014187	STREX TRACK PROFILE REC W 1m	48V 15A DALI	134,55
90014188	STREX TRACK PROFILE REC B 1m	48V 15A DALI	134,55
90014189	STREX TRACK PROFILE REC W 2m	48V 15A DALI	273,25
90014190	STREX TRACK PROFILE REC B 2m	48V 15A DALI	273,25
90014191	STREX TRACK PROFILE REC W 3m	48V 15A DALI	411,25
90014192	STREX TRACK PROFILE REC B 3m	48V 15A DALI	411,25
90014251	STREX REC L-CONNECTOR W electrical	48V 15A DALI	218,05
90014252	STREX REC L-CONNECTOR B electrical	48V 15A DALI	218,05
90014149	STREX REC END CAP W		14,10
90014150	STREX REC END CAP B		14,10
90014193	STREX REC MOUNTING BRACKET		14,25
90014166	STREX SURF IN LINE DRIVER A2 100W W	48V 220-240VAC	292,60
90014167	STREX SURF IN LINE DRIVER A2 100W B	48V 220-240VAC	292,60
90014170	STREX SURF IN LINE DRIVER A2 150W W	48V 220-240VAC	309,15
90014171	STREX SURF IN LINE DRIVER A2 150W B	48V 220-240VAC	309,15
90014176	STREX SURF IN TRACK DRIVER A3 100W B	48V 220-240VAC	300,85
90014178	STREX SURF IN TRACK DRIVER A3 100W W	48V 220-240VAC	300,85
90014177	STREX SURF IN TRACK DRIVER A3 250W B	48V 220-240VAC	357,45
90014179	STREX SURF IN TRACK DRIVER A3 250W W	48V 220-240VAC	357,45
90014143	STREX SURF IN TRACK DRIVER A4 100W B	48V 220-240VAC	292,60
90014144	STREX SURF IN TRACK DRIVER A4 100W W	48V 220-240VAC	292,60
90014145	STREX SURF IN TRACK DRIVER A4 250W B	48V 220-240VAC	349,15
90014146	STREX SURF IN TRACK DRIVER A4 250W W	48V 220-240VAC	349,15
90014181	STREX TRACK PROFILE SURF / SUSP W 1m	48V 15A DALI	106,30
90014182	STREX TRACK PROFILE SURF / SUSP B 1m	48V 15A DALI	106,30
90014183	STREX TRACK PROFILE SURF / SUSP W 2m	48V 15A DALI	213,25
90014184	STREX TRACK PROFILE SURF / SUSP B 2m	48V 15A DALI	213,25
90014185	STREX TRACK PROFILE SURF / SUSP W 3m	48V 15A DALI	316,05
90014186	STREX TRACK PROFILE SURF / SUSP B 3m	48V 15A DALI	316,05
900140W5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 2m	48V 15A DALI / ind. 30W 48V CRI90	683,10
900140B5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 2m	48V 15A DALI / ind. 30W 48V CRI90	683,10
900141W5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 3m	48V 15A DALI / ind. 45W 48V CRI90	797,65
900141B5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 3m	48V 15A DALI / ind. 45W 48V CRI90	797,65
90014260	STREX SUSP IN LINE DRIVER A1 100W W	48V 220-240VAC	371,25
90014261	STREX SUSP IN LINE DRIVER A1 100W B	48V 220-240VAC	371,25
90014262	STREX SUSP IN LINE DRIVER A1 150W W	48V 220-240VAC	385,05
90014263	STREX SUSP IN LINE DRIVER A1 150W B	48V 220-240VAC	385,05
90014168	STREX SUSP CEILING DRIVER A2 100W W	48V 220-240VAC	328,45
90014169	STREX SUSP CEILING DRIVER A2 100W B	48V 220-240VAC	328,45
90014172	STREX SUSP CEILING DRIVER A2 150W W	48V 220-240VAC	350,55
90014173	STREX SUSP CEILING DRIVER A2 150W B	48V 220-240VAC	350,55

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90014174	STREX SUSP IN TRACK DRIVER A3 100W B	48V 220-240VAC	339,50
90014157	STREX SUSP IN TRACK DRIVER A3 100W W	48V 220-240VAC	339,50
90014175	STREX SUSP IN TRACK DRIVER A3 250W B	48V 220-240VAC	396,10
90014158	STREX SUSP IN TRACK DRIVER A3 250W W	48V 220-240VAC	396,10
90014153	STREX POWER FEED W	48V 15A DALI	42,80
90014154	STREX POWER FEED B	48V 15A DALI	42,80
90014196	STREX CONNECTOR W electrical	48V 15A DALI	47,65
90014197	STREX CONNECTOR B electrical	48V 15A DALI	47,65
90014198	STREX L-CONNECTOR SURF / SUSP W electrical	48V 15A DALI	141,60
90014199	STREX L-CONNECTOR SURF / SUSP B electrical	48V 15A DALI	141,60
90014147	STREX SURF / SUSP END CAP W		8,45
90014148	STREX SURF / SUSP END CAP B		8,45
90014155	STREX WIRELESS CASAMBI CONTROL W		662,40
90014156	STREX WIRELESS CASAMBI CONTROL B		662,40
90014160	STREX SUSPENSION SET I 1.5m with nickel steel cable	incl. ceiling fixation bracket	32,75
90014161	STREX SUSPENSION SET I 3.0m with nickel steel cable	incl. ceiling fixation bracket	35,75
90014274	STREX SUSPENSION SET B 1.5m with black steel cable	incl. ceiling fixation bracket	32,75
90014275	STREX SUSPENSION SET B 3.0m with black steel cable	incl. ceiling fixation bracket	35,75
179152W3	MATCH ON TRACK STREX 1.0 LED 2700K W	8W 48V non dim CRI90	219,45
179152B3	MATCH ON TRACK STREX 1.0 LED 2700K B	8W 48V non dim CRI90	219,45
179152W5	MATCH ON TRACK STREX 1.0 LED 3000K W	8W 48V non dim CRI90	219,45
179152B5	MATCH ON TRACK STREX 1.0 LED 3000K B	8W 48V non dim CRI90	219,45
179155W3	MATCH ON TRACK STREX 1.0 LED 2700K W	8W 48V DALI CRI90	324,30
179155B3	MATCH ON TRACK STREX 1.0 LED 2700K B	8W 48V DALI CRI90	324,30
179155W5	MATCH ON TRACK STREX 1.0 LED 3000K W	8W 48V DALI CRI90	324,30
179155B5	MATCH ON TRACK STREX 1.0 LED 3000K B	8W 48V DALI CRI90	324,30
166562B3	CENO ON TRACK STREX 1.0 LED 2700K B	8W 48V NON DIM CRI90	205,65
166562B5	CENO ON TRACK STREX 1.0 LED 3000K B	8W 48V NON DIM CRI90	205,65
166562K3	CENO ON TRACK STREX 1.0 LED 2700K K	8W 48V NON DIM CRI90	205,65
166562K5	CENO ON TRACK STREX 1.0 LED 3000K K	8W 48V NON DIM CRI90	205,65
166562W3	CENO ON TRACK STREX 1.0 LED 2700K W	8W 48V NON DIM CRI90	205,65
166562W5	CENO ON TRACK STREX 1.0 LED 3000K W	8W 48V NON DIM CRI90	205,65
166565B3	CENO ON TRACK STREX 1.0 LED 2700K B	8W 48V DALI CRI90	310,50
166565B5	CENO ON TRACK STREX 1.0 LED 3000K B	8W 48V DALI CRI90	310,50
166565K3	CENO ON TRACK STREX 1.0 LED 2700K K	8W 48V DALI CRI90	310,50
166565K5	CENO ON TRACK STREX 1.0 LED 3000K K	8W 48V DALI CRI90	310,50
166565W3	CENO ON TRACK STREX 1.0 LED 2700K W	8W 48V DALI CRI90	310,50
166565W5	CENO ON TRACK STREX 1.0 LED 3000K W	8W 48V DALI CRI90	310,50
166662B3	CENO ON TRACK STREX 2.0 LED 2700K B	2x8W 48V NON DIM CRI90	316,05
166662B5	CENO ON TRACK STREX 2.0 LED 3000K B	2x8W 48V NON DIM CRI90	316,05
166662K3	CENO ON TRACK STREX 2.0 LED 2700K K	2x8W 48V NON DIM CRI90	316,05
166662K5	CENO ON TRACK STREX 2.0 LED 3000K K	2x8W 48V NON DIM CRI90	316,05
166662W3	CENO ON TRACK STREX 2.0 LED 2700K W	2x8W 48V NON DIM CRI90	316,05
166662W5	CENO ON TRACK STREX 2.0 LED 3000K W	2x8W 48V NON DIM CRI90	316,05
166665B3	CENO ON TRACK STREX 2.0 LED 2700K B	2x8W 48V DALI CRI90	411,25
166665B5	CENO ON TRACK STREX 2.0 LED 3000K B	2x8W 48V DALI CRI90	411,25
166665K3	CENO ON TRACK STREX 2.0 LED 2700K K	2x8W 48V DALI CRI90	411,25
166665K5	CENO ON TRACK STREX 2.0 LED 3000K K	2x8W 48V DALI CRI90	411,25
166665W3	CENO ON TRACK STREX 2.0 LED 2700K W	2x8W 48V DALI CRI90	411,25
166665W5	CENO ON TRACK STREX 2.0 LED 3000K W	2x8W 48V DALI CRI90	411,25
159442J3	MICK ON TRACK STREX 1.0 LED 2700K J	12W 48V NON DIM CRI90	231,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
159442J5	MICK ON TRACK STREX 1.0 LED 3000K J	12W 48V NON DIM CRI90	231,85
159442K3	MICK ON TRACK STREX 1.0 LED 2700K K	12W 48V NON DIM CRI90	231,85
159442K5	MICK ON TRACK STREX 1.0 LED 3000K K	12W 48V NON DIM CRI90	231,85
159445J3	MICK ON TRACK STREX 1.0 LED 2700K J	12W 48V DALI CRI90	343,65
159445J5	MICK ON TRACK STREX 1.0 LED 3000K J	12W 48V DALI CRI90	343,65
159445K3	MICK ON TRACK STREX 1.0 LED 2700K K	12W 48V DALI CRI90	343,65
159445K5	MICK ON TRACK STREX 1.0 LED 3000K K	12W 48V DALI CRI90	343,65
159542J3	MICK ON TRACK STREX 2.0 LED 2700K J	2x11W 48V NON DIM CRI90	342,25
159542J5	MICK ON TRACK STREX 2.0 LED 3000K J	2x11W 48V NON DIM CRI90	342,25
159542K3	MICK ON TRACK STREX 2.0 LED 2700K K	2x11W 48V NON DIM CRI90	342,25
159542K5	MICK ON TRACK STREX 2.0 LED 3000K K	2x11W 48V NON DIM CRI90	342,25
159545J3	MICK ON TRACK STREX 2.0 LED 2700K J	2x11W 48V DALI CRI90	467,85
159545J5	MICK ON TRACK STREX 2.0 LED 3000K J	2x11W 48V DALI CRI90	467,85
159545K3	MICK ON TRACK STREX 2.0 LED 2700K K	2x11W 48V DALI CRI90	467,85
159545K5	MICK ON TRACK STREX 2.0 LED 3000K K	2x11W 48V DALI CRI90	467,85
258262BB3	RAY MINI ON TRACK 1.0 LED 2700K B-B	7W 48V NON DIM CRI90	233,25
258262BB5	RAY MINI ON TRACK 1.0 LED 3000K B-B	7W 48V NON DIM CRI90	233,25
258262BBQ3	RAY MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V NON DIM CRI90	233,25
258262BBQ5	RAY MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V NON DIM CRI90	233,25
258262BE3	RAY MINI ON TRACK 1.0 LED 2700K B-E	7W 48V NON DIM CRI90	233,25
258262BE5	RAY MINI ON TRACK 1.0 LED 3000K B-E	7W 48V NON DIM CRI90	233,25
258262BG3	RAY MINI ON TRACK 1.0 LED 2700K B-G	7W 48V NON DIM CRI90	233,25
258262BG5	RAY MINI ON TRACK 1.0 LED 3000K B-G	7W 48V NON DIM CRI90	233,25
258262BGB3	RAY MINI ON TRACK 1.0 LED 2700K B-GB	7W 48V NON DIM CRI90	233,25
258262BGB5	RAY MINI ON TRACK 1.0 LED 3000K B-GB	7W 48V NON DIM CRI90	233,25
258262BJ3	RAY MINI ON TRACK 1.0 LED 2700K B-J	7W 48V NON DIM CRI90	233,25
258262BJ5	RAY MINI ON TRACK 1.0 LED 3000K B-J	7W 48V NON DIM CRI90	233,25
258262BK3	RAY MINI ON TRACK 1.0 LED 2700K B-K	7W 48V NON DIM CRI90	233,25
258262BK5	RAY MINI ON TRACK 1.0 LED 3000K B-K	7W 48V NON DIM CRI90	233,25
258262BQ3	RAY MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V NON DIM CRI90	233,25
258262BQ5	RAY MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V NON DIM CRI90	233,25
258262BW3	RAY MINI ON TRACK 1.0 LED 2700K B-W	7W 48V NON DIM CRI90	233,25
258262BW5	RAY MINI ON TRACK 1.0 LED 3000K B-W	7W 48V NON DIM CRI90	233,25
258262WB3	RAY MINI ON TRACK 1.0 LED 2700K W-B	7W 48V NON DIM CRI90	233,25
258262WB5	RAY MINI ON TRACK 1.0 LED 3000K W-B	7W 48V NON DIM CRI90	233,25
258262WBQ3	RAY MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V NON DIM CRI90	233,25
258262WBQ5	RAY MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V NON DIM CRI90	233,25
258262WE3	RAY MINI ON TRACK 1.0 LED 2700K W-E	7W 48V NON DIM CRI90	233,25
258262WE5	RAY MINI ON TRACK 1.0 LED 3000K W-E	7W 48V NON DIM CRI90	233,25
258262WG3	RAY MINI ON TRACK 1.0 LED 2700K W-G	7W 48V NON DIM CRI90	233,25
258262WG5	RAY MINI ON TRACK 1.0 LED 3000K W-G	7W 48V NON DIM CRI90	233,25
258262WGB3	RAY MINI ON TRACK 1.0 LED 2700K W-GB	7W 48V NON DIM CRI90	233,25
258262WGB5	RAY MINI ON TRACK 1.0 LED 3000K W-GB	7W 48V NON DIM CRI90	233,25
258262WJ3	RAY MINI ON TRACK 1.0 LED 2700K W-J	7W 48V NON DIM CRI90	233,25
258262WJ5	RAY MINI ON TRACK 1.0 LED 3000K W-J	7W 48V NON DIM CRI90	233,25
258262WK3	RAY MINI ON TRACK 1.0 LED 2700K W-K	7W 48V NON DIM CRI90	233,25
258262WK5	RAY MINI ON TRACK 1.0 LED 3000K W-K	7W 48V NON DIM CRI90	233,25
258262WQ3	RAY MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V NON DIM CRI90	233,25
258262WQ5	RAY MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V NON DIM CRI90	233,25
258262WW3	RAY MINI ON TRACK 1.0 LED 2700K W-W	7W 48V NON DIM CRI90	233,25
258262WW5	RAY MINI ON TRACK 1.0 LED 3000K W-W	7W 48V NON DIM CRI90	233,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
258265BB3	RAY MINI ON TRACK 1.0 LED 2700K B-B	7W 48V DALI CRI90	288,45
258265BB5	RAY MINI ON TRACK 1.0 LED 3000K B-B	7W 48V DALI CRI90	288,45
258265BBQ3	RAY MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V DALI CRI90	288,45
258265BBQ5	RAY MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V DALI CRI90	288,45
258265BE3	RAY MINI ON TRACK 1.0 LED 2700K B-E	7W 48V DALI CRI90	288,45
258265BE5	RAY MINI ON TRACK 1.0 LED 3000K B-E	7W 48V DALI CRI90	288,45
258265BG3	RAY MINI ON TRACK 1.0 LED 2700K B-G	7W 48V DALI CRI90	288,45
258265BG5	RAY MINI ON TRACK 1.0 LED 3000K B-G	7W 48V DALI CRI90	288,45
258265BGB3	RAY MINI ON TRACK 1.0 LED 2700K B-GB	7W 48V DALI CRI90	288,45
258265BGB5	RAY MINI ON TRACK 1.0 LED 3000K B-GB	7W 48V DALI CRI90	288,45
258265BJ3	RAY MINI ON TRACK 1.0 LED 2700K B-J	7W 48V DALI CRI90	288,45
258265BJ5	RAY MINI ON TRACK 1.0 LED 3000K B-J	7W 48V DALI CRI90	288,45
258265BK3	RAY MINI ON TRACK 1.0 LED 2700K B-K	7W 48V DALI CRI90	288,45
258265BK5	RAY MINI ON TRACK 1.0 LED 3000K B-K	7W 48V DALI CRI90	288,45
258265BQ3	RAY MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V DALI CRI90	288,45
258265BQ5	RAY MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V DALI CRI90	288,45
258265BW3	RAY MINI ON TRACK 1.0 LED 2700K B-W	7W 48V DALI CRI90	288,45
258265BW5	RAY MINI ON TRACK 1.0 LED 3000K B-W	7W 48V DALI CRI90	288,45
258265WB3	RAY MINI ON TRACK 1.0 LED 2700K W-B	7W 48V DALI CRI90	288,45
258265WB5	RAY MINI ON TRACK 1.0 LED 3000K W-B	7W 48V DALI CRI90	288,45
258265WBQ3	RAY MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V DALI CRI90	288,45
258265WBQ5	RAY MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V DALI CRI90	288,45
258265WE3	RAY MINI ON TRACK 1.0 LED 2700K W-E	7W 48V DALI CRI90	288,45
258265WE5	RAY MINI ON TRACK 1.0 LED 3000K W-E	7W 48V DALI CRI90	288,45
258265WG3	RAY MINI ON TRACK 1.0 LED 2700K W-G	7W 48V DALI CRI90	288,45
258265WG5	RAY MINI ON TRACK 1.0 LED 3000K W-G	7W 48V DALI CRI90	288,45
258265WGB3	RAY MINI ON TRACK 1.0 LED 2700K W-GB	7W 48V DALI CRI90	288,45
258265WGB5	RAY MINI ON TRACK 1.0 LED 3000K W-GB	7W 48V DALI CRI90	288,45
258265WJ3	RAY MINI ON TRACK 1.0 LED 2700K W-J	7W 48V DALI CRI90	288,45
258265WJ5	RAY MINI ON TRACK 1.0 LED 3000K W-J	7W 48V DALI CRI90	288,45
258265WK3	RAY MINI ON TRACK 1.0 LED 2700K W-K	7W 48V DALI CRI90	288,45
258265WK5	RAY MINI ON TRACK 1.0 LED 3000K W-K	7W 48V DALI CRI90	288,45
258265WQ3	RAY MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V DALI CRI90	288,45
258265WQ5	RAY MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V DALI CRI90	288,45
258265WW3	RAY MINI ON TRACK 1.0 LED 2700K W-W	7W 48V DALI CRI90	288,45
258265WW5	RAY MINI ON TRACK 1.0 LED 3000K W-W	7W 48V DALI CRI90	288,45
258162BB3	BOX MINI ON TRACK 1.0 LED 2700K B-B	7W 48V NON DIM CRI90	233,25
258162BB5	BOX MINI ON TRACK 1.0 LED 3000K B-B	7W 48V NON DIM CRI90	233,25
258165BB3	BOX MINI ON TRACK 1.0 LED 2700K B-B	7W 48V DALI CRI90	288,45
258165BB5	BOX MINI ON TRACK 1.0 LED 3000K B-B	7W 48V DALI CRI90	288,45
258162BBQ3	BOX MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V NON DIM CRI90	233,25
258162BBQ5	BOX MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V NON DIM CRI90	233,25
258165BBQ3	BOX MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V DALI CRI90	288,45
258165BBQ5	BOX MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V DALI CRI90	288,45
258162BE3	BOX MINI ON TRACK 1.0 LED 2700K B-E	7W 48V NON DIM CRI90	233,25
258162BE5	BOX MINI ON TRACK 1.0 LED 3000K B-E	7W 48V NON DIM CRI90	233,25
258165BE3	BOX MINI ON TRACK 1.0 LED 2700K B-E	7W 48V DALI CRI90	288,45
258165BE5	BOX MINI ON TRACK 1.0 LED 3000K B-E	7W 48V DALI CRI90	288,45
258162BG3	BOX MINI ON TRACK 1.0 LED 2700K B-G	7W 48V NON DIM CRI90	233,25
258162BG5	BOX MINI ON TRACK 1.0 LED 3000K B-G	7W 48V NON DIM CRI90	233,25
258165BG3	BOX MINI ON TRACK 1.0 LED 2700K B-G	7W 48V DALI CRI90	288,45

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
258165BG5	BOX MINI ON TRACK 1.0 LED 3000K B-G	7W 48V DALI CRI90	288,45
258162BGB3	BOX MINI ON TRACK 1.0 LED 2700K B-GB	7W 48V NON DIM CRI90	233,25
258162BGB5	BOX MINI ON TRACK 1.0 LED 3000K B-GB	7W 48V NON DIM CRI90	233,25
258165BGB3	BOX MINI ON TRACK 1.0 LED 2700K B-GB	7W 48V DALI CRI90	288,45
258165BGB5	BOX MINI ON TRACK 1.0 LED 3000K B-GB	7W 48V DALI CRI90	288,45
258162BJ3	BOX MINI ON TRACK 1.0 LED 2700K B-J	7W 48V NON DIM CRI90	233,25
258162BJ5	BOX MINI ON TRACK 1.0 LED 3000K B-J	7W 48V NON DIM CRI90	233,25
258165BJ3	BOX MINI ON TRACK 1.0 LED 2700K B-J	7W 48V DALI CRI90	288,45
258165BJ5	BOX MINI ON TRACK 1.0 LED 3000K B-J	7W 48V DALI CRI90	288,45
258162BK3	BOX MINI ON TRACK 1.0 LED 2700K B-K	7W 48V NON DIM CRI90	233,25
258162BK5	BOX MINI ON TRACK 1.0 LED 3000K B-K	7W 48V NON DIM CRI90	233,25
258165BK3	BOX MINI ON TRACK 1.0 LED 2700K B-K	7W 48V DALI CRI90	288,45
258165BK5	BOX MINI ON TRACK 1.0 LED 3000K B-K	7W 48V DALI CRI90	288,45
258162BQ3	BOX MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V NON DIM CRI90	233,25
258162BQ5	BOX MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V NON DIM CRI90	233,25
258165BQ3	BOX MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V DALI CRI90	288,45
258165BQ5	BOX MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V DALI CRI90	288,45
258162BW3	BOX MINI ON TRACK 1.0 LED 2700K B-W	7W 48V NON DIM CRI90	233,25
258162BW5	BOX MINI ON TRACK 1.0 LED 3000K B-W	7W 48V NON DIM CRI90	233,25
258165BW3	BOX MINI ON TRACK 1.0 LED 2700K B-W	7W 48V DALI CRI90	288,45
258165BW5	BOX MINI ON TRACK 1.0 LED 3000K B-W	7W 48V DALI CRI90	288,45
258162WB3	BOX MINI ON TRACK 1.0 LED 2700K W-B	7W 48V NON DIM CRI90	233,25
258162WB5	BOX MINI ON TRACK 1.0 LED 3000K W-B	7W 48V NON DIM CRI90	233,25
258165WB3	BOX MINI ON TRACK 1.0 LED 2700K W-B	7W 48V DALI CRI90	288,45
258165WB5	BOX MINI ON TRACK 1.0 LED 3000K W-B	7W 48V DALI CRI90	288,45
258162WBQ3	BOX MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V NON DIM CRI90	233,25
258162WBQ5	BOX MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V NON DIM CRI90	233,25
258165WBQ3	BOX MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V DALI CRI90	288,45
258165WBQ5	BOX MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V DALI CRI90	288,45
258162WE3	BOX MINI ON TRACK 1.0 LED 2700K W-E	7W 48V NON DIM CRI90	233,25
258162WE5	BOX MINI ON TRACK 1.0 LED 3000K W-E	7W 48V NON DIM CRI90	233,25
258165WE3	BOX MINI ON TRACK 1.0 LED 2700K W-E	7W 48V DALI CRI90	288,45
258165WE5	BOX MINI ON TRACK 1.0 LED 3000K W-E	7W 48V DALI CRI90	288,45
258162WG3	BOX MINI ON TRACK 1.0 LED 2700K W-G	7W 48V NON DIM CRI90	233,25
258162WG5	BOX MINI ON TRACK 1.0 LED 3000K W-G	7W 48V NON DIM CRI90	233,25
258165WG3	BOX MINI ON TRACK 1.0 LED 2700K W-G	7W 48V DALI CRI90	288,45
258165WG5	BOX MINI ON TRACK 1.0 LED 3000K W-G	7W 48V DALI CRI90	288,45
258162WGB3	BOX MINI ON TRACK 1.0 LED 2700K W-GB	7W 48V NON DIM CRI90	233,25
258162WGB5	BOX MINI ON TRACK 1.0 LED 3000K W-GB	7W 48V NON DIM CRI90	233,25
258165WGB3	BOX MINI ON TRACK 1.0 LED 2700K W-GB	7W 48V DALI CRI90	288,45
258165WGB5	BOX MINI ON TRACK 1.0 LED 3000K W-GB	7W 48V DALI CRI90	288,45
258162WJ3	BOX MINI ON TRACK 1.0 LED 2700K W-J	7W 48V NON DIM CRI90	233,25
258162WJ5	BOX MINI ON TRACK 1.0 LED 3000K W-J	7W 48V NON DIM CRI90	233,25
258165WJ3	BOX MINI ON TRACK 1.0 LED 2700K W-J	7W 48V DALI CRI90	288,45
258165WJ5	BOX MINI ON TRACK 1.0 LED 3000K W-J	7W 48V DALI CRI90	288,45
258162WK3	BOX MINI ON TRACK 1.0 LED 2700K W-K	7W 48V NON DIM CRI90	233,25
258162WK5	BOX MINI ON TRACK 1.0 LED 3000K W-K	7W 48V NON DIM CRI90	233,25
258165WK3	BOX MINI ON TRACK 1.0 LED 2700K W-K	7W 48V DALI CRI90	288,45
258165WK5	BOX MINI ON TRACK 1.0 LED 3000K W-K	7W 48V DALI CRI90	288,45
258162WQ3	BOX MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V NON DIM CRI90	233,25
258162WQ5	BOX MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V NON DIM CRI90	233,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
258165WQ3	BOX MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V DALI CRI90	288,45
258165WQ5	BOX MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V DALI CRI90	288,45
258162WW3	BOX MINI ON TRACK 1.0 LED 2700K W-W	7W 48V NON DIM CRI90	233,25
258162WW5	BOX MINI ON TRACK 1.0 LED 3000K W-W	7W 48V NON DIM CRI90	233,25
258165WW3	BOX MINI ON TRACK 1.0 LED 2700K W-W	7W 48V DALI CRI90	288,45
258165WW5	BOX MINI ON TRACK 1.0 LED 3000K W-W	7W 48V DALI CRI90	288,45
258362BB3	DOCUS MINI ON TRACK 1.0 LED 2700K B-B	7W 48V NON DIM CRI90	240,85
258362BB5	DOCUS MINI ON TRACK 1.0 LED 3000K B-B	7W 48V NON DIM CRI90	240,85
258362BBQ3	DOCUS MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V NON DIM CRI90	240,85
258362BBQ5	DOCUS MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V NON DIM CRI90	240,85
258362BE3	DOCUS MINI ON TRACK 1.0 LED 2700K B-E	7W 48V NON DIM CRI90	240,85
258362BE5	DOCUS MINI ON TRACK 1.0 LED 3000K B-E	7W 48V NON DIM CRI90	240,85
258362BJ3	DOCUS MINI ON TRACK 1.0 LED 2700K B-J	7W 48V NON DIM CRI90	240,85
258362BJ5	DOCUS MINI ON TRACK 1.0 LED 3000K B-J	7W 48V NON DIM CRI90	240,85
258362BK3	DOCUS MINI ON TRACK 1.0 LED 2700K B-K	7W 48V NON DIM CRI90	240,85
258362BK5	DOCUS MINI ON TRACK 1.0 LED 3000K B-K	7W 48V NON DIM CRI90	240,85
258362BW3	DOCUS MINI ON TRACK 1.0 LED 2700K B-W	7W 48V NON DIM CRI90	240,85
258362BW5	DOCUS MINI ON TRACK 1.0 LED 3000K B-W	7W 48V NON DIM CRI90	240,85
258362WB3	DOCUS MINI ON TRACK 1.0 LED 2700K W-B	7W 48V NON DIM CRI90	240,85
258362WB5	DOCUS MINI ON TRACK 1.0 LED 3000K W-B	7W 48V NON DIM CRI90	240,85
258362WBQ3	DOCUS MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V NON DIM CRI90	240,85
258362WBQ5	DOCUS MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V NON DIM CRI90	240,85
258362WE3	DOCUS MINI ON TRACK 1.0 LED 2700K W-E	7W 48V NON DIM CRI90	240,85
258362WE5	DOCUS MINI ON TRACK 1.0 LED 3000K W-E	7W 48V NON DIM CRI90	240,85
258362WJ3	DOCUS MINI ON TRACK 1.0 LED 2700K W-J	7W 48V NON DIM CRI90	240,85
258362WJ5	DOCUS MINI ON TRACK 1.0 LED 3000K W-J	7W 48V NON DIM CRI90	240,85
258362WK3	DOCUS MINI ON TRACK 1.0 LED 2700K W-K	7W 48V NON DIM CRI90	240,85
258362WK5	DOCUS MINI ON TRACK 1.0 LED 3000K W-K	7W 48V NON DIM CRI90	240,85
258362WW3	DOCUS MINI ON TRACK 1.0 LED 2700K W-W	7W 48V NON DIM CRI90	240,85
258362WW5	DOCUS MINI ON TRACK 1.0 LED 3000K W-W	7W 48V NON DIM CRI90	240,85
258365BB3	DOCUS MINI ON TRACK 1.0 LED 2700K B-B	7W 48V DALI CRI90	296,05
258365BB5	DOCUS MINI ON TRACK 1.0 LED 3000K B-B	7W 48V DALI CRI90	296,05
258365BBQ3	DOCUS MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V DALI CRI90	296,05
258365BBQ5	DOCUS MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V DALI CRI90	296,05
258365BE3	DOCUS MINI ON TRACK 1.0 LED 2700K B-E	7W 48V DALI CRI90	296,05
258365BE5	DOCUS MINI ON TRACK 1.0 LED 3000K B-E	7W 48V DALI CRI90	296,05
258365BJ3	DOCUS MINI ON TRACK 1.0 LED 2700K B-J	7W 48V DALI CRI90	296,05
258365BJ5	DOCUS MINI ON TRACK 1.0 LED 3000K B-J	7W 48V DALI CRI90	296,05
258365BK3	DOCUS MINI ON TRACK 1.0 LED 2700K B-K	7W 48V DALI CRI90	296,05
258365BK5	DOCUS MINI ON TRACK 1.0 LED 3000K B-K	7W 48V DALI CRI90	296,05
258365BW3	DOCUS MINI ON TRACK 1.0 LED 2700K B-W	7W 48V DALI CRI90	296,05
258365BW5	DOCUS MINI ON TRACK 1.0 LED 3000K B-W	7W 48V DALI CRI90	296,05
258365WB3	DOCUS MINI ON TRACK 1.0 LED 2700K W-B	7W 48V DALI CRI90	296,05
258365WB5	DOCUS MINI ON TRACK 1.0 LED 3000K W-B	7W 48V DALI CRI90	296,05
258365WBQ3	DOCUS MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V DALI CRI90	296,05
258365WBQ5	DOCUS MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V DALI CRI90	296,05
258365WE3	DOCUS MINI ON TRACK 1.0 LED 2700K W-E	7W 48V DALI CRI90	296,05
258365WE5	DOCUS MINI ON TRACK 1.0 LED 3000K W-E	7W 48V DALI CRI90	296,05
258365WJ3	DOCUS MINI ON TRACK 1.0 LED 2700K W-J	7W 48V DALI CRI90	296,05
258365WJ5	DOCUS MINI ON TRACK 1.0 LED 3000K W-J	7W 48V DALI CRI90	296,05
258365WK3	DOCUS MINI ON TRACK 1.0 LED 2700K W-K	7W 48V DALI CRI90	296,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
258365WK5	DOCUS MINI ON TRACK 1.0 LED 3000K W-K	7W 48V DALI CRI90	296,05
258365WW3	DOCUS MINI ON TRACK 1.0 LED 2700K W-W	7W 48V DALI CRI90	296,05
258365WW5	DOCUS MINI ON TRACK 1.0 LED 3000K W-W	7W 48V DALI CRI90	296,05
258462BB3	HEXO MINI ON TRACK 1.0 LED 2700K B-B	7W 48V NON DIM CRI90	240,85
258462BB5	HEXO MINI ON TRACK 1.0 LED 3000K B-B	7W 48V NON DIM CRI90	240,85
258462BBQ3	HEXO MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V NON DIM CRI90	240,85
258462BBQ5	HEXO MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V NON DIM CRI90	240,85
258462BE3	HEXO MINI ON TRACK 1.0 LED 2700K B-E	7W 48V NON DIM CRI90	240,85
258462BE5	HEXO MINI ON TRACK 1.0 LED 3000K B-E	7W 48V NON DIM CRI90	240,85
258462BJ3	HEXO MINI ON TRACK 1.0 LED 2700K B-J	7W 48V NON DIM CRI90	240,85
258462BJ5	HEXO MINI ON TRACK 1.0 LED 3000K B-J	7W 48V NON DIM CRI90	240,85
258462BK3	HEXO MINI ON TRACK 1.0 LED 2700K B-K	7W 48V NON DIM CRI90	240,85
258462BK5	HEXO MINI ON TRACK 1.0 LED 3000K B-K	7W 48V NON DIM CRI90	240,85
258462BQ3	HEXO MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V NON DIM CRI90	240,85
258462BQ5	HEXO MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V NON DIM CRI90	240,85
258462BW3	HEXO MINI ON TRACK 1.0 LED 2700K B-W	7W 48V NON DIM CRI90	240,85
258462BW5	HEXO MINI ON TRACK 1.0 LED 3000K B-W	7W 48V NON DIM CRI90	240,85
258462WB3	HEXO MINI ON TRACK 1.0 LED 2700K W-B	7W 48V NON DIM CRI90	240,85
258462WB5	HEXO MINI ON TRACK 1.0 LED 3000K W-B	7W 48V NON DIM CRI90	240,85
258462WBQ3	HEXO MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V NON DIM CRI90	240,85
258462WBQ5	HEXO MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V NON DIM CRI90	240,85
258462WE3	HEXO MINI ON TRACK 1.0 LED 2700K W-E	7W 48V NON DIM CRI90	240,85
258462WE5	HEXO MINI ON TRACK 1.0 LED 3000K W-E	7W 48V NON DIM CRI90	240,85
258462WJ3	HEXO MINI ON TRACK 1.0 LED 2700K W-J	7W 48V NON DIM CRI90	240,85
258462WJ5	HEXO MINI ON TRACK 1.0 LED 3000K W-J	7W 48V NON DIM CRI90	240,85
258462WK3	HEXO MINI ON TRACK 1.0 LED 2700K W-K	7W 48V NON DIM CRI90	240,85
258462WK5	HEXO MINI ON TRACK 1.0 LED 3000K W-K	7W 48V NON DIM CRI90	240,85
258462WQ3	HEXO MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V NON DIM CRI90	240,85
258462WQ5	HEXO MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V NON DIM CRI90	240,85
258462WW3	HEXO MINI ON TRACK 1.0 LED 2700K W-W	7W 48V NON DIM CRI90	240,85
258462WW5	HEXO MINI ON TRACK 1.0 LED 3000K W-W	7W 48V NON DIM CRI90	240,85
258465BB3	HEXO MINI ON TRACK 1.0 LED 2700K B-B	7W 48V DALI CRI90	296,05
258465BB5	HEXO MINI ON TRACK 1.0 LED 3000K B-B	7W 48V DALI CRI90	296,05
258465BBQ3	HEXO MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V DALI CRI90	296,05
258465BBQ5	HEXO MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V DALI CRI90	296,05
258465BE3	HEXO MINI ON TRACK 1.0 LED 2700K B-E	7W 48V DALI CRI90	296,05
258465BE5	HEXO MINI ON TRACK 1.0 LED 3000K B-E	7W 48V DALI CRI90	296,05
258465BJ3	HEXO MINI ON TRACK 1.0 LED 2700K B-J	7W 48V DALI CRI90	296,05
258465BJ5	HEXO MINI ON TRACK 1.0 LED 3000K B-J	7W 48V DALI CRI90	296,05
258465BK3	HEXO MINI ON TRACK 1.0 LED 2700K B-K	7W 48V DALI CRI90	296,05
258465BK5	HEXO MINI ON TRACK 1.0 LED 3000K B-K	7W 48V DALI CRI90	296,05
258465BQ3	HEXO MINI ON TRACK 1.0 LED 2700K B-Q	7W 48V DALI CRI90	296,05
258465BQ5	HEXO MINI ON TRACK 1.0 LED 3000K B-Q	7W 48V DALI CRI90	296,05
258465BW3	HEXO MINI ON TRACK 1.0 LED 2700K B-W	7W 48V DALI CRI90	296,05
258465BW5	HEXO MINI ON TRACK 1.0 LED 3000K B-W	7W 48V DALI CRI90	296,05
258465WB3	HEXO MINI ON TRACK 1.0 LED 2700K W-B	7W 48V DALI CRI90	296,05
258465WB5	HEXO MINI ON TRACK 1.0 LED 3000K W-B	7W 48V DALI CRI90	296,05
258465WBQ3	HEXO MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V DALI CRI90	296,05
258465WBQ5	HEXO MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V DALI CRI90	296,05
258465WE3	HEXO MINI ON TRACK 1.0 LED 2700K W-E	7W 48V DALI CRI90	296,05
258465WE5	HEXO MINI ON TRACK 1.0 LED 3000K W-E	7W 48V DALI CRI90	296,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
258465WJ3	HEXO MINI ON TRACK 1.0 LED 2700K W-J	7W 48V DALI CRI90	296,05
258465WJ5	HEXO MINI ON TRACK 1.0 LED 3000K W-J	7W 48V DALI CRI90	296,05
258465WK3	HEXO MINI ON TRACK 1.0 LED 2700K W-K	7W 48V DALI CRI90	296,05
258465WK5	HEXO MINI ON TRACK 1.0 LED 3000K W-K	7W 48V DALI CRI90	296,05
258465WQ3	HEXO MINI ON TRACK 1.0 LED 2700K W-Q	7W 48V DALI CRI90	296,05
258465WQ5	HEXO MINI ON TRACK 1.0 LED 3000K W-Q	7W 48V DALI CRI90	296,05
258465WW3	HEXO MINI ON TRACK 1.0 LED 2700K W-W	7W 48V DALI CRI90	296,05
258465WW5	HEXO MINI ON TRACK 1.0 LED 3000K W-W	7W 48V DALI CRI90	296,05
171342B3	STREX MODULE 1.0 DOT LED 2700K B	9W 48V NON DIM CRI90	342,25
171342B5	STREX MODULE 1.0 DOT LED 3000K B	9W 48V NON DIM CRI90	342,25
171345B3	STREX MODULE 1.0 DOT LED 2700K B	9W 48V DALI CRI90	426,45
171345B5	STREX MODULE 1.0 DOT LED 3000K B	9W 48V DALI CRI90	426,45
171342W3	STREX MODULE 1.0 DOT LED 2700K W	9W 48V NON DIM CRI90	342,25
171342W5	STREX MODULE 1.0 DOT LED 3000K W	9W 48V NON DIM CRI90	342,25
171345W3	STREX MODULE 1.0 DOT LED 2700K W	9W 48V DALI CRI90	426,45
171345W5	STREX MODULE 1.0 DOT LED 3000K W	9W 48V DALI CRI90	426,45
171382B3	STREX MODULE 1.0 OPAL LED 2700K B	12W 48V NON DIM CRI90	231,85
171382B5	STREX MODULE 1.0 OPAL LED 3000K B	12W 48V NON DIM CRI90	231,85
171385B3	STREX MODULE 1.0 OPAL LED 2700K B	12W 48V DALI CRI90	288,45
171385B5	STREX MODULE 1.0 OPAL LED 3000K B	12W 48V DALI CRI90	288,45
171382W3	STREX MODULE 1.0 OPAL LED 2700K W	12W 48V NON DIM CRI90	231,85
171382W5	STREX MODULE 1.0 OPAL LED 3000K W	12W 48V NON DIM CRI90	231,85
171385W3	STREX MODULE 1.0 OPAL LED 2700K W	12W 48V DALI CRI90	288,45
171385W5	STREX MODULE 1.0 OPAL LED 3000K W	12W 48V DALI CRI90	288,45
171482B3	STREX MODULE 2.0 OPAL LED 2700K B	24W 48V NON DIM CRI90	342,25
171482B5	STREX MODULE 2.0 OPAL LED 3000K B	24W 48V NON DIM CRI90	342,25
171485B3	STREX MODULE 2.0 OPAL LED 2700K B	24W 48V DALI CRI90	398,85
171485B5	STREX MODULE 2.0 OPAL LED 3000K B	24W 48V DALI CRI90	398,85
171482W3	STREX MODULE 2.0 OPAL LED 2700K W	24W 48V NON DIM CRI90	342,25
171482W5	STREX MODULE 2.0 OPAL LED 3000K W	24W 48V NON DIM CRI90	342,25
171485W3	STREX MODULE 2.0 OPAL LED 2700K W	24W 48V DALI CRI90	398,85
171485W5	STREX MODULE 2.0 OPAL LED 3000K W	24W 48V DALI CRI90	398,85
187165BB3	ODREY ON TRACK STREX 1.1 LED 2700K B-B	8W 48V DALI CRI90	400,20
187165BB5	ODREY ON TRACK STREX 1.1 LED 3000K B-B	8W 48V DALI CRI90	400,20
187165BG3	ODREY ON TRACK STREX 1.1 LED 2700K B-G	8W 48V DALI CRI90	400,20
187165BG5	ODREY ON TRACK STREX 1.1 LED 3000K B-G	8W 48V DALI CRI90	400,20
187165GB3	ODREY ON TRACK STREX 1.1 LED 2700K G-B	8W 48V DALI CRI90	400,20
187165GB5	ODREY ON TRACK STREX 1.1 LED 3000K G-B	8W 48V DALI CRI90	400,20
187165GG3	ODREY ON TRACK STREX 1.1 LED 2700K G-G	8W 48V DALI CRI90	400,20
187165GG5	ODREY ON TRACK STREX 1.1 LED 3000K G-G	8W 48V DALI CRI90	400,20
187165WG3	ODREY ON TRACK STREX 1.1 LED 2700K W-G	8W 48V DALI CRI90	400,20
187165WG5	ODREY ON TRACK STREX 1.1 LED 3000K W-G	8W 48V DALI CRI90	400,20
187165WW3	ODREY ON TRACK STREX 1.1 LED 2700K W-W	8W 48V DALI CRI90	400,20
187165WW5	ODREY ON TRACK STREX 1.1 LED 3000K W-W	8W 48V DALI CRI90	400,20
187265BB3	ODREY ON TRACK STREX 1.2 LED 2700K B-B	8W 48V DALI CRI90	480,25
187265BB5	ODREY ON TRACK STREX 1.2 LED 3000K B-B	8W 48V DALI CRI90	480,25
187265BG3	ODREY ON TRACK STREX 1.2 LED 2700K B-G	8W 48V DALI CRI90	480,25
187265BG5	ODREY ON TRACK STREX 1.2 LED 3000K B-G	8W 48V DALI CRI90	480,25
187265GB3	ODREY ON TRACK STREX 1.2 LED 2700K G-B	8W 48V DALI CRI90	480,25
187265GB5	ODREY ON TRACK STREX 1.2 LED 3000K G-B	8W 48V DALI CRI90	480,25
187265GG3	ODREY ON TRACK STREX 1.2 LED 2700K G-G	8W 48V DALI CRI90	480,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
187265GG5	ODREY ON TRACK STREX 1.2 LED 3000K G-G	8W 48V DALI CRI90	480,25
187265WG3	ODREY ON TRACK STREX 1.2 LED 2700K W-G	8W 48V DALI CRI90	480,25
187265WG5	ODREY ON TRACK STREX 1.2 LED 3000K W-G	8W 48V DALI CRI90	480,25
187265WW3	ODREY ON TRACK STREX 1.2 LED 2700K W-W	8W 48V DALI CRI90	480,25
187265WW5	ODREY ON TRACK STREX 1.2 LED 3000K W-W	8W 48V DALI CRI90	480,25
187365BB3	ODREY ON TRACK STREX 1.3 LED 2700K B-B	8W 48V DALI CRI90	397,45
187365BB5	ODREY ON TRACK STREX 1.3 LED 3000K B-B	8W 48V DALI CRI90	397,45
187365BG3	ODREY ON TRACK STREX 1.3 LED 2700K B-G	8W 48V DALI CRI90	397,45
187365BG5	ODREY ON TRACK STREX 1.3 LED 3000K B-G	8W 48V DALI CRI90	397,45
187365GB3	ODREY ON TRACK STREX 1.3 LED 2700K G-B	8W 48V DALI CRI90	397,45
187365GB5	ODREY ON TRACK STREX 1.3 LED 3000K G-B	8W 48V DALI CRI90	397,45
187365GG3	ODREY ON TRACK STREX 1.3 LED 2700K G-G	8W 48V DALI CRI90	397,45
187365GG5	ODREY ON TRACK STREX 1.3 LED 3000K G-G	8W 48V DALI CRI90	397,45
187365WG3	ODREY ON TRACK STREX 1.3 LED 2700K W-G	8W 48V DALI CRI90	397,45
187365WG5	ODREY ON TRACK STREX 1.3 LED 3000K W-G	8W 48V DALI CRI90	397,45
187365WW3	ODREY ON TRACK STREX 1.3 LED 2700K W-W	8W 48V DALI CRI90	397,45
187365WW5	ODREY ON TRACK STREX 1.3 LED 3000K W-W	8W 48V DALI CRI90	397,45
187465BB3	ODREY ON TRACK STREX 1.4 LED 2700K B-B	8W 48V DALI CRI90	409,90
187465BB5	ODREY ON TRACK STREX 1.4 LED 3000K B-B	8W 48V DALI CRI90	409,90
187465BG3	ODREY ON TRACK STREX 1.4 LED 2700K B-G	8W 48V DALI CRI90	409,90
187465BG5	ODREY ON TRACK STREX 1.4 LED 3000K B-G	8W 48V DALI CRI90	409,90
187465GB3	ODREY ON TRACK STREX 1.4 LED 2700K G-B	8W 48V DALI CRI90	409,90
187465GB5	ODREY ON TRACK STREX 1.4 LED 3000K G-B	8W 48V DALI CRI90	409,90
187465GG3	ODREY ON TRACK STREX 1.4 LED 2700K G-G	8W 48V DALI CRI90	409,90
187465GG5	ODREY ON TRACK STREX 1.4 LED 3000K G-G	8W 48V DALI CRI90	409,90
187465WG3	ODREY ON TRACK STREX 1.4 LED 2700K W-G	8W 48V DALI CRI90	409,90
187465WG5	ODREY ON TRACK STREX 1.4 LED 3000K W-G	8W 48V DALI CRI90	409,90
187465WW3	ODREY ON TRACK STREX 1.4 LED 2700K W-W	8W 48V DALI CRI90	409,90
187465WW5	ODREY ON TRACK STREX 1.4 LED 3000K W-W	8W 48V DALI CRI90	409,90
187565BB3	ODREY ON TRACK STREX 1.5 LED 2700K B-B	8W 48V DALI CRI90	426,15
187565BB5	ODREY ON TRACK STREX 1.5 LED 3000K B-B	8W 48V DALI CRI90	426,15
187565BG3	ODREY ON TRACK STREX 1.5 LED 2700K B-G	8W 48V DALI CRI90	426,15
187565BG5	ODREY ON TRACK STREX 1.5 LED 3000K B-G	8W 48V DALI CRI90	426,15
187565GB3	ODREY ON TRACK STREX 1.5 LED 2700K G-B	8W 48V DALI CRI90	426,15
187565GB5	ODREY ON TRACK STREX 1.5 LED 3000K G-B	8W 48V DALI CRI90	426,15
187565GG3	ODREY ON TRACK STREX 1.5 LED 2700K G-G	8W 48V DALI CRI90	426,15
187565GG5	ODREY ON TRACK STREX 1.5 LED 3000K G-G	8W 48V DALI CRI90	426,15
187565WG3	ODREY ON TRACK STREX 1.5 LED 2700K W-G	8W 48V DALI CRI90	426,15
187565WG5	ODREY ON TRACK STREX 1.5 LED 3000K W-G	8W 48V DALI CRI90	426,15
187565WW3	ODREY ON TRACK STREX 1.5 LED 2700K W-W	8W 48V DALI CRI90	426,15
187565WW5	ODREY ON TRACK STREX 1.5 LED 3000K W-W	8W 48V DALI CRI90	426,15
187665BB3	ODREY ON TRACK STREX 1.6 LED 2700K B-B	8W 48V DALI CRI90	411,55
187665BB5	ODREY ON TRACK STREX 1.6 LED 3000K B-B	8W 48V DALI CRI90	411,55
187665BG3	ODREY ON TRACK STREX 1.6 LED 2700K B-G	8W 48V DALI CRI90	411,55
187665BG5	ODREY ON TRACK STREX 1.6 LED 3000K B-G	8W 48V DALI CRI90	411,55
187665GB3	ODREY ON TRACK STREX 1.6 LED 2700K G-B	8W 48V DALI CRI90	411,55
187665GB5	ODREY ON TRACK STREX 1.6 LED 3000K G-B	8W 48V DALI CRI90	411,55
187665GG3	ODREY ON TRACK STREX 1.6 LED 2700K G-G	8W 48V DALI CRI90	411,55
187665GG5	ODREY ON TRACK STREX 1.6 LED 3000K G-G	8W 48V DALI CRI90	411,55
187665WG3	ODREY ON TRACK STREX 1.6 LED 2700K W-G	8W 48V DALI CRI90	411,55
187665WG5	ODREY ON TRACK STREX 1.6 LED 3000K W-G	8W 48V DALI CRI90	411,55

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
187665WW3	ODREY ON TRACK STREX 1.6 LED 2700K W-W	8W 48V DALI CRI90	411,55
187665WW5	ODREY ON TRACK STREX 1.6 LED 3000K W-W	8W 48V DALI CRI90	411,55
187765BB3	ODREY ON TRACK STREX 1.7 LED 2700K B-B	8W 48V DALI CRI90	412,90
187765BB5	ODREY ON TRACK STREX 1.7 LED 3000K B-B	8W 48V DALI CRI90	412,90
187765BG3	ODREY ON TRACK STREX 1.7 LED 2700K B-G	8W 48V DALI CRI90	412,90
187765BG5	ODREY ON TRACK STREX 1.7 LED 3000K B-G	8W 48V DALI CRI90	412,90
187765GB3	ODREY ON TRACK STREX 1.7 LED 2700K G-B	8W 48V DALI CRI90	412,90
187765GB5	ODREY ON TRACK STREX 1.7 LED 3000K G-B	8W 48V DALI CRI90	412,90
187765GG3	ODREY ON TRACK STREX 1.7 LED 2700K G-G	8W 48V DALI CRI90	412,90
187765GG5	ODREY ON TRACK STREX 1.7 LED 3000K G-G	8W 48V DALI CRI90	412,90
187765WG3	ODREY ON TRACK STREX 1.7 LED 2700K W-G	8W 48V DALI CRI90	412,90
187765WG5	ODREY ON TRACK STREX 1.7 LED 3000K W-G	8W 48V DALI CRI90	412,90
187765WW3	ODREY ON TRACK STREX 1.7 LED 2700K W-W	8W 48V DALI CRI90	412,90
187765WW5	ODREY ON TRACK STREX 1.7 LED 3000K W-W	8W 48V DALI CRI90	412,90
187865BB3	ODREY ON TRACK STREX 1.8 LED 2700K B-B	8W 48V DALI CRI90	479,55
187865BB5	ODREY ON TRACK STREX 1.8 LED 3000K B-B	8W 48V DALI CRI90	479,55
187865BG3	ODREY ON TRACK STREX 1.8 LED 2700K B-G	8W 48V DALI CRI90	479,55
187865BG5	ODREY ON TRACK STREX 1.8 LED 3000K B-G	8W 48V DALI CRI90	479,55
187865GB3	ODREY ON TRACK STREX 1.8 LED 2700K G-B	8W 48V DALI CRI90	479,55
187865GB5	ODREY ON TRACK STREX 1.8 LED 3000K G-B	8W 48V DALI CRI90	479,55
187865GG3	ODREY ON TRACK STREX 1.8 LED 2700K G-G	8W 48V DALI CRI90	479,55
187865GG5	ODREY ON TRACK STREX 1.8 LED 3000K G-G	8W 48V DALI CRI90	479,55
187865WG3	ODREY ON TRACK STREX 1.8 LED 2700K W-G	8W 48V DALI CRI90	479,55
187865WG5	ODREY ON TRACK STREX 1.8 LED 3000K W-G	8W 48V DALI CRI90	479,55
187865WW3	ODREY ON TRACK STREX 1.8 LED 2700K W-W	8W 48V DALI CRI90	479,55
187865WW5	ODREY ON TRACK STREX 1.8 LED 3000K W-W	8W 48V DALI CRI90	479,55
911420B0	ODREY INNER COVER 1.0 B		34,50
911420G0	ODREY INNER COVER 1.0 G		34,50
911420W0	ODREY INNER COVER 1.0 W		34,50
170355B3	STUBE ON TRACK STREX 1.0 LED 2700K B	8W 48V DALI CRI90	354,70
170355B5	STUBE ON TRACK STREX 1.0 LED 3000K B	8W 48V DALI CRI90	354,70
170355G3	STUBE ON TRACK STREX 1.0 LED 2700K G	8W 48V DALI CRI90	368,50
170355G5	STUBE ON TRACK STREX 1.0 LED 3000K G	8W 48V DALI CRI90	368,50
170355W3	STUBE ON TRACK STREX 1.0 LED 2700K W	8W 48V DALI CRI90	354,70
170355W5	STUBE ON TRACK STREX 1.0 LED 3000K W	8W 48V DALI CRI90	354,70
170455B3	STUBE ON TRACK STREX 2.0 LED 2700K B	8W 48V DALI CRI90	368,50
170455B5	STUBE ON TRACK STREX 2.0 LED 3000K B	8W 48V DALI CRI90	368,50
170455G3	STUBE ON TRACK STREX 2.0 LED 2700K G	8W 48V DALI CRI90	382,30
170455G5	STUBE ON TRACK STREX 2.0 LED 3000K G	8W 48V DALI CRI90	382,30
170455W3	STUBE ON TRACK STREX 2.0 LED 2700K W	8W 48V DALI CRI90	368,50
170455W5	STUBE ON TRACK STREX 2.0 LED 3000K W	8W 48V DALI CRI90	368,50
238185FD3	SOLLI ON TRACK STREX 1.0 LED 2700K FD	5W 48V DALI CRI90	495,45
238185FD5	SOLLI ON TRACK STREX 1.0 LED 3000K FD	5W 48V DALI CRI90	495,45
238185TD3	SOLLI ON TRACK STREX 1.0 LED 2700K TD	5W 48V DALI CRI90	495,45
238185TD5	SOLLI ON TRACK STREX 1.0 LED 3000K TD	5W 48V DALI CRI90	495,45
238185WB3	SOLLI ON TRACK STREX 1.0 LED 2700K WB	5W 48V DALI CRI90	434,70
238185WB5	SOLLI ON TRACK STREX 1.0 LED 3000K WB	5W 48V DALI CRI90	434,70
90014118	1-PHASE TRACK PROFILE REC W 1m	220-240V 16A	71,50
90014119	1-PHASE TRACK PROFILE REC B 1m	220-240V 16A	71,50
90014120	1-PHASE TRACK PROFILE REC W 2m	220-240V 16A	137,05
90014121	1-PHASE TRACK PROFILE REC B 2m	220-240V 16A	137,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90014122	1-PHASE TRACK PROFILE REC W 3m	220-240V 16A	177,35
90014123	1-PHASE TRACK PROFILE REC B 3m	220-240V 16A	177,35
90014001	1-PHASE TRACK PROFILE SURF / SUSP W 1M	220-240V 16A	51,35
90014007	1-PHASE TRACK PROFILE SURF / SUSP B 1M	220-240V 16A	51,35
90014002	1-PHASE TRACK PROFILE SURF / SUSP W 2M	220-240V 16A	102,85
90014008	1-PHASE TRACK PROFILE SURF / SUSP B 2M	220-240V 16A	102,85
90014003	1-PHASE TRACK PROFILE SURF / SUSP W 3M	220-240V 16A	158,05
90014009	1-PHASE TRACK PROFILE SURF / SUSP B 3M	220-240V 16A	158,05
90014018	1-PHASE TRACK END FEED 1.0 W	220-240V 16A	17,25
90014019	1-PHASE TRACK END FEED 1.0 B	220-240V 16A	17,25
90014020	1-PHASE TRACK END FEED 2.0 W	220-240V 16A	17,25
90014021	1-PHASE TRACK END FEED 2.0 B	220-240V 16A	17,25
90014036	1-PHASE TRACK MIDDLE FEED W	220-240V 16A	42,65
90014037	1-PHASE TRACK MIDDLE FEED B	220-240V 16A	42,65
90014028	1-PHASE TRACK END CAP W		4,05
90014029	1-PHASE TRACK END CAP B		4,05
90014024	1-PHASE TRACK L-CONNECTOR 1.0 W	220-240V 16A	44,20
90014025	1-PHASE TRACK L-CONNECTOR 1.0 B	220-240V 16A	44,20
90014026	1-PHASE TRACK L-CONNECTOR 2.0 W	220-240V 16A	44,20
90014027	1-PHASE TRACK L-CONNECTOR 2.0 B	220-240V 16A	44,20
90014022	1-PHASE TRACK STRAIGHT CONNECTOR W	220-240V 16A	15,20
90014023	1-PHASE TRACK STRAIGHT CONNECTOR B	220-240V 16A	15,20
90014100	1-PHASE TRACK MOUNTING BRACKET		13,40
90014101	1-PHASE TRACK SUSPENSION SET W 1.5m	incl. ceiling fixation bracket	32,75
90014102	1-PHASE TRACK SUSPENSION SET B 1.5m	incl. ceiling fixation bracket	32,75
90014103	1-PHASE TRACK SUSPENSION SET W 3.0m	incl. ceiling fixation bracket	38,65
90014104	1-PHASE TRACK SUSPENSION SET B 3.0m	incl. ceiling fixation bracket	38,65
157168B3	SARA ON 1-PHASE TRACK 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	192,55
157168B5	SARA ON 1-PHASE TRACK 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	192,55
157168G3	SARA ON 1-PHASE TRACK 1.0 LED 2700K G	8W 220-240VAC DIM CRI90	200,80
157168G5	SARA ON 1-PHASE TRACK 1.0 LED 3000K G	8W 220-240VAC DIM CRI90	200,80
157168K3	SARA ON 1-PHASE TRACK 1.0 LED 2700K K	8W 220-240VAC DIM CRI90	202,20
157168K5	SARA ON 1-PHASE TRACK 1.0 LED 3000K K	8W 220-240VAC DIM CRI90	202,20
157168W3	SARA ON 1-PHASE TRACK 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	192,55
157168W5	SARA ON 1-PHASE TRACK 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	192,55
157120B0	SARA ON TRACK 1-PHASE 1.0 PAR16 B	max. 12W 220-240VAC GU10	106,95
157120G0	SARA ON TRACK 1-PHASE 1.0 PAR16 G	max. 12W 220-240VAC GU10	115,25
157120K0	SARA ON TRACK 1-PHASE 1.0 PAR16 K	max. 12W 220-240VAC GU10	116,65
157120W0	SARA ON TRACK 1-PHASE 1.0 PAR16 W	max. 12W 220-240VAC GU10	106,95
144168B3	SQUBE ON 1-PHASE TRACK 1.0 LED 2700K B	6W 220-240VAC DIM CRI80	214,60
144168B5	SQUBE ON 1-PHASE TRACK 1.0 LED 3000K B	6W 220-240VAC DIM CRI80	214,60
144168B9	SQUBE ON 1-PHASE TRACK 1.0 LED 1800-3000K B	6W 220-240VAC DIM CRI80	214,60
144168W3	SQUBE ON 1-PHASE TRACK 1.0 LED 2700K W	6W 220-240VAC DIM CRI80	214,60
144168W5	SQUBE ON 1-PHASE TRACK 1.0 LED 3000K W	6W 220-240VAC DIM CRI80	214,60
144168W9	SQUBE ON 1-PHASE TRACK 1.0 LED 1800-3000K W	6W 220-240VAC DIM CRI80	214,60
144120B0	SQUBE ON TRACK 1-PHASE 1.0 PAR16 W	max. 12W 220-240VAC GU10	129,05
144120W0	SQUBE ON TRACK 1-PHASE 1.0 PAR16 W	max. 12W 220-240VAC GU10	129,05
173284B3	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 2700K B	7W 220-240VAC DIM CRI90	233,25
173284B5	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 3000K B	7W 220-240VAC DIM CRI90	233,25
173284E3	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 2700K E	7W 220-240VAC DIM CRI90	233,25
173284E5	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 3000K E	7W 220-240VAC DIM CRI90	233,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
173284K3	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 2700K K	7W 220-240VAC DIM CRI90	233,25
173284K5	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 3000K K	7W 220-240VAC DIM CRI90	233,25
173484B3	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 2700K B	12W 220-240VAC DIM CRI90	306,40
173484B5	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 3000K B	12W 220-240VAC DIM CRI90	306,40
173484E3	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 2700K E	12W 220-240VAC DIM CRI90	306,40
173484E5	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 3000K E	12W 220-240VAC DIM CRI90	306,40
173484K3	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 2700K K	12W 220-240VAC DIM CRI90	306,40
173484K5	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 3000K K	12W 220-240VAC DIM CRI90	306,40
173264B3	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 2700K B	2x5W 220-240VAC DIM CRI90	233,25
173264B5	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 3000K B	2x5W 220-240VAC DIM CRI90	233,25
173264E3	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 2700K E	2x5W 220-240VAC DIM CRI90	233,25
173264E5	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 3000K E	2x5W 220-240VAC DIM CRI90	233,25
173264K3	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 2700K K	2x5W 220-240VAC DIM CRI90	233,25
173264K5	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 3000K K	2x5W 220-240VAC DIM CRI90	233,25
173464B3	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 2700K B	4x5W 220-240VAC DIM CRI90	306,40
173464B5	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 3000K B	4x5W 220-240VAC DIM CRI90	306,40
173464E3	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 2700K E	4x5W 220-240VAC DIM CRI90	306,40
173464E5	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 3000K E	4x5W 220-240VAC DIM CRI90	306,40
173464K3	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 2700K K	4x5W 220-240VAC DIM CRI90	306,40
173464K5	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 3000K K	4x5W 220-240VAC DIM CRI90	306,40
1724G0YB0	DRO ON TRACK 1-PHASE 1.0 G9 Y	max. 5W QT14 220-240VAC	205,65
1724G0WB0	DRO ON TRACK 1-PHASE 1.0 G9 W	max. 5W QT14 220-240VAC	175,30
187120BB0	ODREY ON TRACK 1-PHASE 1.1 PAR16 B-B	max. 12W 100-240VAC GU10	185,65
187120BG0	ODREY ON TRACK 1-PHASE 1.1 PAR16 B-G	max. 12W 100-240VAC GU10	185,65
187120GB0	ODREY ON TRACK 1-PHASE 1.1 PAR16 G-B	max. 12W 100-240VAC GU10	185,65
187120GG0	ODREY ON TRACK 1-PHASE 1.1 PAR16 G-G	max. 12W 100-240VAC GU10	185,65
187120WG0	ODREY ON TRACK 1-PHASE 1.1 PAR16 W-G	max. 12W 100-240VAC GU10	185,65
187120WW0	ODREY ON TRACK 1-PHASE 1.1 PAR16 W-W	max. 12W 100-240VAC GU10	185,65
187220BB0	ODREY ON TRACK 1-PHASE 1.2 PAR16 B-B	max. 12W 100-240VAC GU10	265,65
187220BG0	ODREY ON TRACK 1-PHASE 1.2 PAR16 B-G	max. 12W 100-240VAC GU10	265,65
187220GB0	ODREY ON TRACK 1-PHASE 1.2 PAR16 G-B	max. 12W 100-240VAC GU10	265,65
187220GG0	ODREY ON TRACK 1-PHASE 1.2 PAR16 G-G	max. 12W 100-240VAC GU10	265,65
187220WG0	ODREY ON TRACK 1-PHASE 1.2 PAR16 W-G	max. 12W 100-240VAC GU10	265,65
187220WW0	ODREY ON TRACK 1-PHASE 1.2 PAR16 W-W	max. 12W 100-240VAC GU10	265,65
187320BB0	ODREY ON TRACK 1-PHASE 1.3 PAR16 B-B	max. 12W 100-240VAC GU10	182,85
187320BG0	ODREY ON TRACK 1-PHASE 1.3 PAR16 B-G	max. 12W 100-240VAC GU10	182,85
187320GB0	ODREY ON TRACK 1-PHASE 1.3 PAR16 G-B	max. 12W 100-240VAC GU10	182,85
187320GG0	ODREY ON TRACK 1-PHASE 1.3 PAR16 G-G	max. 12W 100-240VAC GU10	182,85
187320WG0	ODREY ON TRACK 1-PHASE 1.3 PAR16 W-G	max. 12W 100-240VAC GU10	182,85
187320WW0	ODREY ON TRACK 1-PHASE 1.3 PAR16 W-W	max. 12W 100-240VAC GU10	182,85
187420BB0	ODREY ON TRACK 1-PHASE 1.4 PAR16 B-B	max. 12W 100-240VAC GU10	195,30
187420BG0	ODREY ON TRACK 1-PHASE 1.4 PAR16 B-G	max. 12W 100-240VAC GU10	195,30
187420GB0	ODREY ON TRACK 1-PHASE 1.4 PAR16 G-B	max. 12W 100-240VAC GU10	195,30
187420GG0	ODREY ON TRACK 1-PHASE 1.4 PAR16 G-G	max. 12W 100-240VAC GU10	195,30
187420WG0	ODREY ON TRACK 1-PHASE 1.4 PAR16 W-G	max. 12W 100-240VAC GU10	195,30
187420WW0	ODREY ON TRACK 1-PHASE 1.4 PAR16 W-W	max. 12W 100-240VAC GU10	195,30
187520BB0	ODREY ON TRACK 1-PHASE 1.5 PAR16 B-B	max. 12W 100-240VAC GU10	211,60
187520BG0	ODREY ON TRACK 1-PHASE 1.5 PAR16 B-G	max. 12W 100-240VAC GU10	211,60
187520GB0	ODREY ON TRACK 1-PHASE 1.5 PAR16 G-B	max. 12W 100-240VAC GU10	211,60
187520GG0	ODREY ON TRACK 1-PHASE 1.5 PAR16 G-G	max. 12W 100-240VAC GU10	211,60
187520WG0	ODREY ON TRACK 1-PHASE 1.5 PAR16 W-G	max. 12W 100-240VAC GU10	211,60

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
187520WW0	ODREY ON TRACK 1-PHASE 1.5 PAR16 W-W	max. 12W 100-240VAC GU10	211,60
187620BB0	ODREY ON TRACK 1-PHASE 1.6 PAR16 B-B	max. 12W 100-240VAC GU10	196,95
187620BG0	ODREY ON TRACK 1-PHASE 1.6 PAR16 B-G	max. 12W 100-240VAC GU10	196,95
187620GB0	ODREY ON TRACK 1-PHASE 1.6 PAR16 G-B	max. 12W 100-240VAC GU10	196,95
187620GG0	ODREY ON TRACK 1-PHASE 1.6 PAR16 G-G	max. 12W 100-240VAC GU10	196,95
187620WG0	ODREY ON TRACK 1-PHASE 1.6 PAR16 W-G	max. 12W 100-240VAC GU10	196,95
187620WW0	ODREY ON TRACK 1-PHASE 1.6 PAR16 W-W	max. 12W 100-240VAC GU10	196,95
187720BB0	ODREY ON TRACK 1-PHASE 1.7 PAR16 B-B	max. 12W 100-240VAC GU10	198,35
187720BG0	ODREY ON TRACK 1-PHASE 1.7 PAR16 B-G	max. 12W 100-240VAC GU10	198,35
187720GB0	ODREY ON TRACK 1-PHASE 1.7 PAR16 G-B	max. 12W 100-240VAC GU10	198,35
187720GG0	ODREY ON TRACK 1-PHASE 1.7 PAR16 G-G	max. 12W 100-240VAC GU10	198,35
187720WG0	ODREY ON TRACK 1-PHASE 1.7 PAR16 W-G	max. 12W 100-240VAC GU10	198,35
187720WW0	ODREY ON TRACK 1-PHASE 1.7 PAR16 W-W	max. 12W 100-240VAC GU10	198,35
187820BB0	ODREY ON TRACK 1-PHASE 1.8 PAR16 B-B	max. 12W 100-240VAC GU10	265,00
187820BG0	ODREY ON TRACK 1-PHASE 1.8 PAR16 B-G	max. 12W 100-240VAC GU10	265,00
187820GB0	ODREY ON TRACK 1-PHASE 1.8 PAR16 G-B	max. 12W 100-240VAC GU10	265,00
187820GG0	ODREY ON TRACK 1-PHASE 1.8 PAR16 G-G	max. 12W 100-240VAC GU10	265,00
187820WG0	ODREY ON TRACK 1-PHASE 1.8 PAR16 W-G	max. 12W 100-240VAC GU10	265,00
187820WW0	ODREY ON TRACK 1-PHASE 1.8 PAR16 W-W	max. 12W 100-240VAC GU10	265,00
217520B0	RAY ON TRACK 1-PHASE 2.0 PAR16 B	max. 12W 100-240VAC GU10	121,45
217520G0	RAY ON TRACK 1-PHASE 2.0 PAR16 G	max. 12W 100-240VAC GU10	130,45
217520P0	RAY ON TRACK 1-PHASE 2.0 PAR16 P	max. 12W 100-240VAC GU10	130,45
217520W0	RAY ON TRACK 1-PHASE 2.0 PAR16 W	max. 12W 100-240VAC GU10	121,45
217620B0	RAY ON TRACK 1-PHASE 3.0 PAR16 B	max. 12W 100-240VAC GU10	129,20
217620G0	RAY ON TRACK 1-PHASE 3.0 PAR16 G	max. 12W 100-240VAC GU10	137,90
217620P0	RAY ON TRACK 1-PHASE 3.0 PAR16 P	max. 12W 100-240VAC GU10	137,90
217620W0	RAY ON TRACK 1-PHASE 3.0 PAR16 W	max. 12W 100-240VAC GU10	129,20
215520B0	HEXO ON TRACK 1-PHASE 2.0 PAR16 B	max. 12W 100-240VAC GU10	133,20
215520Q0	HEXO ON TRACK 1-PHASE 2.0 PAR16 G	max. 12W 100-240VAC GU10	136,90
215520P0	HEXO ON TRACK 1-PHASE 2.0 PAR16 P	max. 12W 100-240VAC GU10	136,90
215520G0	HEXO ON TRACK 1-PHASE 2.0 PAR16 W	max. 12W 100-240VAC GU10	136,90
215620B0	HEXO ON TRACK 1-PHASE 3.0 PAR16 B	max. 12W 100-240VAC GU10	142,15
215620Q0	HEXO ON TRACK 1-PHASE 3.0 PAR16 G	max. 12W 100-240VAC GU10	145,05
215620P0	HEXO ON TRACK 1-PHASE 3.0 PAR16 P	max. 12W 100-240VAC GU10	145,05
215620G0	HEXO ON TRACK 1-PHASE 3.0 PAR16 W	max. 12W 100-240VAC GU10	145,05
90014200	3-PHASE TRACK PROFILE SURF / SUSP W 1M	220-240V 16A	58,00
90014201	3-PHASE TRACK PROFILE SURF / SUSP B 1M	220-240V 16A	58,00
90014202	3-PHASE TRACK PROFILE SURF / SUSP W 2M	220-240V 16A	115,95
90014203	3-PHASE TRACK PROFILE SURF / SUSP B 2M	220-240V 16A	115,95
90014204	3-PHASE TRACK PROFILE SURF / SUSP W 3M	220-240V 16A	174,60
90014205	3-PHASE TRACK PROFILE SURF / SUSP B 3M	220-240V 16A	174,60
90014238	3-PHASE TRACK END FEED 2.0 W	220-240V 16A	27,50
90014239	3-PHASE TRACK END FEED 2.0 B	220-240V 16A	27,50
90014240	3-PHASE TRACK END FEED 1.0 W	220-240V 16A	27,50
90014241	3-PHASE TRACK END FEED 1.0 B	220-240V 16A	27,50
90014224	3-PHASE TRACK MIDDLE FEED W	220-240V 16A	61,85
90014225	3-PHASE TRACK MIDDLE FEED B	220-240V 16A	61,85
90014216	3-PHASE TRACK END CAP W		3,35
90014217	3-PHASE TRACK END CAP B		3,35
90014220	3-PHASE TRACK L-CONNECTOR 1.0 W	220-240V 16A	57,85
90014221	3-PHASE TRACK L-CONNECTOR 1.0 B	220-240V 16A	57,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90014222	3-PHASE TRACK L-CONNECTOR 2.0 W	220-240V 16A	57,85
90014223	3-PHASE TRACK L-CONNECTOR 2.0 B	220-240V 16A	57,85
90014226	3-PHASE TRACK STRAIGHT CONNECTOR W	220-240V 16A	18,50
90014227	3-PHASE TRACK STRAIGHT CONNECTOR B	220-240V 16A	18,50
90014206	3-PHASE TRACK SUSPENSION SET W 1.5m		34,25
90014207	3-PHASE TRACK SUSPENSION SET B 1.5m		34,25
90014208	3-PHASE TRACK SUSPENSION SET W 3.0m		35,75
90014209	3-PHASE TRACK SUSPENSION SET B 3.0m		35,75
90014236	3-PHASE TRACK COVER W 1.0m		67,90
90014237	3-PHASE TRACK COVER B 1.0m		67,90
144720B0	SQUBE ON TRACK 3-PHASE 1.0 PAR16 B	max. 12W 100-240VAC GU10	129,05
144720W0	SQUBE ON TRACK 3-PHASE 1.0 PAR16 W	max. 12W 100-240VAC GU10	129,05
144368B3	SQUBE ON TRACK 3-PHASE 2.0 LED 2700K B	12W 220-240VAC DIM CRI90	260,15
144368B5	SQUBE ON TRACK 3-PHASE 2.0 LED 3000K B	12W 220-240VAC DIM CRI90	260,15
144368B9	SQUBE ON TRACK 3-PHASE 2.0 LED 1800-3000K B	12W 220-240VAC DIM CRI90	260,15
144368W3	SQUBE ON TRACK 3-PHASE 2.0 LED 2700K W	12W 220-240VAC DIM CRI90	260,15
144368W5	SQUBE ON TRACK 3-PHASE 2.0 LED 3000K W	12W 220-240VAC DIM CRI90	260,15
144368W9	SQUBE ON TRACK 3-PHASE 2.0 LED 1800-3000K W	12W 220-240VAC DIM CRI90	260,15
144558B3	SQUBE ON TRACK 3-PHASE 3.0 LED 2700K B	20W 220-240VAC DIM CRI90	285,70
144558B5	SQUBE ON TRACK 3-PHASE 3.0 LED 3000K B	20W 220-240VAC DIM CRI90	285,70
144558W3	SQUBE ON TRACK 3-PHASE 3.0 LED 2700K W	20W 220-240VAC DIM CRI90	285,70
144558W5	SQUBE ON TRACK 3-PHASE 3.0 LED 3000K W	20W 220-240VAC DIM CRI90	285,70
166963B5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K B	36W 220-240VAC NON DIM CRI90	273,25
166963B7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K B	36W 220-240VAC NON DIM CRI90	273,25
166963W5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K W	36W 220-240VAC NON DIM CRI90	273,25
166963W7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K W	36W 220-240VAC NON DIM CRI90	273,25
166965B5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K B	36W 220-240VAC DALI CRI90	324,30
166965B7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K B	36W 220-240VAC DALI CRI90	324,30
166965W5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K W	36W 220-240VAC DALI CRI90	324,30
166965W7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K W	36W 220-240VAC DALI CRI90	324,30
217320B0	RAY ON TRACK 3-PHASE 2.0 PAR16 B	max. 12W 100-240VAC GU10	121,45
217320G0	RAY ON TRACK 3-PHASE 2.0 PAR16 G	max. 12W 100-240VAC GU10	130,45
217320P0	RAY ON TRACK 3-PHASE 2.0 PAR16 P	max. 12W 100-240VAC GU10	130,45
217320W0	RAY ON TRACK 3-PHASE 2.0 PAR16 W	max. 12W 100-240VAC GU10	121,45
217420B0	RAY ON TRACK 3-PHASE 3.0 PAR16 B	max. 12W 100-240VAC GU10	129,20
217420G0	RAY ON TRACK 3-PHASE 3.0 PAR16 G	max. 12W 100-240VAC GU10	137,90
217420P0	RAY ON TRACK 3-PHASE 3.0 PAR16 P	max. 12W 100-240VAC GU10	137,90
217420W0	RAY ON TRACK 3-PHASE 3.0 PAR16 W	max. 12W 100-240VAC GU10	129,20
215320B0	HEXO ON TRACK 3-PHASE 2.0 PAR16 B	max. 12W 100-240VAC GU10	133,20
215320G0	HEXO ON TRACK 3-PHASE 2.0 PAR16 G	max. 12W 100-240VAC GU10	136,90
215320P0	HEXO ON TRACK 3-PHASE 2.0 PAR16 P	max. 12W 100-240VAC GU10	136,90
215320Q0	HEXO ON TRACK 3-PHASE 2.0 PAR16 Q	max. 12W 100-240VAC GU10	136,90
215420B0	HEXO ON TRACK 3-PHASE 3.0 PAR16 B	max. 12W 100-240VAC GU10	142,15
215420G0	HEXO ON TRACK 3-PHASE 3.0 PAR16 G	max. 12W 100-240VAC GU10	145,05
215420P0	HEXO ON TRACK 3-PHASE 3.0 PAR16 P	max. 12W 100-240VAC GU10	145,05
215420Q0	HEXO ON TRACK 3-PHASE 3.0 PAR16 Q	max. 12W 100-240VAC GU10	145,05
500384B5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K B	18W 220-240VAC DIM CRI90	436,10
500385B5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K B	18W 220-240VAC DALI CRI90	491,30
500384W5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K W	18W 220-240VAC DIM CRI90	436,10
500385W5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K W	18W 220-240VAC DALI CRI90	491,30
900190W1	ELLO CONNECTOR POINT W FOR MAX. 4 ELLO LUMINAIRES		61,45

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
900190B1	ELLO CONNECTOR POINT B FOR MAX. 4 ELLO LUMINAIRES		61,45
90015102	ELLO SUSPENSION CABLE 2.0		14,95
90018010	POWER FEEDER PHASE CUT INCL STEEL SUSPENSION CABLE 2M WHITE		73,15
90018011	POWER FEEDER PHASE CUT INCL STEEL SUSPENSION CABLE 2M BLACK		73,15
90018012	POWER FEEDER DALI INCL STEEL SUSPENSION CABLE 2M WHITE		93,15
90018013	POWER FEEDER DALI INCL STEEL SUSPENSION CABLE 2M BLACK		93,15
151264B3	PIRRO SPOT CEILING SURF 2.0 LED 2700K B	2x5W 220-240VAC DIM CRI90	218,05
151264B5	PIRRO SPOT CEILING SURF 2.0 LED 3000K B	2x5W 220-240VAC DIM CRI90	218,05
151264E3	PIRRO SPOT CEILING SURF 2.0 LED 2700K E	2x5W 220-240VAC DIM CRI90	218,05
151264E5	PIRRO SPOT CEILING SURF 2.0 LED 3000K E	2x5W 220-240VAC DIM CRI90	218,05
151264J3	PIRRO SPOT CEILING SURF 2.0 LED 2700K J	2x5W 220-240VAC DIM CRI90	218,05
151264J5	PIRRO SPOT CEILING SURF 2.0 LED 3000K J	2x5W 220-240VAC DIM CRI90	218,05
151264K3	PIRRO SPOT CEILING SURF 2.0 LED 2700K K	2x5W 220-240VAC DIM CRI90	218,05
151264K5	PIRRO SPOT CEILING SURF 2.0 LED 3000K K	2x5W 220-240VAC DIM CRI90	218,05
151464B3	PIRRO SPOT CEILING SURF 4.0 LED 2700K B	4x5W 220-240VAC DIM CRI90	291,20
151464B5	PIRRO SPOT CEILING SURF 4.0 LED 3000K B	4x5W 220-240VAC DIM CRI90	291,20
151464E3	PIRRO SPOT CEILING SURF 4.0 LED 2700K E	4x5W 220-240VAC DIM CRI90	291,20
151464E5	PIRRO SPOT CEILING SURF 4.0 LED 3000K E	4x5W 220-240VAC DIM CRI90	291,20
151464J3	PIRRO SPOT CEILING SURF 4.0 LED 2700K J	4x5W 220-240VAC DIM CRI90	291,20
151464J5	PIRRO SPOT CEILING SURF 4.0 LED 3000K J	4x5W 220-240VAC DIM CRI90	291,20
151464K3	PIRRO SPOT CEILING SURF 4.0 LED 2700K K	4x5W 220-240VAC DIM CRI90	291,20
151464K5	PIRRO SPOT CEILING SURF 4.0 LED 3000K K	4x5W 220-240VAC DIM CRI90	291,20
90052072	PIRRO SYSTEM 1.0 CEILING BASE W		172,50
90052073	PIRRO SYSTEM 1.0 CEILING BASE B		172,50
90052074	PIRRO SYSTEM 1.0 CEILING BASE G		172,50
90052075	PIRRO SYSTEM 2.0 CEILING BASE W		227,70
90052076	PIRRO SYSTEM 2.0 CEILING BASE B		227,70
90052077	PIRRO SYSTEM 2.0 CEILING BASE G		227,70
911991B2	ILANE CEILING SURF 1.0 B 2.0m		34,10
911991B3	ILANE CEILING SURF 1.0 B 3.0m		53,45
911991W2	ILANE CEILING SURF 1.0 W 2.0m		34,25
911991W3	ILANE CEILING SURF 1.0 W 3.0m		53,45
911992B2	ILANE CEILING SURF 2.0 B 2.0m		50,65
911992B3	ILANE CEILING SURF 2.0 B 3.0m		69,70
911992W2	ILANE CEILING SURF 2.0 W 2.0m		50,65
911992W3	ILANE CEILING SURF 2.0 W 3.0m		69,70
911993B2	ILANE CEILING SURF 3.0 B 2.0m		53,45
911993B3	ILANE CEILING SURF 3.0 B 3.0m		77,15
911993W2	ILANE CEILING SURF 3.0 W 2.0m		53,45
911993W3	ILANE CEILING SURF 3.0 W 3.0m		77,15
911994B2	ILANE CEILING REC 4.0 B 2.0m		66,80
911994B3	ILANE CEILING REC 4.0 B 3.0m		87,65
911994W2	ILANE CEILING REC 4.0 W 2.0m		66,80
911994W3	ILANE CEILING REC 4.0 W 3.0m		87,65
9003S213	ILANE LED COB STRIP IP20 2700K 2.0m 10W/m	800lm/m	47,65
9003S215	ILANE LED COB STRIP IP20 3000K 2.0m 10W/m	800lm/m	47,65
9003S223	ILANE LED COB STRIP IP20 2700K 2.0m 15W/m	1250lm/m	72,05
9003S225	ILANE LED COB STRIP IP20 3000K 2.0m 15W/m	1250lm/m	72,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
9003S313	ILANE LED COB STRIP IP20 2700K 3.0m 10W/m	800lm/m	71,50
9003S315	ILANE LED COB STRIP IP20 3000K 3.0m 10W/m	800lm/m	71,50
9003S323	ILANE LED COB STRIP IP20 2700K 3.0m 15W/m	1250lm/m	97,05
9003S325	ILANE LED COB STRIP IP20 3000K 3.0m 15W/m	1250lm/m	97,05
9003S413	ILANE LED COB STRIP IP20 2700K 5.0m 10W/m	800lm/m	119,10
9003S415	ILANE LED COB STRIP IP20 3000K 5.0m 10W/m	800lm/m	119,10
9003S423	ILANE LED COB STRIP IP20 2700K 5.0m 15W/m	1250lm/m	169,05
9003S425	ILANE LED COB STRIP IP20 3000K 5.0m 15W/m	1250lm/m	169,05
9003S613	ILANE LED COB STRIP IP65 2700K 2.0m 8W/m	780lm/m	67,65
9003S615	ILANE LED COB STRIP IP65 3000K 2.0m 8W/m	780lm/m	67,65
9003S623	ILANE LED COB STRIP IP65 2700K 2.0m 14.4W/m	1350lm/m	76,50
9003S625	ILANE LED COB STRIP IP65 3000K 2.0m 14.4W/m	1350lm/m	76,60
9003S713	ILANE LED COB STRIP IP65 2700K 3.0m 8W/m	780lm/m	100,05
9003S715	ILANE LED COB STRIP IP65 3000K 3.0m 8W/m	780lm/m	100,05
9003S723	ILANE LED COB STRIP IP65 2700K 3.0m 14.4W/m	1350lm/m	112,65
9003S725	ILANE LED COB STRIP IP65 3000K 3.0m 14.4W/m	1350lm/m	112,65
9003S813	ILANE LED COB STRIP IP65 2700K 5.0m 8W/m	780lm/m	161,75
9003S815	ILANE LED COB STRIP IP65 3000K 5.0m 8W/m	780lm/m	161,75
9003S823	ILANE LED COB STRIP IP65 2700K 5.0m 14.4W/m	1350lm/m	182,45
9003S825	ILANE LED COB STRIP IP65 3000K 5.0m 14.4W/m	1350lm/m	182,45
90019199	ILANE DOUBLE SIDE ADHESIVE TAPE 3.0M		10,30
226764B3	RAY CEILING SUSP 2.0 LED 2700K B	6W 220-240VAC DIM CRI90	215,05
226764B5	RAY CEILING SUSP 2.0 LED 3000K B	6W 220-240VAC DIM CRI90	215,05
226764B9	RAY CEILING SUSP 2.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	215,05
226764G3	RAY CEILING SUSP 2.0 LED 2700K G	6W 220-240VAC DIM CRI90	224,00
226764G5	RAY CEILING SUSP 2.0 LED 3000K G	6W 220-240VAC DIM CRI90	224,00
226764G9	RAY CEILING SUSP 2.0 LED 1800-2850K G	6W 220-240VAC DIM CRI95	224,00
226764L3	RAY CEILING SUSP 2.0 LED 2700K L	6W 220-240VAC DIM CRI90	224,00
226764L5	RAY CEILING SUSP 2.0 LED 3000K L	6W 220-240VAC DIM CRI90	224,00
226764L9	RAY CEILING SUSP 2.0 LED 1800-2850K L	6W 220-240VAC DIM CRI95	224,00
226764P3	RAY CEILING SUSP 2.0 LED 2700K P	6W 220-240VAC DIM CRI90	224,00
226764P5	RAY CEILING SUSP 2.0 LED 3000K P	6W 220-240VAC DIM CRI90	224,00
226764P9	RAY CEILING SUSP 2.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	224,00
226764W3	RAY CEILING SUSP 2.0 LED 2700K W	6W 220-240VAC DIM CRI90	215,05
226764W5	RAY CEILING SUSP 2.0 LED 3000K W	6W 220-240VAC DIM CRI90	215,05
226764W9	RAY CEILING SUSP 2.0 LED 1800-2850K W	6W 220-240VAC DIM CRI95	215,05
227720B0	RAY CEILING SUSP 2.0 PAR16 B	max. 12W 100-240VAC GU10	108,65
227720G0	RAY CEILING SUSP 2.0 PAR16 G	max. 12W 100-240VAC GU10	117,60
227720L0	RAY CEILING SUSP 2.0 PAR16 L	max. 12W 100-240VAC GU10	117,60
227720P0	RAY CEILING SUSP 2.0 PAR16 P	max. 12W 100-240VAC GU10	117,60
227720W0	RAY CEILING SUSP 2.0 PAR16 W	max. 12W 100-240VAC GU10	108,65
226864B3	RAY CEILING SUSP 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	222,75
226864B5	RAY CEILING SUSP 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	222,75
226864B9	RAY CEILING SUSP 3.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	222,75
226864G3	RAY CEILING SUSP 3.0 LED 2700K G	6W 220-240VAC DIM CRI90	231,45
226864G5	RAY CEILING SUSP 3.0 LED 3000K G	6W 220-240VAC DIM CRI90	231,45
226864G9	RAY CEILING SUSP 3.0 LED 1800-2850K G	6W 220-240VAC DIM CRI95	231,45
226864L3	RAY CEILING SUSP 3.0 LED 2700K L	6W 220-240VAC DIM CRI90	231,45
226864L5	RAY CEILING SUSP 3.0 LED 3000K L	6W 220-240VAC DIM CRI90	231,45
226864L9	RAY CEILING SUSP 3.0 LED 1800-2850K L	6W 220-240VAC DIM CRI95	231,45
226864P3	RAY CEILING SUSP 3.0 LED 2700K P	6W 220-240VAC DIM CRI90	231,45

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
226864P5	RAY CEILING SUSP 3.0 LED 3000K P	6W 220-240VAC DIM CRI90	231,45
226864P9	RAY CEILING SUSP 3.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	231,45
226864W3	RAY CEILING SUSP 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	222,75
226864W5	RAY CEILING SUSP 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	222,75
226864W9	RAY CEILING SUSP 3.0 LED 1800-2850K W	6W 220-240VAC DIM CRI95	222,75
227820B0	RAY CEILING SUSP 3.0 PAR16 B	max. 12W 100-240VAC GU10	116,35
227820G0	RAY CEILING SUSP 3.0 PAR16 G	max. 12W 100-240VAC GU10	125,05
227820L0	RAY CEILING SUSP 3.0 PAR16 L	max. 12W 100-240VAC GU10	125,05
227820P0	RAY CEILING SUSP 3.0 PAR16 P	max. 12W 100-240VAC GU10	125,05
227820W0	RAY CEILING SUSP 3.0 PAR16 W	max. 12W 100-240VAC GU10	116,35
226164B3	BOX CEILING SUSP 2.0 LED 2700K B	6W 220-240VAC DIM CRI90	233,80
226164B5	BOX CEILING SUSP 2.0 LED 3000K B	6W 220-240VAC DIM CRI90	233,80
226164B9	BOX CEILING SUSP 2.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	233,80
226164L3	BOX CEILING SUSP 2.0 LED 2700K L	6W 220-240VAC DIM CRI90	236,30
226164L5	BOX CEILING SUSP 2.0 LED 3000K L	6W 220-240VAC DIM CRI90	236,30
226164L9	BOX CEILING SUSP 2.0 LED 1800-2850K L	6W 220-240VAC DIM CRI95	236,30
226164P3	BOX CEILING SUSP 2.0 LED 2700K P	6W 220-240VAC DIM CRI90	236,30
226164P5	BOX CEILING SUSP 2.0 LED 3000K P	6W 220-240VAC DIM CRI90	236,30
226164P9	BOX CEILING SUSP 2.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	236,30
226164W3	BOX CEILING SUSP 2.0 LED 2700K W	6W 220-240VAC DIM CRI90	233,80
226164W5	BOX CEILING SUSP 2.0 LED 3000K W	6W 220-240VAC DIM CRI90	233,80
226164W9	BOX CEILING SUSP 2.0 LED 1800-2850K W	6W 220-240VAC DIM CRI95	233,80
227120B0	BOX CEILING SUSP 2.0 PAR16 B	max. 12W 100-240VAC GU10	123,10
227120L0	BOX CEILING SUSP 2.0 PAR16 L	max. 12W 100-240VAC GU10	125,60
227120P0	BOX CEILING SUSP 2.0 PAR16 P	max. 12W 100-240VAC GU10	125,60
227120W0	BOX CEILING SUSP 2.0 PAR16 W	max. 12W 100-240VAC GU10	123,10
226264B3	BOX CEILING SUSP 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	242,75
226264B5	BOX CEILING SUSP 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	242,75
226264B9	BOX CEILING SUSP 3.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	242,75
226264L3	BOX CEILING SUSP 3.0 LED 2700K L	6W 220-240VAC DIM CRI90	245,65
226264L5	BOX CEILING SUSP 3.0 LED 3000K L	6W 220-240VAC DIM CRI90	245,65
226264L9	BOX CEILING SUSP 3.0 LED 1800-2850K L	6W 220-240VAC DIM CRI95	245,65
226264P3	BOX CEILING SUSP 3.0 LED 2700K P	6W 220-240VAC DIM CRI90	245,65
226264P5	BOX CEILING SUSP 3.0 LED 3000K P	6W 220-240VAC DIM CRI90	245,65
226264P9	BOX CEILING SUSP 3.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	245,65
226264W3	BOX CEILING SUSP 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	242,75
226264W5	BOX CEILING SUSP 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	242,75
226264W9	BOX CEILING SUSP 3.0 LED 1800-2850K W	6W 220-240VAC DIM CRI95	242,75
227220B0	BOX CEILING SUSP 3.0 PAR16 B	max. 12W 100-240VAC GU10	132,10
227220L0	BOX CEILING SUSP 3.0 PAR16 L	max. 12W 100-240VAC GU10	135,00
227220P0	BOX CEILING SUSP 3.0 PAR16 P	max. 12W 100-240VAC GU10	135,00
227220W0	BOX CEILING SUSP 3.0 PAR16 W	max. 12W 100-240VAC GU10	132,10
226564B3	DOCUS CEILING SUSP 2.0 LED 2700K B	6W 220-240VAC DIM CRI90	236,85
226564B5	DOCUS CEILING SUSP 2.0 LED 3000K B	6W 220-240VAC DIM CRI90	236,85
226564B9	DOCUS CEILING SUSP 2.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	236,85
226564G3	DOCUS CEILING SUSP 2.0 LED 2700K G	6W 220-240VAC DIM CRI90	246,75
226564G5	DOCUS CEILING SUSP 2.0 LED 3000K G	6W 220-240VAC DIM CRI90	246,75
226564G9	DOCUS CEILING SUSP 2.0 LED 1800-2850K G	6W 220-240VAC DIM CRI95	246,75
226564L3	DOCUS CEILING SUSP 2.0 LED 2700K L	6W 220-240VAC DIM CRI90	246,75
226564L5	DOCUS CEILING SUSP 2.0 LED 3000K L	6W 220-240VAC DIM CRI90	246,75
226564L9	DOCUS CEILING SUSP 2.0 LED 1800-2850K L	6W 220-240VAC DIM CRI95	246,75

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
226564P3	DOCUS CEILING SUSP 2.0 LED 2700K P	6W 220-240VAC DIM CRI90	246,75
226564P5	DOCUS CEILING SUSP 2.0 LED 3000K P	6W 220-240VAC DIM CRI90	246,75
226564P9	DOCUS CEILING SUSP 2.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	246,75
226564W3	DOCUS CEILING SUSP 2.0 LED 2700K W	6W 220-240VAC DIM CRI90	236,85
226564W5	DOCUS CEILING SUSP 2.0 LED 3000K W	6W 220-240VAC DIM CRI90	236,85
226564W9	DOCUS CEILING SUSP 2.0 LED 1800-2850K W	6W 220-240VAC DIM CRI95	236,85
227520B0	DOCUS CEILING SUSP 2.0 PAR16 B	max. 12W 100-240VAC GU10	126,15
227520G0	DOCUS CEILING SUSP 2.0 PAR16 G	max. 12W 100-240VAC GU10	136,10
227520L0	DOCUS CEILING SUSP 2.0 PAR16 L	max. 12W 100-240VAC GU10	136,10
227520P0	DOCUS CEILING SUSP 2.0 PAR16 P	max. 12W 100-240VAC GU10	136,10
227520W0	DOCUS CEILING SUSP 2.0 PAR16 W	max. 12W 100-240VAC GU10	126,15
226664B3	DOCUS CEILING SUSP 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	245,55
226664B5	DOCUS CEILING SUSP 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	245,55
226664B9	DOCUS CEILING SUSP 3.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	245,55
226664G3	DOCUS CEILING SUSP 3.0 LED 2700K G	6W 220-240VAC DIM CRI90	257,25
226664G5	DOCUS CEILING SUSP 3.0 LED 3000K G	6W 220-240VAC DIM CRI90	257,25
226664G9	DOCUS CEILING SUSP 3.0 LED 1800-2850K G	6W 220-240VAC DIM CRI95	257,25
226664L3	DOCUS CEILING SUSP 3.0 LED 2700K L	6W 220-240VAC DIM CRI90	257,25
226664L5	DOCUS CEILING SUSP 3.0 LED 3000K L	6W 220-240VAC DIM CRI90	257,25
226664L9	DOCUS CEILING SUSP 3.0 LED 1800-2850K L	6W 220-240VAC DIM CRI90	257,25
226664P3	DOCUS CEILING SUSP 3.0 LED 2700K P	6W 220-240VAC DIM CRI90	257,25
226664P5	DOCUS CEILING SUSP 3.0 LED 3000K P	6W 220-240VAC DIM CRI90	257,25
226664P9	DOCUS CEILING SUSP 3.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	257,25
226664W3	DOCUS CEILING SUSP 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	245,55
226664W5	DOCUS CEILING SUSP 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	245,55
226664W9	DOCUS CEILING SUSP 3.0 LED 1800-2850K W	6W 220-240VAC DIM CRI95	245,55
227620B0	DOCUS CEILING SUSP 3.0 PAR16 B	max. 12W 100-240VAC GU10	134,85
227620G0	DOCUS CEILING SUSP 3.0 PAR16 G	max. 12W 100-240VAC GU10	146,60
227620L0	DOCUS CEILING SUSP 3.0 PAR16 L	max. 12W 100-240VAC GU10	146,60
227620P0	DOCUS CEILING SUSP 3.0 PAR16 P	max. 12W 100-240VAC GU10	146,60
227620W0	DOCUS CEILING SUSP 3.0 PAR16 W	max. 12W 100-240VAC GU10	134,85
226364B3	HEXO CEILING SUSP 2.0 LED 2700K B	6W 220-240VAC DIM CRI90	226,75
226364B5	HEXO CEILING SUSP 2.0 LED 3000K B	6W 220-240VAC DIM CRI90	226,75
226364B9	HEXO CEILING SUSP 2.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	226,75
226364G3	HEXO CEILING SUSP 2.0 LED 2700K G	6W 220-240VAC DIM CRI90	230,50
226364G5	HEXO CEILING SUSP 2.0 LED 3000K G	6W 220-240VAC DIM CRI90	230,50
226364G9	HEXO CEILING SUSP 2.0 LED 1800-2850K G	6W 220-240VAC DIM CRI95	230,50
226364P3	HEXO CEILING SUSP 2.0 LED 2700K P	6W 220-240VAC DIM CRI90	230,50
226364P5	HEXO CEILING SUSP 2.0 LED 3000K P	6W 220-240VAC DIM CRI90	230,50
226364P9	HEXO CEILING SUSP 2.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	230,50
226364Q3	HEXO CEILING SUSP 2.0 LED 2700K Q	6W 220-240VAC DIM CRI90	230,50
226364Q5	HEXO CEILING SUSP 2.0 LED 3000K Q	6W 220-240VAC DIM CRI90	230,50
226364Q9	HEXO CEILING SUSP 2.0 LED 1800-2850K Q	6W 220-240VAC DIM CRI95	230,50
227320B0	HEXO CEILING SUSP 2.0 PAR16 B	max. 12W 100-240VAC GU10	120,35
227320G0	HEXO CEILING SUSP 2.0 PAR16 G	max. 12W 100-240VAC GU10	124,10
227320P0	HEXO CEILING SUSP 2.0 PAR16 P	max. 12W 100-240VAC GU10	124,10
227320Q0	HEXO CEILING SUSP 2.0 PAR16 Q	max. 12W 100-240VAC GU10	124,10
226464B3	HEXO CEILING SUSP 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	235,75
226464B5	HEXO CEILING SUSP 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	235,75
226464B9	HEXO CEILING SUSP 3.0 LED 1800-2850K B	6W 220-240VAC DIM CRI95	235,75
226464G3	HEXO CEILING SUSP 3.0 LED 2700K G	6W 220-240VAC DIM CRI90	238,65

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
226464G5	HEXO CEILING SUSP 3.0 LED 3000K G	6W 220-240VAC DIM CRI90	238,65
226464G9	HEXO CEILING SUSP 3.0 LED 1800-2850K G	6W 220-240VAC DIM CRI95	238,65
226464P3	HEXO CEILING SUSP 3.0 LED 2700K P	6W 220-240VAC DIM CRI90	238,65
226464P5	HEXO CEILING SUSP 3.0 LED 3000K P	6W 220-240VAC DIM CRI90	238,65
226464P9	HEXO CEILING SUSP 3.0 LED 1800-2850K P	6W 220-240VAC DIM CRI95	238,65
226464Q3	HEXO CEILING SUSP 3.0 LED 2700K Q	6W 220-240VAC DIM CRI90	238,65
226464Q5	HEXO CEILING SUSP 3.0 LED 3000K Q	6W 220-240VAC DIM CRI90	238,65
226464Q9	HEXO CEILING SUSP 3.0 LED 1800-2850K Q	6W 220-240VAC DIM CRI95	238,65
227420B0	HEXO CEILING SUSP 3.0 PAR16 B	max. 12W 100-240VAC GU10	129,35
227420G0	HEXO CEILING SUSP 3.0 PAR16 G	max. 12W 100-240VAC GU10	132,25
227420P0	HEXO CEILING SUSP 3.0 PAR16 P	max. 12W 100-240VAC GU10	132,25
227420Q0	HEXO CEILING SUSP 3.0 PAR16 Q	max. 12W 100-240VAC GU10	132,25
237188J9	SHIEK CEILING SUSP 1.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	259,45
237188K9	SHIEK CEILING SUSP 1.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	259,45
237188P9	SHIEK CEILING SUSP 1.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	259,45
237188W9	SHIEK CEILING SUSP 1.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	256,70
237188Z9	SHIEK CEILING SUSP 1.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	259,45
237288J9	SHIEK CEILING SUSP 2.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	296,70
237288K9	SHIEK CEILING SUSP 2.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	296,70
237288P9	SHIEK CEILING SUSP 2.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	296,70
237288W9	SHIEK CEILING SUSP 2.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	292,60
237288Z9	SHIEK CEILING SUSP 2.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	296,70
2343E0J0	SHIEK CEILING SUSP 3.0 E27 J	max. 20W 100-240VAC A60	212,55
2343E0K0	SHIEK CEILING SUSP 3.0 E27 K	max. 20W 100-240VAC A60	212,55
2343E0P0	SHIEK CEILING SUSP 3.0 E27 P	max. 20W 100-240VAC A60	212,55
2343E0W0	SHIEK CEILING SUSP 3.0 E27 W	max. 20W 100-240VAC A60	208,40
2343E0Z0	SHIEK CEILING SUSP 3.0 E27 Z	max. 20W 100-240VAC A60	212,55
237388J9	SHIEK CEILING SUSP 3.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	314,65
237388K9	SHIEK CEILING SUSP 3.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	314,65
237388P9	SHIEK CEILING SUSP 3.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	314,65
237388W9	SHIEK CEILING SUSP 3.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	310,50
237388Z9	SHIEK CEILING SUSP 3.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	314,65
2344E0J0	SHIEK CEILING SUSP 4.0 E27 J	max. 20W 100-240VAC A60	212,55
2344E0K0	SHIEK CEILING SUSP 4.0 E27 K	max. 20W 100-240VAC A60	212,55
2344E0P0	SHIEK CEILING SUSP 4.0 E27 P	max. 20W 100-240VAC A60	212,55
2344E0W0	SHIEK CEILING SUSP 4.0 E27 W	max. 20W 100-240VAC A60	207,00
2344E0Z0	SHIEK CEILING SUSP 4.0 E27 Z	max. 20W 100-240VAC A60	212,55
237488J9	SHIEK CEILING SUSP 4.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	314,65
237488K9	SHIEK CEILING SUSP 4.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	314,65
237488P9	SHIEK CEILING SUSP 4.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	314,65
237488W9	SHIEK CEILING SUSP 4.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	309,15
237488Z9	SHIEK CEILING SUSP 4.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	314,65
2345E0J0	SHIEK CEILING SUSP 5.0 E27 J	max. 20W 100-240VAC A60	252,55
2345E0K0	SHIEK CEILING SUSP 5.0 E27 K	max. 20W 100-240VAC A60	252,55
2345E0P0	SHIEK CEILING SUSP 5.0 E27 P	max. 20W 100-240VAC A60	252,55
2345E0W0	SHIEK CEILING SUSP 5.0 E27 W	max. 20W 100-240VAC A60	245,65
2345E0Z0	SHIEK CEILING SUSP 5.0 E27 Z	max. 20W 100-240VAC A60	252,55
237588J9	SHIEK CEILING SUSP 5.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	354,70
237588K9	SHIEK CEILING SUSP 5.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	354,70
237588P9	SHIEK CEILING SUSP 5.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	354,70
237588W9	SHIEK CEILING SUSP 5.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	347,80

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
237588Z9	SHIEK CEILING SUSP 5.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	354,70
236188B9	WETRO CEILING SUSP 1.0 LED 1800-2850K B	12W 220-240VAC DIM CRI90	364,35
236188DW9	WETRO CEILING SUSP 1.0 LED 1800-2850K DW	12W 220-240VAC DIM CRI90	411,25
236188P9	WETRO CEILING SUSP 1.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	364,35
236188TD9	WETRO CEILING SUSP 1.0 LED 1800-2850K TD	12W 220-240VAC DIM CRI90	411,25
236188TS9	WETRO CEILING SUSP 1.0 LED 1800-2850K TS	12W 220-240VAC DIM CRI90	411,25
236188TW9	WETRO CEILING SUSP 1.0 LED 1800-2850K TW	12W 220-240VAC DIM CRI90	411,25
236288B9	WETRO CEILING SUSP 2.0 LED 1800-2850K B	12W 220-240VAC DIM CRI90	409,90
236288DW9	WETRO CEILING SUSP 2.0 LED 1800-2850K DW	12W 220-240VAC DIM CRI90	503,70
236288P9	WETRO CEILING SUSP 2.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	409,90
236288TD9	WETRO CEILING SUSP 2.0 LED 1800-2850K TD	12W 220-240VAC DIM CRI90	503,70
236288TS9	WETRO CEILING SUSP 2.0 LED 1800-2850K TS	12W 220-240VAC DIM CRI90	503,70
236288TW9	WETRO CEILING SUSP 2.0 LED 1800-2850K TW	12W 220-240VAC DIM CRI90	503,70
236388B9	WETRO CEILING SUSP 3.0 LED 1800-2850K B	12W 220-240VAC DIM CRI90	476,10
236388DW9	WETRO CEILING SUSP 3.0 LED 1800-2850K DW	12W 220-240VAC DIM CRI90	576,85
236388P9	WETRO CEILING SUSP 3.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	476,10
236388TD9	WETRO CEILING SUSP 3.0 LED 1800-2850K TD	12W 220-240VAC DIM CRI90	576,85
236388TS9	WETRO CEILING SUSP 3.0 LED 1800-2850K TS	12W 220-240VAC DIM CRI90	576,85
236388TW9	WETRO CEILING SUSP 3.0 LED 1800-2850K TW	12W 220-240VAC DIM CRI90	576,85
287120BB0	ODREY CEILING SUSP 1.1 PAR16 B-B	max. 12W 100-240VAC GU10	201,50
287120BG0	ODREY CEILING SUSP 1.1 PAR16 B-G	max. 12W 100-240VAC GU10	201,50
287120GB0	ODREY CEILING SUSP 1.1 PAR16 G-B	max. 12W 100-240VAC GU10	201,50
287120GG0	ODREY CEILING SUSP 1.1 PAR16 G-G	max. 12W 100-240VAC GU10	201,50
287120WG0	ODREY CEILING SUSP 1.1 PAR16 W-G	max. 12W 100-240VAC GU10	201,50
287120WW0	ODREY CEILING SUSP 1.1 PAR16 W-W	max. 12W 100-240VAC GU10	201,50
287220BB0	ODREY CEILING SUSP 1.2 PAR16 B-B	max. 12W 100-240VAC GU10	281,55
287220BG0	ODREY CEILING SUSP 1.2 PAR16 B-G	max. 12W 100-240VAC GU10	281,55
287220GB0	ODREY CEILING SUSP 1.2 PAR16 G-B	max. 12W 100-240VAC GU10	281,55
287220GG0	ODREY CEILING SUSP 1.2 PAR16 G-G	max. 12W 100-240VAC GU10	281,55
287220WG0	ODREY CEILING SUSP 1.2 PAR16 W-G	max. 12W 100-240VAC GU10	281,55
287220WW0	ODREY CEILING SUSP 1.2 PAR16 W-W	max. 12W 100-240VAC GU10	281,55
287320BB0	ODREY CEILING SUSP 1.3 PAR16 B-B	max. 12W 100-240VAC GU10	198,75
287320BG0	ODREY CEILING SUSP 1.3 PAR16 B-G	max. 12W 100-240VAC GU10	198,75
287320GB0	ODREY CEILING SUSP 1.3 PAR16 G-B	max. 12W 100-240VAC GU10	198,75
287320GG0	ODREY CEILING SUSP 1.3 PAR16 G-G	max. 12W 100-240VAC GU10	198,75
287320WG0	ODREY CEILING SUSP 1.3 PAR16 W-G	max. 12W 100-240VAC GU10	198,75
287320WW0	ODREY CEILING SUSP 1.3 PAR16 W-W	max. 12W 100-240VAC GU10	198,75
287420BB0	ODREY CEILING SUSP 1.4 PAR16 B-B	max. 12W 100-240VAC GU10	211,15
287420BG0	ODREY CEILING SUSP 1.4 PAR16 B-G	max. 12W 100-240VAC GU10	211,15
287420GB0	ODREY CEILING SUSP 1.4 PAR16 G-B	max. 12W 100-240VAC GU10	211,15
287420GG0	ODREY CEILING SUSP 1.4 PAR16 G-G	max. 12W 100-240VAC GU10	211,15
287420WG0	ODREY CEILING SUSP 1.4 PAR16 W-G	max. 12W 100-240VAC GU10	211,15
287420WW0	ODREY CEILING SUSP 1.4 PAR16 W-W	max. 12W 100-240VAC GU10	211,15
287520BB0	ODREY CEILING SUSP 1.5 PAR16 B-B	max. 12W 100-240VAC GU10	227,45
287520BG0	ODREY CEILING SUSP 1.5 PAR16 B-G	max. 12W 100-240VAC GU10	227,45
287520GB0	ODREY CEILING SUSP 1.5 PAR16 G-B	max. 12W 100-240VAC GU10	227,45
287520GG0	ODREY CEILING SUSP 1.5 PAR16 G-G	max. 12W 100-240VAC GU10	227,45
287520WG0	ODREY CEILING SUSP 1.5 PAR16 W-G	max. 12W 100-240VAC GU10	227,45
287520WW0	ODREY CEILING SUSP 1.5 PAR16 W-W	max. 12W 100-240VAC GU10	227,45
287620BB0	ODREY CEILING SUSP 1.6 PAR16 B-B	max. 12W 100-240VAC GU10	212,80
287620BG0	ODREY CEILING SUSP 1.6 PAR16 B-G	max. 12W 100-240VAC GU10	212,80

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
287620GB0	ODREY CEILING SUSP 1.6 PAR16 G-B	max. 12W 100-240VAC GU10	212,80
287620GG0	ODREY CEILING SUSP 1.6 PAR16 G-G	max. 12W 100-240VAC GU10	212,80
287620WG0	ODREY CEILING SUSP 1.6 PAR16 W-G	max. 12W 100-240VAC GU10	212,80
287620WW0	ODREY CEILING SUSP 1.6 PAR16 W-W	max. 12W 100-240VAC GU10	212,80
287720BB0	ODREY CEILING SUSP 1.7 PAR16 B-B	max. 12W 100-240VAC GU10	214,20
287720BG0	ODREY CEILING SUSP 1.7 PAR16 B-G	max. 12W 100-240VAC GU10	214,20
287720GB0	ODREY CEILING SUSP 1.7 PAR16 G-B	max. 12W 100-240VAC GU10	214,20
287720GG0	ODREY CEILING SUSP 1.7 PAR16 G-G	max. 12W 100-240VAC GU10	214,20
287720WG0	ODREY CEILING SUSP 1.7 PAR16 W-G	max. 12W 100-240VAC GU10	214,20
287720WW0	ODREY CEILING SUSP 1.7 PAR16 W-W	max. 12W 100-240VAC GU10	214,20
287820BB0	ODREY CEILING SUSP 1.8 PAR16 B-B	max. 12W 100-240VAC GU10	280,85
287820BG0	ODREY CEILING SUSP 1.8 PAR16 B-G	max. 12W 100-240VAC GU10	280,85
287820GB0	ODREY CEILING SUSP 1.8 PAR16 G-B	max. 12W 100-240VAC GU10	280,85
287820GG0	ODREY CEILING SUSP 1.8 PAR16 G-G	max. 12W 100-240VAC GU10	280,85
287820WG0	ODREY CEILING SUSP 1.8 PAR16 W-G	max. 12W 100-240VAC GU10	280,85
287820WW0	ODREY CEILING SUSP 1.8 PAR16 W-W	max. 12W 100-240VAC GU10	280,85
90052005	SUSP MULTIPLE CEILING BASE W ROUND up to 4 luminaires		73,70
90052006	SUSP MULTIPLE CEILING BASE B ROUND up to 4 luminaires		73,70
90052031	SUSP MULTIPLE CEILING BASE W ROUND up to 8 luminaires		93,85
90052032	SUSP MULTIPLE CEILING BASE B ROUND up to 8 luminaires		93,85
90052007	SUSP MULTIPLE CEILING BASE W LINEAR for 2 luminaires	600mm	106,30
90052008	SUSP MULTIPLE CEILING BASE B LINEAR for 2 luminaires	600mm	106,30
90052009	SUSP MULTIPLE CEILING BASE W LINEAR for 3 luminaires	900mm	140,35
90052010	SUSP MULTIPLE CEILING BASE B LINEAR for 3 luminaires	900mm	140,35
90052011	SUSP MULTIPLE CEILING BASE W LINEAR for 4 luminaires	1200mm	175,70
90052012	SUSP MULTIPLE CEILING BASE B LINEAR for 4 luminaires	1200mm	175,70
90052013	SUSP MULTIPLE CEILING BASE W LINEAR for 5 luminaires	1500mm	227,45
90052014	SUSP MULTIPLE CEILING BASE B LINEAR for 5 luminaires	1500mm	227,45
90019195	SUSP SINGLE WALL BASE SURF W ROUND	incl. 2 wall-ceiling brackets for cables dia 4.25-5.5mm	62,00
90019196	SUSP SINGLE WALL BASE SURF B ROUND	incl. 2 wall-ceiling brackets for cables dia 4.25-5.5mm	62,00
170554B3	STUBE CEILING SUSPENDED 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	219,45
170554B5	STUBE CEILING SUSPENDED 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	219,45
170554G3	STUBE CEILING SUSPENDED 1.0 LED 2700K G	8W 220-240VAC DIM CRI90	233,25
170554G5	STUBE CEILING SUSPENDED 1.0 LED 3000K G	8W 220-240VAC DIM CRI90	233,25
170554W3	STUBE CEILING SUSPENDED 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	219,45
170554W5	STUBE CEILING SUSPENDED 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	219,45
170654B3	STUBE CEILING SUSPENDED 2.0 LED 2700K B	8W 220-240VAC DIM CRI90	233,25
170654B5	STUBE CEILING SUSPENDED 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	233,25
170654G3	STUBE CEILING SUSPENDED 2.0 LED 2700K G	8W 220-240VAC DIM CRI90	247,05
170654G5	STUBE CEILING SUSPENDED 2.0 LED 3000K G	8W 220-240VAC DIM CRI90	247,05
170654W3	STUBE CEILING SUSPENDED 2.0 LED 2700K W	8W 220-240VAC DIM CRI90	233,25
170654W5	STUBE CEILING SUSPENDED 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	233,25
238284FD3	SOLLI CEILING SUSPENDED 1.0 LED 2700K FD	4W 220-240VAC DIM CRI90	357,45
238284TD3	SOLLI CEILING SUSPENDED 1.0 LED 2700K TD	4W 220-240VAC DIM CRI90	357,45
238284WB3	SOLLI CEILING SUSPENDED 1.0 LED 2700K WB	4W 220-240VAC DIM CRI90	313,30
238284FD5	SOLLI CEILING SUSPENDED 1.0 LED 3000K FD	4W 220-240VAC DIM CRI90	357,45
238284TD5	SOLLI CEILING SUSPENDED 1.0 LED 3000K TD	4W 220-240VAC DIM CRI90	357,45
238284WB5	SOLLI CEILING SUSPENDED 1.0 LED 3000K WB	4W 220-240VAC DIM CRI90	313,30
255188BB9	DINOR CEILING SUSP 1.0 LED 1800-2850K B-B	12W 220-240VAC DIM CRI90	444,40
255188BG9	DINOR CEILING SUSP 1.0 LED 1800-2850K B-G	12W 220-240VAC DIM CRI90	462,30

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
255188GW9	DINOR CEILING SUSP 1.0 LED 1800-2850K G-W	12W 220-240VAC DIM CRI90	462,30
255288BB9	DINOR CEILING SUSP 2.0 LED 1800-2850K B-B	12W 220-240VAC DIM CRI90	512,00
255288BG9	DINOR CEILING SUSP 2.0 LED 1800-2850K B-G	12W 220-240VAC DIM CRI90	547,90
255288GW9	DINOR CEILING SUSP 2.0 LED 1800-2850K G-W	12W 220-240VAC DIM CRI90	547,90
255388BB9	DINOR CEILING SUSP 3.0 LED 1800-2850K B-B	12W 220-240VAC DIM CRI90	586,50
255388BG9	DINOR CEILING SUSP 3.0 LED 1800-2850K B-G	12W 220-240VAC DIM CRI90	626,55
255388GW9	DINOR CEILING SUSP 3.0 LED 1800-2850K G-W	12W 220-240VAC DIM CRI90	626,55
90052022	SUSP SINGLE CEILING BASE SURF W ROUND		24,85
90052021	SUSP SINGLE CEILING BASE SURF B ROUND		24,85
90052026	SUSP SINGLE CEILING BASE SEMI REC W ROUND		56,20
90052027	SUSP SINGLE CEILING BASE SEMI REC B ROUND		56,20
90015196	SUSP SINGLE CEILING BASE INVISIBLE REC W ROUND	plasterkit with fixation and adjustment with or without stee	132,50
90015195	SUSP SINGLE CEILING BASE INVISIBLE REC B ROUND	plasterkit with fixation and adjustment with or without stee	132,50
210363B2	CORK CEILING SUSP 1.0 LED 2700K B	4W 100-240VAC CRI80	158,70
200184B3	CONE CEILING SUSP 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	338,10
200184W3	CONE CEILING SUSP 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	338,10
2184E0D0	BISHOP CEILING SUSP 4.0 E27 D	max. 25W 220-240VAC	469,10
2184E0K0	BISHOP CEILING SUSP 4.0 E27 K	max. 25W 220-240VAC	575,35
2184E0R0	BISHOP CEILING SUSP 4.0 E27 W with red power cable	max. 25W 220-240VAC	469,10
2184E0W0	BISHOP CEILING SUSP 4.0 E27 W	max. 25W 220-240VAC	469,10
2186E0D0	BISHOP CEILING SUSP 6.0 E27 D	max. 25W 220-240VAC	616,75
2186E0K0	BISHOP CEILING SUSP 6.0 E27 K	max. 25W 220-240VAC	782,35
2186E0R0	BISHOP CEILING SUSP 6.0 E27 W with red power cable	max. 25W 220-240VAC	616,75
2186E0W0	BISHOP CEILING SUSP 6.0 E27 W	max. 25W 220-240VAC	616,75
2188E0D0	BISHOP CEILING SUSP 8.0 E27 D	max. 25W 220-240VAC	919,40
2188E0K0	BISHOP CEILING SUSP 8.0 E27 K	max. 25W 220-240VAC	1.191,25
2188E0R0	BISHOP CEILING SUSP 8.0 E27 W with red power cable	max. 25W 220-240VAC	919,40
2188E0W0	BISHOP CEILING SUSP 8.0 E27 W	max. 25W 220-240VAC	919,40
231264B3	NET CEILING SUSP 2.0 LED 2700K B	2x8W 220-240VAC DIM CRI90	627,90
231264M3	NET CEILING SUSP 2.0 LED 2700K M	2x8W 220-240VAC DIM CRI90	627,90
231264W3	NET CEILING SUSP 2.0 LED 2700K W	2x8W 220-240VAC DIM CRI90	627,90
231464B3	NET CEILING SUSP 4.0 LED 2700K B	4x8W 220-240VAC DIM CRI90	1.226,85
231464M3	NET CEILING SUSP 4.0 LED 2700K M	4x8W 220-240VAC DIM CRI90	1.226,85
231464W3	NET CEILING SUSP 4.0 LED 2700K W	4x8W 220-240VAC DIM CRI90	1.226,85
500484B5	ELLO CEILING SUSP 13.0 LED 3000K B	18W 220-240VAC DIM CRI90	578,25
500484W5	ELLO CEILING SUSP 13.0 LED 3000K W	18W 220-240VAC DIM CRI90	578,25
2561T7B4	DARF CEILING SUSP 1.1 LED TUBE 3000K B	22W 220-240VAC NON DIM CRI80	310,50
2561T7B6	DARF CEILING SUSP 1.1 LED TUBE 4000K B	22W 220-240VAC NON DIM CRI80	310,50
2561T8B3	DARF CEILING SUSP 1.2 LED TUBE 2700K B	22W 220-240VAC DIM CRI90	383,65
2561T8B5	DARF CEILING SUSP 1.2 LED TUBE 3000K B	22W 220-240VAC DIM CRI90	383,65
213385W4	GIGANT CEILING SUSP 10.0 LED 3000K W	42W 220-240VAC DALI SWITCH DIM CRI80	2.012,05
213385W6	GIGANT CEILING SUSP 10.0 LED 4000K W	42W 220-240VAC DALI SWITCH DIM CRI80	2.012,05
213485W4	GIGANT CEILING SUSP 16.0 LED 3000K W	84W 220-240VAC DALI SWITCH DIM CRI80	2.732,40
213485W6	GIGANT CEILING SUSP 16.0 LED 4000K W	84W 220-240VAC DALI SWITCH DIM CRI80	2.732,40
90015114	GIGANT SUSPENSION SET 4m		122,85
345161B5	RETO WALL REC 0.8 LED 3000K B	3W 350mA 9V CRI90	102,15
345161W5	RETO WALL REC 0.8 LED 3000K W	3W 350mA 9V CRI90	102,15

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
345261B5	RETO WALL REC 2.0 LED 3000K B	6W 350mA 18V CRI90	149,05
345261W5	RETO WALL REC 2.0 LED 3000K W	6W 350mA 18V CRI90	149,05
145381A4	LITO WALL REC 1.0 LED 3000K A	2/3W 350/500mA 6V CRI80	74,55
145381B4	LITO WALL REC 1.0 LED 3000K B	2/3W 350/500mA 6V CRI80	74,55
145381W4	LITO WALL REC 1.0 LED 3000K W	2/3W 350/500mA 6V CRI80	74,55
145481A4	LITO WALL REC 2.0 LED 3000K A	2/3W 350/500mA 6V CRI80	74,55
145481B4	LITO WALL REC 2.0 LED 3000K B	2/3W 350/500mA 6V CRI80	74,55
145481W4	LITO WALL REC 2.0 LED 3000K W	2/3W 350/500mA 6V CRI80	74,55
305451B4	STRIPE WALL REC 0.4 LED 3000K B	1/2W 350/700mA 3V CRI80	64,75
305451G4	STRIPE WALL REC 0.4 LED 3000K G	1/2W 350/700mA 3V CRI80	66,15
305451L4	STRIPE WALL REC 0.4 LED 3000K L	1/2W 350/700mA 3V CRI80	64,75
305451W4	STRIPE WALL REC 0.4 LED 3000K W	1/2W 350/700mA 3V CRI80	64,75
305551B4	STRIPE WALL REC 0.7 LED 3000K B	1/2W 350/700mA 3V CRI80	67,80
305551G4	STRIPE WALL REC 0.7 LED 3000K G	1/2W 350/700mA 3V CRI80	69,85
305551L4	STRIPE WALL REC 0.7 LED 3000K L	1/2W 350/700mA 3V CRI80	67,80
305551W4	STRIPE WALL REC 0.7 LED 3000K W	1/2W 350/700mA 3V CRI80	67,80
305651B4	STRIPE WALL REC 2.2 LED 3000K B	1/2W 350/700mA 3V CRI80	102,00
305651G4	STRIPE WALL REC 2.2 LED 3000K G	1/2W 350/700mA 3V CRI80	106,15
305651L4	STRIPE WALL REC 2.2 LED 3000K L	1/2W 350/700mA 3V CRI80	102,00
305651W4	STRIPE WALL REC 2.2 LED 3000K W	1/2W 350/700mA 3V CRI80	102,00
320771W2	STRANGE WALL REC 1.7 LED 2700K W	4/5W 500/700mA 6V CRI80	155,95
320771W4	STRANGE WALL REC 1.7 LED 3000K W	4/5W 500/700mA 6V CRI80	155,95
320871W2	STRANGE WALL REC 2.7 LED 2700K W	4/5W 500/700mA 6V CRI80	184,00
320871W4	STRANGE WALL REC 2.7 LED 3000K W	4/5W 500/700mA 6V CRI80	184,00
323771W2	THEMIS WALL REC 1.7 LED 2700K W	4/5W 500/700mA 6V CRI80	88,05
323771K2	THEMIS WALL REC 1.7 LED 2700K K	4/5W 500/700mA 6V CRI80	90,70
323771W4	THEMIS WALL REC 1.7 LED 3000K W	4/5W 500/700mA 6V CRI80	88,05
323771K4	THEMIS WALL REC 1.7 LED 3000K K	4/5W 500/700mA 6V CRI80	90,70
323871W2	THEMIS WALL REC 2.7 LED 2700K W	4/5W 500/700mA 6V CRI80	101,85
323871K2	THEMIS WALL REC 2.7 LED 2700K K	4/5W 500/700mA 6V CRI80	105,05
323871W4	THEMIS WALL REC 2.7 LED 3000K W	4/5W 500/700mA 6V CRI80	101,85
323871K4	THEMIS WALL REC 2.7 LED 3000K K	4/5W 500/700mA 6V CRI80	105,05
327161B4	ORIS WALL REC 0.7 LED 3000K B	2/4W 350/700mA 6V CRI80	91,10
327161W4	ORIS WALL REC 0.7 LED 3000K W	2/4W 350/700mA 6V CRI80	91,10
327461B4	ORIS WALL REC 0.8 LED 3000K B	2/4W 350/700mA 6V CRI80	80,05
327461W4	ORIS WALL REC 0.8 LED 3000K W	2/4W 350/700mA 6V CRI80	80,05
327661B4	ORIS WALL REC 1.3 LED 3000K B	3/6W 350/700mA 9V CRI80	104,90
327661W4	ORIS WALL REC 1.3 LED 3000K W	3/6W 350/700mA 9V CRI80	104,90
387120BB0	ODREY WALL SURF 1.3 PAR16 B-B	max. 12W 100-240VAC GU10	157,35
387120BG0	ODREY WALL SURF 1.3 PAR16 B-G	max. 12W 100-240VAC GU10	157,35
387120GB0	ODREY WALL SURF 1.3 PAR16 G-B	max. 12W 100-240VAC GU10	157,35
387120GG0	ODREY WALL SURF 1.3 PAR16 G-G	max. 12W 100-240VAC GU10	157,35
387120GW0	ODREY WALL SURF 1.3 PAR16 G-W	max. 12W 100-240VAC GU10	157,35
387120WW0	ODREY WALL SURF 1.3 PAR16 W-W	max. 12W 100-240VAC GU10	157,35
387220BB0	ODREY WALL SURF 1.4 PAR16 B-B	max. 12W 100-240VAC GU10	169,75
387220BG0	ODREY WALL SURF 1.4 PAR16 B-G	max. 12W 100-240VAC GU10	169,75
387220GB0	ODREY WALL SURF 1.4 PAR16 G-B	max. 12W 100-240VAC GU10	169,75
387220GG0	ODREY WALL SURF 1.4 PAR16 G-G	max. 12W 100-240VAC GU10	169,75
387220GW0	ODREY WALL SURF 1.4 PAR16 G-W	max. 12W 100-240VAC GU10	169,75
387220WW0	ODREY WALL SURF 1.4 PAR16 W-W	max. 12W 100-240VAC GU10	169,75
387320BB0	ODREY WALL SURF 1.5 PAR16 B-B	max. 12W 100-240VAC GU10	186,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
387320BG0	ODREY WALL SURF 1.5 PAR16 B-G	max. 12W 100-240VAC GU10	186,05
387320GB0	ODREY WALL SURF 1.5 PAR16 G-B	max. 12W 100-240VAC GU10	186,05
387320GG0	ODREY WALL SURF 1.5 PAR16 G-G	max. 12W 100-240VAC GU10	186,05
387320GW0	ODREY WALL SURF 1.5 PAR16 G-W	max. 12W 100-240VAC GU10	186,05
387320WW0	ODREY WALL SURF 1.5 PAR16 W-W	max. 12W 100-240VAC GU10	186,05
387420BB0	ODREY WALL SURF 2.3 PAR16 B-B	max. 12W 100-240VAC GU10	212,55
387420BG0	ODREY WALL SURF 2.3 PAR16 B-G	max. 12W 100-240VAC GU10	212,55
387420GB0	ODREY WALL SURF 2.3 PAR16 G-B	max. 12W 100-240VAC GU10	212,55
387420GG0	ODREY WALL SURF 2.3 PAR16 G-G	max. 12W 100-240VAC GU10	212,55
387420GW0	ODREY WALL SURF 2.3 PAR16 G-W	max. 12W 100-240VAC GU10	212,55
387420WW0	ODREY WALL SURF 2.3 PAR16 W-W	max. 12W 100-240VAC GU10	212,55
387520BB0	ODREY WALL SURF 2.4 PAR16 B-B	max. 12W 100-240VAC GU10	237,40
387520BG0	ODREY WALL SURF 2.4 PAR16 B-G	max. 12W 100-240VAC GU10	237,40
387520GB0	ODREY WALL SURF 2.4 PAR16 G-B	max. 12W 100-240VAC GU10	237,40
387520GG0	ODREY WALL SURF 2.4 PAR16 G-G	max. 12W 100-240VAC GU10	237,40
387520GW0	ODREY WALL SURF 2.4 PAR16 G-W	max. 12W 100-240VAC GU10	237,40
387520WW0	ODREY WALL SURF 2.4 PAR16 W-W	max. 12W 100-240VAC GU10	237,40
387620BB0	ODREY WALL SURF 2.5 PAR16 B-B	max. 12W 100-240VAC GU10	269,95
387620BG0	ODREY WALL SURF 2.5 PAR16 B-G	max. 12W 100-240VAC GU10	269,95
387620GB0	ODREY WALL SURF 2.5 PAR16 G-B	max. 12W 100-240VAC GU10	269,95
387620GG0	ODREY WALL SURF 2.5 PAR16 G-G	max. 12W 100-240VAC GU10	269,95
387620GW0	ODREY WALL SURF 2.5 PAR16 G-W	max. 12W 100-240VAC GU10	269,95
387620WW0	ODREY WALL SURF 2.5 PAR16 W-W	max. 12W 100-240VAC GU10	269,95
300220B0	RAY MINI WALL SURF 1.0 PAR16 B	max. 12W 100-240VAC GU10	79,35
300220G0	RAY MINI WALL SURF 1.0 PAR16 G	max. 12W 100-240VAC GU10	81,45
300220L0	RAY MINI WALL SURF 1.0 PAR16 L	max. 12W 100-240VAC GU10	81,45
300220P0	RAY MINI WALL SURF 1.0 PAR16 P	max. 12W 100-240VAC GU10	81,45
300220W0	RAY MINI WALL SURF 1.0 PAR16 W	max. 12W 100-240VAC GU10	79,35
301220B0	RAY MINI WALL SURF 2.0 PAR16 B	2xmax. 12W 100-240VAC GU10	107,10
301220G0	RAY MINI WALL SURF 2.0 PAR16 G	2xmax. 12W 100-240VAC GU10	109,85
301220L0	RAY MINI WALL SURF 2.0 PAR16 L	2xmax. 12W 100-240VAC GU10	109,85
301220P0	RAY MINI WALL SURF 2.0 PAR16 P	2xmax. 12W 100-240VAC GU10	109,85
301220W0	RAY MINI WALL SURF 2.0 PAR16 W	2xmax. 12W 100-240VAC GU10	107,10
342168B3	RAY WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	238,05
342168B5	RAY WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	238,05
342168B9	RAY WALL SURF 1.0 LED 1800-2850K B	6W 220-240VAC DIM CRI90	238,05
342168G3	RAY WALL SURF 1.0 LED 2700K G	6W 220-240VAC DIM CRI90	241,50
342168G5	RAY WALL SURF 1.0 LED 3000K G	6W 220-240VAC DIM CRI90	241,50
342168G9	RAY WALL SURF 1.0 LED 1800-2850K G	6W 220-240VAC DIM CRI90	241,50
342168L3	RAY WALL SURF 1.0 LED 2700K L	6W 220-240VAC DIM CRI90	241,50
342168L5	RAY WALL SURF 1.0 LED 3000K L	6W 220-240VAC DIM CRI90	241,50
342168L9	RAY WALL SURF 1.0 LED 1800-2850K L	6W 220-240VAC DIM CRI90	241,50
342168P3	RAY WALL SURF 1.0 LED 2700K P	6W 220-240VAC DIM CRI90	241,50
342168P5	RAY WALL SURF 1.0 LED 3000K P	6W 220-240VAC DIM CRI90	241,50
342168P9	RAY WALL SURF 1.0 LED 1800-2850K P	6W 220-240VAC DIM CRI90	241,50
342168Q3	RAY WALL SURF 1.0 LED 2700K Q	6W 220-240VAC DIM CRI90	241,50
342168Q5	RAY WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	241,50
342168Q9	RAY WALL SURF 1.0 LED 1800-2850K Q	6W 220-240VAC DIM CRI90	241,50
342168W3	RAY WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	238,05
342168W5	RAY WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	238,05
342168W9	RAY WALL SURF 1.0 LED 1800-2850K W	6W 220-240VAC DIM CRI90	238,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
3221G0B0	RAY WALL SURF 1.0 QT14 B	max. 75W 220-240VAC G9	129,05
3221G0G0	RAY WALL SURF 1.0 QT14 G	max. 75W 220-240VAC G9	132,50
3221G0L0	RAY WALL SURF 1.0 QT14 L	max. 75W 220-240VAC G9	132,50
3221G0P0	RAY WALL SURF 1.0 QT14 P	max. 75W 220-240VAC G9	132,50
3221G0Q0	RAY WALL SURF 1.0 QT14 Q	max. 75W 220-240VAC G9	132,50
3221G0W0	RAY WALL SURF 1.0 QT14 W	max. 75W 220-240VAC G9	129,05
342148B3	RAY WALL SURF 2.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	270,25
342148B5	RAY WALL SURF 2.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	270,25
342148B9	RAY WALL SURF 2.0 LED 1800-2850K B	2x3W 220-240VAC DIM CRI90	270,25
342148G3	RAY WALL SURF 2.0 LED 2700K G	2x3W 220-240VAC DIM CRI90	273,70
342148G5	RAY WALL SURF 2.0 LED 3000K G	2x3W 220-240VAC DIM CRI90	273,70
342148G9	RAY WALL SURF 2.0 LED 1800-2850K G	2x3W 220-240VAC DIM CRI90	273,70
342148L3	RAY WALL SURF 2.0 LED 2700K L	2x3W 220-240VAC DIM CRI90	273,70
342148L5	RAY WALL SURF 2.0 LED 3000K L	2x3W 220-240VAC DIM CRI90	273,70
342148L9	RAY WALL SURF 2.0 LED 1800-2850K L	2x3W 220-240VAC DIM CRI90	273,70
342148P3	RAY WALL SURF 2.0 LED 2700K P	2x3W 220-240VAC DIM CRI90	273,70
342148P5	RAY WALL SURF 2.0 LED 3000K P	2x3W 220-240VAC DIM CRI90	273,70
342148P9	RAY WALL SURF 2.0 LED 1800-2850K P	2x3W 220-240VAC DIM CRI90	273,70
342148Q3	RAY WALL SURF 2.0 LED 2700K Q	2x3W 220-240VAC DIM CRI90	273,70
342148Q5	RAY WALL SURF 2.0 LED 3000K Q	2x3W 220-240VAC DIM CRI90	273,70
342148Q9	RAY WALL SURF 2.0 LED 1800-2850K Q	2x3W 220-240VAC DIM CRI90	273,70
342148W3	RAY WALL SURF 2.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	270,25
342148W5	RAY WALL SURF 2.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	270,25
342148W9	RAY WALL SURF 2.0 LED 1800-2850K W	2x3W 220-240VAC DIM CRI90	270,25
342248B3	RAY WALL SURF 4.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	287,90
342248B5	RAY WALL SURF 4.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	287,90
342248B9	RAY WALL SURF 4.0 LED 1800-2850K B	2x3W 220-240VAC DIM CRI90	287,90
342248G3	RAY WALL SURF 4.0 LED 2700K G	2x3W 220-240VAC DIM CRI90	292,05
342248G5	RAY WALL SURF 4.0 LED 3000K G	2x3W 220-240VAC DIM CRI90	292,05
342248G9	RAY WALL SURF 4.0 LED 1800-2850K G	2x3W 220-240VAC DIM CRI90	292,05
342248L3	RAY WALL SURF 4.0 LED 2700K L	2x3W 220-240VAC DIM CRI90	292,05
342248L5	RAY WALL SURF 4.0 LED 3000K L	2x3W 220-240VAC DIM CRI90	292,05
342248L9	RAY WALL SURF 4.0 LED 1800-2850K L	2x3W 220-240VAC DIM CRI90	292,05
342248P3	RAY WALL SURF 4.0 LED 2700K P	2x3W 220-240VAC DIM CRI90	292,05
342248P5	RAY WALL SURF 4.0 LED 3000K P	2x3W 220-240VAC DIM CRI90	292,05
342248P9	RAY WALL SURF 4.0 LED 1800-2850K P	2x3W 220-240VAC DIM CRI90	292,05
342248Q3	RAY WALL SURF 4.0 LED 2700K Q	2x3W 220-240VAC DIM CRI90	292,05
342248Q5	RAY WALL SURF 4.0 LED 3000K Q	2x3W 220-240VAC DIM CRI90	292,05
342248Q9	RAY WALL SURF 4.0 LED 1800-2850K Q	2x3W 220-240VAC DIM CRI90	292,05
342248W3	RAY WALL SURF 4.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	287,90
342248W5	RAY WALL SURF 4.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	287,90
342248W9	RAY WALL SURF 4.0 LED 1800-2850K W	2x3W 220-240VAC DIM CRI90	287,90
300120W0	BOX MINI WALL SURF 1.0 PAR16 W	max. 12W 100-240VAC GU10	79,35
300120L0	BOX MINI WALL SURF 1.0 PAR16 L	max. 12W 100-240VAC GU10	81,45
300120G0	BOX MINI WALL SURF 1.0 PAR16 G	max. 12W 100-240VAC GU10	81,45
300120P0	BOX MINI WALL SURF 1.0 PAR16 P	max. 12W 100-240VAC GU10	81,45
300120B0	BOX MINI WALL SURF 1.0 PAR16 B	max. 12W 100-240VAC GU10	79,35
301120W0	BOX MINI WALL SURF 2.0 PAR16 W	2xmax. 12W 100-240VAC GU10	107,10
301120L0	BOX MINI WALL SURF 2.0 PAR16 L	2xmax. 12W 100-240VAC GU10	109,85
301120G0	BOX MINI WALL SURF 2.0 PAR16 G	2xmax. 12W 100-240VAC GU10	109,85
301120P0	BOX MINI WALL SURF 2.0 PAR16 P	2xmax. 12W 100-240VAC GU10	109,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
301120B0	BOX MINI WALL SURF 2.0 PAR16 B	2xmax. 12W 100-240VAC GU10	107,10
341168B3	BOX WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	238,05
341168B5	BOX WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	238,05
341168B9	BOX WALL SURF 1.0 LED 1800-2850K B	6W 220-240VAC DIM CRI90	238,05
341168G3	BOX WALL SURF 1.0 LED 2700K G	6W 220-240VAC DIM CRI90	241,50
341168G5	BOX WALL SURF 1.0 LED 3000K G	6W 220-240VAC DIM CRI90	241,50
341168G9	BOX WALL SURF 1.0 LED 1800-2850K G	6W 220-240VAC DIM CRI90	241,50
341168L3	BOX WALL SURF 1.0 LED 2700K L	6W 220-240VAC DIM CRI90	241,50
341168L5	BOX WALL SURF 1.0 LED 3000K L	6W 220-240VAC DIM CRI90	241,50
341168L9	BOX WALL SURF 1.0 LED 1800-2850K L	6W 220-240VAC DIM CRI90	241,50
341168P3	BOX WALL SURF 1.0 LED 2700K P	6W 220-240VAC DIM CRI90	241,50
341168P5	BOX WALL SURF 1.0 LED 3000K P	6W 220-240VAC DIM CRI90	241,50
341168P9	BOX WALL SURF 1.0 LED 1800-2850K P	6W 220-240VAC DIM CRI90	241,50
341168Q3	BOX WALL SURF 1.0 LED 2700K Q	6W 220-240VAC DIM CRI90	241,50
341168Q5	BOX WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	241,50
341168Q9	BOX WALL SURF 1.0 LED 1800-2850K Q	6W 220-240VAC DIM CRI90	241,50
341168W3	BOX WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	238,05
341168W5	BOX WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	238,05
341168W9	BOX WALL SURF 1.0 LED 1800-2850K W	6W 220-240VAC DIM CRI90	238,05
3211G0B0	BOX WALL SURF 1.0 QT14 B	max. 75W 220-240VAC G9	129,05
3211G0G0	BOX WALL SURF 1.0 QT14 G	max. 75W 220-240VAC G9	132,50
3211G0L0	BOX WALL SURF 1.0 QT14 L	max. 75W 220-240VAC G9	132,50
3211G0P0	BOX WALL SURF 1.0 QT14 P	max. 75W 220-240VAC G9	132,50
3211G0Q0	BOX WALL SURF 1.0 QT14 Q	max. 75W 220-240VAC G9	132,50
3211G0W0	BOX WALL SURF 1.0 QT14 W	max. 75W 220-240VAC G9	129,05
341148B3	BOX WALL SURF 2.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	270,25
341148B5	BOX WALL SURF 2.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	270,25
341148B9	BOX WALL SURF 2.0 LED 1800-2850K B	2x3W 220-240VAC DIM CRI90	270,25
341148G3	BOX WALL SURF 2.0 LED 2700K G	2x3W 220-240VAC DIM CRI90	273,70
341148G5	BOX WALL SURF 2.0 LED 3000K G	2x3W 220-240VAC DIM CRI90	273,70
341148G9	BOX WALL SURF 2.0 LED 1800-2850K G	2x3W 220-240VAC DIM CRI90	273,70
341148L3	BOX WALL SURF 2.0 LED 2700K L	2x3W 220-240VAC DIM CRI90	273,70
341148L5	BOX WALL SURF 2.0 LED 3000K L	2x3W 220-240VAC DIM CRI90	273,70
341148L9	BOX WALL SURF 2.0 LED 1800-2850K L	2x3W 220-240VAC DIM CRI90	273,70
341148P3	BOX WALL SURF 2.0 LED 2700K P	2x3W 220-240VAC DIM CRI90	273,70
341148P5	BOX WALL SURF 2.0 LED 3000K P	2x3W 220-240VAC DIM CRI90	273,70
341148P9	BOX WALL SURF 2.0 LED 1800-2850K P	2x3W 220-240VAC DIM CRI90	273,70
341148Q3	BOX WALL SURF 2.0 LED 2700K Q	2x3W 220-240VAC DIM CRI90	273,70
341148Q5	BOX WALL SURF 2.0 LED 3000K Q	2x3W 220-240VAC DIM CRI90	273,70
341148Q9	BOX WALL SURF 2.0 LED 1800-2850K Q	2x3W 220-240VAC DIM CRI90	273,70
341148W3	BOX WALL SURF 2.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	270,25
341148W5	BOX WALL SURF 2.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	270,25
341148W9	BOX WALL SURF 2.0 LED 1800-2850K W	2x3W 220-240VAC DIM CRI90	270,25
341248B3	BOX WALL SURF 4.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	287,90
341248B5	BOX WALL SURF 4.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	287,90
341248B9	BOX WALL SURF 4.0 LED 1800-2850K B	2x3W 220-240VAC DIM CRI90	287,90
341248G3	BOX WALL SURF 4.0 LED 2700K G	2x3W 220-240VAC DIM CRI90	292,05
341248G5	BOX WALL SURF 4.0 LED 3000K G	2x3W 220-240VAC DIM CRI90	292,05
341248G9	BOX WALL SURF 4.0 LED 1800-2850K G	2x3W 220-240VAC DIM CRI90	292,05
341248L3	BOX WALL SURF 4.0 LED 2700K L	2x3W 220-240VAC DIM CRI90	292,05
341248L5	BOX WALL SURF 4.0 LED 3000K L	2x3W 220-240VAC DIM CRI90	292,05

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
341248L9	BOX WALL SURF 4.0 LED 1800-2850K L	2x3W 220-240VAC DIM CRI90	292,05
341248P3	BOX WALL SURF 4.0 LED 2700K P	2x3W 220-240VAC DIM CRI90	292,05
341248P5	BOX WALL SURF 4.0 LED 3000K P	2x3W 220-240VAC DIM CRI90	292,05
341248P9	BOX WALL SURF 4.0 LED 1800-2850K P	2x3W 220-240VAC DIM CRI90	292,05
341248Q3	BOX WALL SURF 4.0 LED 2700K Q	2x3W 220-240VAC DIM CRI90	292,05
341248Q5	BOX WALL SURF 4.0 LED 3000K Q	2x3W 220-240VAC DIM CRI90	292,05
341248Q9	BOX WALL SURF 4.0 LED 1800-2850K Q	2x3W 220-240VAC DIM CRI90	292,05
341248W3	BOX WALL SURF 4.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	287,90
341248W5	BOX WALL SURF 4.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	287,90
341248W9	BOX WALL SURF 4.0 LED 1800-2850K W	2x3W 220-240VAC DIM CRI90	287,90
300320B0	DOCUS MINI WALL SURF 1.0 PAR16 B	max. 12W 100-240VAC GU10	79,35
300320G0	DOCUS MINI WALL SURF 1.0 PAR16 G	max. 12W 100-240VAC GU10	81,45
300320L0	DOCUS MINI WALL SURF 1.0 PAR16 L	max. 12W 100-240VAC GU10	81,45
300320P0	DOCUS MINI WALL SURF 1.0 PAR16 P	max. 12W 100-240VAC GU10	81,45
300320W0	DOCUS MINI WALL SURF 1.0 PAR16 W	max. 12W 100-240VAC GU10	79,35
301320B0	DOCUS MINI WALL SURF 2.0 PAR16 B	2xmax. 12W 100-240VAC GU10	107,10
301320G0	DOCUS MINI WALL SURF 2.0 PAR16 G	2xmax. 12W 100-240VAC GU10	109,85
301320L0	DOCUS MINI WALL SURF 2.0 PAR16 L	2xmax. 12W 100-240VAC GU10	109,85
301320P0	DOCUS MINI WALL SURF 2.0 PAR16 P	2xmax. 12W 100-240VAC GU10	109,85
301320W0	DOCUS MINI WALL SURF 2.0 PAR16 W	2xmax. 12W 100-240VAC GU10	107,10
300420B0	HEXO MINI WALL SURF 1.0 PAR16 B	max. 12W 100-240VAC GU10	79,35
300420G0	HEXO MINI WALL SURF 1.0 PAR16 G	max. 12W 100-240VAC GU10	81,45
300420P0	HEXO MINI WALL SURF 1.0 PAR16 P	max. 12W 100-240VAC GU10	81,45
300420Q0	HEXO MINI WALL SURF 1.0 PAR16 Q	max. 12W 100-240VAC GU10	81,45
301420B0	HEXO MINI WALL SURF 2.0 PAR16 B	2xmax. 12W 100-240VAC GU10	107,10
301420G0	HEXO MINI WALL SURF 2.0 PAR16 G	2xmax. 12W 100-240VAC GU10	109,85
301420P0	HEXO MINI WALL SURF 2.0 PAR16 P	2xmax. 12W 100-240VAC GU10	109,85
301420Q0	HEXO MINI WALL SURF 2.0 PAR16 Q	2xmax. 12W 100-240VAC GU10	109,85
333164B3	TRACE WALL SURF 1.0 LED 2700K B	7.8W 220-240VAC DIM CRI90	227,70
333164B5	TRACE WALL SURF 1.0 LED 3000K B	7.8W 220-240VAC DIM CRI90	227,70
333164CH3	TRACE WALL SURF 1.0 LED 2700K CH	7.8W 220-240VAC DIM CRI90	227,70
333164CH5	TRACE WALL SURF 1.0 LED 3000K CH	7.8W 220-240VAC DIM CRI90	227,70
333164H3	TRACE WALL SURF 1.0 LED 2700K H	7.8W 220-240VAC DIM CRI90	227,70
333164H5	TRACE WALL SURF 1.0 LED 3000K H	7.8W 220-240VAC DIM CRI90	227,70
333164W3	TRACE WALL SURF 1.0 LED 2700K W	7.8W 220-240VAC DIM CRI90	227,70
333164W5	TRACE WALL SURF 1.0 LED 3000K W	7.8W 220-240VAC DIM CRI90	227,70
333264B3	TRACE WALL SURF 2.0 LED 2700K B	2x7.35W 220-240VAC DIM CRI90	310,50
333264B5	TRACE WALL SURF 2.0 LED 3000K B	2x7.35W 220-240VAC DIM CRI90	310,50
333264CH3	TRACE WALL SURF 2.0 LED 2700K CH	2x7.35W 220-240VAC DIM CRI90	310,50
333264CH5	TRACE WALL SURF 2.0 LED 3000K CH	2x7.35W 220-240VAC DIM CRI90	310,50
333264H3	TRACE WALL SURF 2.0 LED 2700K H	2x7.35W 220-240VAC DIM CRI90	310,50
333264H5	TRACE WALL SURF 2.0 LED 3000K H	2x7.35W 220-240VAC DIM CRI90	310,50
333264W3	TRACE WALL SURF 2.0 LED 2700K W	2x7.35W 220-240VAC DIM CRI90	310,50
333264W5	TRACE WALL SURF 2.0 LED 3000K W	2x7.35W 220-240VAC DIM CRI90	310,50
306868B3	TRAIN WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	187,70
306868G3	TRAIN WALL SURF 1.0 LED 2700K G	6W 220-240VAC DIM CRI90	194,60
306868L5	TRAIN WALL SURF 1.0 LED 3000K L	6W 220-240VAC DIM CRI90	194,60
306868W3	TRAIN WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	187,70
306868W5	TRAIN WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	187,70
306968B3	TRAIN WALL SURF 2.0 LED 2700K B	2x4W 220-240VAC DIM CRI90	238,75
306968G3	TRAIN WALL SURF 2.0 LED 2700K G	2x4W 220-240VAC DIM CRI90	248,40

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
306968L5	TRAIN WALL SURF 2.0 LED 3000K L	2x4W 220-240VAC DIM CRI90	248,40
306968W3	TRAIN WALL SURF 2.0 LED 2700K W	2x4W 220-240VAC DIM CRI90	238,75
306968W5	TRAIN WALL SURF 2.0 LED 3000K W	2x4W 220-240VAC DIM CRI90	238,75
313574B3	CENTRAL WALL SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	231,85
313574B5	CENTRAL WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	231,85
313574G3	CENTRAL WALL SURF 1.0 LED 2700K G	8W 220-240VAC DIM CRI90	237,40
313574G5	CENTRAL WALL SURF 1.0 LED 3000K G	8W 220-240VAC DIM CRI90	237,40
313574L3	CENTRAL WALL SURF 1.0 LED 2700K L	8W 220-240VAC DIM CRI90	237,40
313574L5	CENTRAL WALL SURF 1.0 LED 3000K L	8W 220-240VAC DIM CRI90	237,40
313574W3	CENTRAL WALL SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	231,85
313574W5	CENTRAL WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	231,85
313674B3	CENTRAL WALL SURF 2.0 LED 2700K B	2x4W 220-240VAC DIM CRI90	280,85
313674B5	CENTRAL WALL SURF 2.0 LED 3000K B	2x4W 220-240VAC DIM CRI90	280,85
313674G3	CENTRAL WALL SURF 2.0 LED 2700K G	2x4W 220-240VAC DIM CRI90	286,35
313674G5	CENTRAL WALL SURF 2.0 LED 3000K G	2x4W 220-240VAC DIM CRI90	286,35
313674L3	CENTRAL WALL SURF 2.0 LED 2700K L	2x4W 220-240VAC DIM CRI90	286,35
313674L5	CENTRAL WALL SURF 2.0 LED 3000K L	2x4W 220-240VAC DIM CRI90	286,35
313674W3	CENTRAL WALL SURF 2.0 LED 2700K W	2x4W 220-240VAC DIM CRI90	280,85
313674W5	CENTRAL WALL SURF 2.0 LED 3000K W	2x4W 220-240VAC DIM CRI90	280,85
157320W0	SARA SNOOZE WALL SURF 1.0 PAR16 W	max. 12W 100-240VAC GU10 incl. switch on/off	185,65
157320G0	SARA SNOOZE WALL SURF 1.0 PAR16 G	max. 12W 100-240VAC GU10 incl. switch on/off	195,30
157320K0	SARA SNOOZE WALL SURF 1.0 PAR16 K	max. 12W 100-240VAC GU10 incl. switch on/off	196,65
157320B0	SARA SNOOZE WALL SURF 1.0 PAR16 B	max. 12W 100-240VAC GU10 incl. switch on/off	185,65
177354B3	MATCH SNOOZE WALL SURF 1.0 LED 2700K B	5W 220-240VAC CRI90	247,05
177354B5	MATCH SNOOZE WALL SURF 1.0 LED 3000K B	5W 220-240VAC CRI90	247,05
177354W3	MATCH SNOOZE WALL SURF 1.0 LED 2700K W	5W 220-240VAC CRI90	247,05
177354W5	MATCH SNOOZE WALL SURF 1.0 LED 3000K W	5W 220-240VAC CRI90	247,05
159643J3	MICK SNOOZE WALL SURF 1.0 LED 2700K J	8W 220-240VAC CRI90	357,45
159643J5	MICK SNOOZE WALL SURF 1.0 LED 3000K J	8W 220-240VAC CRI90	357,45
159643K3	MICK SNOOZE WALL SURF 1.0 LED 2700K K	8W 220-240VAC CRI90	357,45
159643K5	MICK SNOOZE WALL SURF 1.0 LED 3000K K	8W 220-240VAC CRI90	357,45
159344J3	MICK WALL SURF 1.0 LED 2700K J	8W 220-240VAC DIM CRI90	324,30
159344J5	MICK WALL SURF 1.0 LED 3000K J	8W 220-240VAC DIM CRI90	324,30
159344K3	MICK WALL SURF 1.0 LED 2700K K	8W 220-240VAC DIM CRI90	324,30
159344K5	MICK WALL SURF 1.0 LED 3000K K	8W 220-240VAC DIM CRI90	324,30
311174B5	LEENS WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	310,50
311174L5	LEENS WALL SURF 1.0 LED 3000K L	8W 220-240VAC DIM CRI90	329,85
311174W5	LEENS WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	310,50
311274B5	LEENS WALL SURF 2.0 LED 3000K B	2x4W 220-240VAC DIM CRI90	379,50
311274L5	LEENS WALL SURF 2.0 LED 3000K L	2x4W 220-240VAC DIM CRI90	407,10
311274W5	LEENS WALL SURF 2.0 LED 3000K W	2x4W 220-240VAC DIM CRI90	379,50
309274B5	BENTO WALL SURF 1.3 LED 3000K B	8W 220-240VAC DIM CRI90	259,45
309274W5	BENTO WALL SURF 1.3 LED 3000K W	8W 220-240VAC DIM CRI90	259,45
309374B5	BENTO WALL SURF 3.6 LED 3000K B	8W 220-240VAC DIM CRI90	383,65
309374W5	BENTO WALL SURF 3.6 LED 3000K W	8W 220-240VAC DIM CRI90	383,65
337174B2	DOMINO WALL SURF 1.0 LED 2700K B	14W 220-240VAC DIM CRI80	329,85
337174B4	DOMINO WALL SURF 1.0 LED 3000K B	14W 220-240VAC DIM CRI80	329,85
337174W2	DOMINO WALL SURF 1.0 LED 2700K W	14W 220-240VAC DIM CRI80	329,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
337174W4	DOMINO WALL SURF 1.0 LED 3000K W	14W 220-240VAC DIM CRI80	329,85
350188B3	SCAVA WALL SURF 1.0 LED 2700K B	24W 220-240VAC DIM CRI90	285,70
350188B5	SCAVA WALL SURF 1.0 LED 3000K B	24W 220-240VAC DIM CRI90	285,70
350188K3	SCAVA WALL SURF 1.0 LED 2700K K	24W 220-240VAC DIM CRI90	289,80
350188K5	SCAVA WALL SURF 1.0 LED 3000K K	24W 220-240VAC DIM CRI90	289,80
350188W3	SCAVA WALL SURF 1.0 LED 2700K W	24W 220-240VAC DIM CRI90	285,70
350188W5	SCAVA WALL SURF 1.0 LED 3000K W	24W 220-240VAC DIM CRI90	285,70
330164B3	DOT WALL SURF 2.0 LED 2700K B	8W 220-240VAC DIM CRI90	191,85
330164B5	DOT WALL SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	191,85
330164M3	DOT WALL SURF 2.0 LED 2700K M	8W 220-240VAC DIM CRI90	191,85
330164M5	DOT WALL SURF 2.0 LED 3000K M	8W 220-240VAC DIM CRI90	191,85
330164Q3	DOT WALL SURF 2.0 LED 2700K Q	8W 220-240VAC DIM CRI90	191,85
330164Q5	DOT WALL SURF 2.0 LED 3000K Q	8W 220-240VAC DIM CRI90	191,85
330164W3	DOT WALL SURF 2.0 LED 2700K W	8W 220-240VAC DIM CRI90	191,85
330164W5	DOT WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	191,85
330264B3	DOT WALL SURF 3.0 LED 2700K B	2x8W 220-240VAC DIM CRI90	269,10
330264B5	DOT WALL SURF 3.0 LED 3000K B	2x8W 220-240VAC DIM CRI90	269,10
330264M3	DOT WALL SURF 3.0 LED 2700K M	2x8W 220-240VAC DIM CRI90	269,10
330264M5	DOT WALL SURF 3.0 LED 3000K M	2x8W 220-240VAC DIM CRI90	269,10
330264Q3	DOT WALL SURF 3.0 LED 2700K Q	2x8W 220-240VAC DIM CRI90	269,10
330264Q5	DOT WALL SURF 3.0 LED 3000K Q	2x8W 220-240VAC DIM CRI90	269,10
330264W3	DOT WALL SURF 3.0 LED 2700K W	2x8W 220-240VAC DIM CRI90	269,10
330264W5	DOT WALL SURF 3.0 LED 3000K W	2x8W 220-240VAC DIM CRI90	269,10
330464B3	DOT WALL SURF 4.0 LED 2700K B	3x8W 220-240VAC DIM CRI90	351,90
330464B5	DOT WALL SURF 4.0 LED 3000K B	3x8W 220-240VAC DIM CRI90	351,90
330464M3	DOT WALL SURF 4.0 LED 2700K M	3x8W 220-240VAC DIM CRI90	351,90
330464M5	DOT WALL SURF 4.0 LED 3000K M	3x8W 220-240VAC DIM CRI90	351,90
330464Q3	DOT WALL SURF 4.0 LED 2700K Q	3x8W 220-240VAC DIM CRI90	351,90
330464Q5	DOT WALL SURF 4.0 LED 3000K Q	3x8W 220-240VAC DIM CRI90	351,90
330464W3	DOT WALL SURF 4.0 LED 2700K W	3x8W 220-240VAC DIM CRI90	351,90
330464W5	DOT WALL SURF 4.0 LED 3000K W	3x8W 220-240VAC DIM CRI90	351,90
370584B3	FINLIN WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	273,95
370584B5	FINLIN WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	273,95
370584K3	FINLIN WALL SURF 1.0 LED 2700K K	6W 220-240VAC DIM CRI90	273,95
370584K5	FINLIN WALL SURF 1.0 LED 3000K K	6W 220-240VAC DIM CRI90	273,95
370684B3	FINLIN WALL SURF 2.0 LED 2700K B	12W 220-240VAC DIM CRI90	362,70
370684B5	FINLIN WALL SURF 2.0 LED 3000K B	12W 220-240VAC DIM CRI90	362,70
370684K3	FINLIN WALL SURF 2.0 LED 2700K K	12W 220-240VAC DIM CRI90	362,70
370684K5	FINLIN WALL SURF 2.0 LED 3000K K	12W 220-240VAC DIM CRI90	362,70
370784B3	FINLIN WALL SURF 3.0 LED 2700K B	12W 220-240VAC DIM CRI90	362,70
370784B5	FINLIN WALL SURF 3.0 LED 3000K B	12W 220-240VAC DIM CRI90	362,70
370784K3	FINLIN WALL SURF 3.0 LED 2700K K	12W 220-240VAC DIM CRI90	362,70
370784K5	FINLIN WALL SURF 3.0 LED 3000K K	12W 220-240VAC DIM CRI90	362,70
370884B3	FINLIN WALL SURF 4.0 LED 2700K B	12W 220-240VAC DIM CRI90	390,30
370884B5	FINLIN WALL SURF 4.0 LED 3000K B	12W 220-240VAC DIM CRI90	390,30
370884K3	FINLIN WALL SURF 4.0 LED 2700K K	12W 220-240VAC DIM CRI90	390,30
370884K5	FINLIN WALL SURF 4.0 LED 3000K K	12W 220-240VAC DIM CRI90	390,30
181484B3	CLEA WALL SURF 1.0 LED 2700K B	10W 220-240VAC DIM CRI90	345,00
181484B5	CLEA WALL SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	345,00
181484FJ3	CLEA WALL SURF 1.0 LED 2700K FJ	10W 220-240VAC DIM CRI90	372,60
181484FJ5	CLEA WALL SURF 1.0 LED 3000K FJ	10W 220-240VAC DIM CRI90	372,60

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
181484SG3	CLEA WALL SURF 1.0 LED 2700K SG	10W 220-240VAC DIM CRI90	372,60
181484SG5	CLEA WALL SURF 1.0 LED 3000K SG	10W 220-240VAC DIM CRI90	372,60
181484W3	CLEA WALL SURF 1.0 LED 2700K W	10W 220-240VAC DIM CRI90	345,00
181484W5	CLEA WALL SURF 1.0 LED 3000K W	10W 220-240VAC DIM CRI90	345,00
181584B3	CLEA WALL SURF 2.0 LED 2700K B	10W 220-240VAC DIM CRI90	524,40
181584B5	CLEA WALL SURF 2.0 LED 3000K B	10W 220-240VAC DIM CRI90	524,40
181584FJ3	CLEA WALL SURF 2.0 LED 2700K FJ	10W 220-240VAC DIM CRI90	565,80
181584FJ5	CLEA WALL SURF 2.0 LED 3000K FJ	10W 220-240VAC DIM CRI90	565,80
181584SG3	CLEA WALL SURF 2.0 LED 2700K SG	10W 220-240VAC DIM CRI90	565,80
181584SG5	CLEA WALL SURF 2.0 LED 3000K SG	10W 220-240VAC DIM CRI90	565,80
181584W3	CLEA WALL SURF 2.0 LED 2700K W	10W 220-240VAC DIM CRI90	524,40
181584W5	CLEA WALL SURF 2.0 LED 3000K W	10W 220-240VAC DIM CRI90	524,40
181684B3	CLEA WALL SURF 3.0 LED 2700K B	10W 220-240VAC DIM CRI90	688,65
181684B5	CLEA WALL SURF 3.0 LED 3000K B	10W 220-240VAC DIM CRI90	688,65
181684FJ3	CLEA WALL SURF 3.0 LED 2700K FJ	10W 220-240VAC DIM CRI90	742,45
181684FJ5	CLEA WALL SURF 3.0 LED 3000K FJ	10W 220-240VAC DIM CRI90	742,45
181684SG3	CLEA WALL SURF 3.0 LED 2700K SG	10W 220-240VAC DIM CRI90	742,45
181684SG5	CLEA WALL SURF 3.0 LED 3000K SG	10W 220-240VAC DIM CRI90	742,45
181684W3	CLEA WALL SURF 3.0 LED 2700K W	10W 220-240VAC DIM CRI90	688,65
181684W5	CLEA WALL SURF 3.0 LED 3000K W	10W 220-240VAC DIM CRI90	688,65
182584B3	CLOCK WALL SURF 1.0 LED 2700K B	10W 220-240VAC DIM CRI90	241,50
182584B5	CLOCK WALL SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	241,50
182684B3	CLOCK WALL SURF 2.0 LED 2700K B	10W 220-240VAC DIM CRI90	269,10
182684B5	CLOCK WALL SURF 2.0 LED 3000K B	10W 220-240VAC DIM CRI90	269,10
182784B3	CLOCK WALL SURF 3.0 LED 2700K B	10W 220-240VAC DIM CRI90	351,90
182784B5	CLOCK WALL SURF 3.0 LED 3000K B	10W 220-240VAC DIM CRI90	351,90
336164FJ3	TAPIS WALL SURF 1.0 LED 2700K FJ	8W 220-240VAC DIM CRI90	302,25
336164MG3	TAPIS WALL SURF 1.0 LED 2700K MG	8W 220-240VAC DIM CRI90	302,25
336164PS3	TAPIS WALL SURF 1.0 LED 2700K PS	8W 220-240VAC DIM CRI90	302,25
336164FJ5	TAPIS WALL SURF 1.0 LED 3000K FJ	8W 220-240VAC DIM CRI90	302,25
336164MG5	TAPIS WALL SURF 1.0 LED 3000K MG	8W 220-240VAC DIM CRI90	302,25
336164PS5	TAPIS WALL SURF 1.0 LED 3000K PS	8W 220-240VAC DIM CRI90	302,25
336264FJ3	TAPIS WALL SURF 2.0 LED 2700K FJ	8W 220-240VAC DIM CRI90	314,65
336264MG3	TAPIS WALL SURF 2.0 LED 2700K MG	8W 220-240VAC DIM CRI90	314,65
336264PS3	TAPIS WALL SURF 2.0 LED 2700K PS	8W 220-240VAC DIM CRI90	314,65
336264FJ5	TAPIS WALL SURF 2.0 LED 3000K FJ	8W 220-240VAC DIM CRI90	314,65
336264MG5	TAPIS WALL SURF 2.0 LED 3000K MG	8W 220-240VAC DIM CRI90	314,65
336264PS5	TAPIS WALL SURF 2.0 LED 3000K PS	8W 220-240VAC DIM CRI90	314,65
336364FJ3	TAPIS WALL SURF 3.0 LED 2700K FJ	8W 220-240VAC DIM CRI90	327,10
336364MG3	TAPIS WALL SURF 3.0 LED 2700K MG	8W 220-240VAC DIM CRI90	327,10
336364PS3	TAPIS WALL SURF 3.0 LED 2700K PS	8W 220-240VAC DIM CRI90	327,10
336364FJ5	TAPIS WALL SURF 3.0 LED 3000K FJ	8W 220-240VAC DIM CRI90	327,10
336364MG5	TAPIS WALL SURF 3.0 LED 3000K MG	8W 220-240VAC DIM CRI90	327,10
336364PS5	TAPIS WALL SURF 3.0 LED 3000K PS	8W 220-240VAC DIM CRI90	327,10
317478B3	MILES WALL SURF 2.0 CARRÉ LED 2700K B	9W 220-240VAC DIM CRI90	324,30
317478B5	MILES WALL SURF 2.0 CARRÉ LED 3000K B	9W 220-240VAC DIM CRI90	324,30
317478G3	MILES WALL SURF 2.0 CARRÉ LED 2700K G	9W 220-240VAC DIM CRI90	327,10
317478G5	MILES WALL SURF 2.0 CARRÉ LED 3000K G	9W 220-240VAC DIM CRI90	327,10
317478MB3	MILES WALL SURF 2.0 CARRÉ LED 2700K MB	9W 220-240VAC DIM CRI90	397,45
317478MB5	MILES WALL SURF 2.0 CARRÉ LED 3000K MB	9W 220-240VAC DIM CRI90	397,45
317478MW3	MILES WALL SURF 2.0 CARRÉ LED 2700K MW	9W 220-240VAC DIM CRI90	397,45

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
317478MW5	MILES WALL SURF 2.0 CARRÉ LED 3000K MW	9W 220-240VAC DIM CRI90	397,45
317478P3	MILES WALL SURF 2.0 CARRÉ LED 2700K P	9W 220-240VAC DIM CRI90	327,10
317478P5	MILES WALL SURF 2.0 CARRÉ LED 3000K P	9W 220-240VAC DIM CRI90	327,10
317478Q3	MILES WALL SURF 2.0 CARRÉ LED 2700K Q	9W 220-240VAC DIM CRI90	327,10
317478Q5	MILES WALL SURF 2.0 CARRÉ LED 3000K Q	9W 220-240VAC DIM CRI90	327,10
317478W3	MILES WALL SURF 2.0 CARRÉ LED 2700K W	9W 220-240VAC DIM CRI90	324,30
317478W5	MILES WALL SURF 2.0 CARRÉ LED 3000K W	9W 220-240VAC DIM CRI90	324,30
317578B3	MILES WALL SURF 2.0 ROUND LED 2700K B	9W 220-240VAC DIM CRI90	310,50
317578B5	MILES WALL SURF 2.0 ROUND LED 3000K B	9W 220-240VAC DIM CRI90	310,50
317578G3	MILES WALL SURF 2.0 ROUND LED 2700K G	9W 220-240VAC DIM CRI90	313,30
317578G5	MILES WALL SURF 2.0 ROUND LED 3000K G	9W 220-240VAC DIM CRI90	313,30
317578MB3	MILES WALL SURF 2.0 ROUND LED 2700K MB	9W 220-240VAC DIM CRI90	383,65
317578MB5	MILES WALL SURF 2.0 ROUND LED 3000K MB	9W 220-240VAC DIM CRI90	383,65
317578MW3	MILES WALL SURF 2.0 ROUND LED 2700K MW	9W 220-240VAC DIM CRI90	383,65
317578MW5	MILES WALL SURF 2.0 ROUND LED 3000K MW	9W 220-240VAC DIM CRI90	383,65
317578P3	MILES WALL SURF 2.0 ROUND LED 2700K P	9W 220-240VAC DIM CRI90	313,30
317578P5	MILES WALL SURF 2.0 ROUND LED 3000K P	9W 220-240VAC DIM CRI90	313,30
317578Q3	MILES WALL SURF 2.0 ROUND LED 2700K Q	9W 220-240VAC DIM CRI90	313,30
317578Q5	MILES WALL SURF 2.0 ROUND LED 3000K Q	9W 220-240VAC DIM CRI90	313,30
317578W3	MILES WALL SURF 2.0 ROUND LED 2700K W	9W 220-240VAC DIM CRI90	310,50
317578W5	MILES WALL SURF 2.0 ROUND LED 3000K W	9W 220-240VAC DIM CRI90	310,50
317678B3	MILES WALL SURF 3.0 CARRÉ LED 2700K B	9W 220-240VAC DIM CRI90	368,50
317678B5	MILES WALL SURF 3.0 CARRÉ LED 3000K B	9W 220-240VAC DIM CRI90	368,50
317678G3	MILES WALL SURF 3.0 CARRÉ LED 2700K G	9W 220-240VAC DIM CRI90	372,60
317678G5	MILES WALL SURF 3.0 CARRÉ LED 3000K G	9W 220-240VAC DIM CRI90	372,60
317678MB3	MILES WALL SURF 3.0 CARRÉ LED 2700K MB	9W 220-240VAC DIM CRI90	426,45
317678MB5	MILES WALL SURF 3.0 CARRÉ LED 3000K MB	9W 220-240VAC DIM CRI90	426,45
317678MW3	MILES WALL SURF 3.0 CARRÉ LED 2700K MW	9W 220-240VAC DIM CRI90	426,45
317678MW5	MILES WALL SURF 3.0 CARRÉ LED 3000K MW	9W 220-240VAC DIM CRI90	426,45
317678P3	MILES WALL SURF 3.0 CARRÉ LED 2700K P	9W 220-240VAC DIM CRI90	372,60
317678P5	MILES WALL SURF 3.0 CARRÉ LED 3000K P	9W 220-240VAC DIM CRI90	372,60
317678Q3	MILES WALL SURF 3.0 CARRÉ LED 2700K Q	9W 220-240VAC DIM CRI90	372,60
317678Q5	MILES WALL SURF 3.0 CARRÉ LED 3000K Q	9W 220-240VAC DIM CRI90	372,60
317678W3	MILES WALL SURF 3.0 CARRÉ LED 2700K W	9W 220-240VAC DIM CRI90	368,50
317678W5	MILES WALL SURF 3.0 CARRÉ LED 3000K W	9W 220-240VAC DIM CRI90	368,50
317778B3	MILES WALL SURF 3.0 ROUND LED 2700K B	9W 220-240VAC DIM CRI90	354,70
317778B5	MILES WALL SURF 3.0 ROUND LED 3000K B	9W 220-240VAC DIM CRI90	354,70
317778G3	MILES WALL SURF 3.0 ROUND LED 2700K G	9W 220-240VAC DIM CRI90	358,80
317778G5	MILES WALL SURF 3.0 ROUND LED 3000K G	9W 220-240VAC DIM CRI90	358,80
317778MB3	MILES WALL SURF 3.0 ROUND LED 2700K MB	9W 220-240VAC DIM CRI90	412,65
317778MB5	MILES WALL SURF 3.0 ROUND LED 3000K MB	9W 220-240VAC DIM CRI90	412,65
317778MW3	MILES WALL SURF 3.0 ROUND LED 2700K MW	9W 220-240VAC DIM CRI90	412,65
317778MW5	MILES WALL SURF 3.0 ROUND LED 3000K MW	9W 220-240VAC DIM CRI90	412,65
317778P3	MILES WALL SURF 3.0 ROUND LED 2700K P	9W 220-240VAC DIM CRI90	358,80
317778P5	MILES WALL SURF 3.0 ROUND LED 3000K P	9W 220-240VAC DIM CRI90	358,80
317778Q3	MILES WALL SURF 3.0 ROUND LED 2700K Q	9W 220-240VAC DIM CRI90	358,80
317778Q5	MILES WALL SURF 3.0 ROUND LED 3000K Q	9W 220-240VAC DIM CRI90	358,80
317778W3	MILES WALL SURF 3.0 ROUND LED 2700K W	9W 220-240VAC DIM CRI90	354,70
317778W5	MILES WALL SURF 3.0 ROUND LED 3000K W	9W 220-240VAC DIM CRI90	354,70
317878B3	MILES WALL SURF 9.0 LED 2700K B	19W 220-240VAC DIM CRI90	438,85
317878B5	MILES WALL SURF 9.0 LED 3000K B	19W 220-240VAC DIM CRI90	438,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
317878G3	MILES WALL SURF 9.0 LED 2700K G	19W 220-240VAC DIM CRI90	444,40
317878G5	MILES WALL SURF 9.0 LED 3000K G	19W 220-240VAC DIM CRI90	444,40
317878W3	MILES WALL SURF 9.0 LED 2700K W	19W 220-240VAC DIM CRI90	438,85
317878W5	MILES WALL SURF 9.0 LED 3000K W	19W 220-240VAC DIM CRI90	438,85
317978B3	MILES WALL SURF 12.0 LED 2700K B	25W 220-240VAC DIM CRI90	517,50
317978B5	MILES WALL SURF 12.0 LED 3000K B	25W 220-240VAC DIM CRI90	517,50
317978G3	MILES WALL SURF 12.0 LED 2700K G	25W 220-240VAC DIM CRI90	529,95
317978G5	MILES WALL SURF 12.0 LED 3000K G	25W 220-240VAC DIM CRI90	529,95
317978W3	MILES WALL SURF 12.0 LED 2700K W	25W 220-240VAC DIM CRI90	517,50
317978W5	MILES WALL SURF 12.0 LED 3000K W	25W 220-240VAC DIM CRI90	517,50
149184B2	VENN CEILING / WALL SURF 1.0 LED 2700K B	38W 220-240VAC DIM CRI80	883,20
149184B4	VENN CEILING / WALL SURF 1.0 LED 3000K B	38W 220-240VAC DIM CRI80	883,20
149184Q2	VENN CEILING / WALL SURF 1.0 LED 2700K Q	38W 220-240VAC DIM CRI80	883,20
149184Q4	VENN CEILING / WALL SURF 1.0 LED 3000K Q	38W 220-240VAC DIM CRI80	883,20
149184W2	VENN CEILING / WALL SURF 1.0 LED 2700K W	38W 220-240VAC DIM CRI80	883,20
149184W4	VENN CEILING / WALL SURF 1.0 LED 3000K W	38W 220-240VAC DIM CRI80	883,20
149284B2	VENN CEILING / WALL SURF 2.0 LED 2700K B	47W 220-240VAC DIM CRI80	993,60
149284B4	VENN CEILING / WALL SURF 2.0 LED 3000K B	47W 220-240VAC DIM CRI80	993,60
149284Q2	VENN CEILING / WALL SURF 2.0 LED 2700K Q	47W 220-240VAC DIM CRI80	993,60
149284Q4	VENN CEILING / WALL SURF 2.0 LED 3000K Q	47W 220-240VAC DIM CRI80	993,60
149284W2	VENN CEILING / WALL SURF 2.0 LED 2700K W	47W 220-240VAC DIM CRI80	993,60
149284W4	VENN CEILING / WALL SURF 2.0 LED 3000K W	47W 220-240VAC DIM CRI80	993,60
2563T7B4	DARF WALL SURF 1.1 LED TUBE 3000K B	22W 220-240VAC NON DIM CRI80	328,45
2563T7B6	DARF WALL SURF 1.1 LED TUBE 4000K B	22W 220-240VAC NON DIM CRI80	328,45
2563T8B3	DARF WALL SURF 1.2 LED TUBE 2700K B	22W 220-240VAC DIM CRI90	401,60
2563T8B5	DARF WALL SURF 1.2 LED TUBE 3000K B	22W 220-240VAC DIM CRI90	401,60
328188E3	MIRBA IP44 WALL SURF 1.0 LED 2700K E	6/9W 220-240VAC DIM CRI90	240,15
328188E5	MIRBA IP44 WALL SURF 1.0 LED 3000K E	6/9W 220-240VAC DIM CRI90	240,15
328188W3	MIRBA IP44 WALL SURF 1.0 LED 2700K W	6/9W 220-240VAC DIM CRI90	240,15
328188W5	MIRBA IP44 WALL SURF 1.0 LED 3000K W	6/9W 220-240VAC DIM CRI90	240,15
328288E3	MIRBA IP44 WALL SURF 2.0 LED 2700K E	7/12W 220-240 VAC DIM CRI90	286,35
328288E5	MIRBA IP44 WALL SURF 2.0 LED 3000K E	7/12W 220-240 VAC DIM CRI90	286,35
328288W3	MIRBA IP44 WALL SURF 2.0 LED 2700K W	7/12W 220-240 VAC DIM CRI90	286,35
328288W5	MIRBA IP44 WALL SURF 2.0 LED 3000K W	7/12W 220-240 VAC DIM CRI90	286,35
328388E3	MIRBA IP44 WALL SURF 3.0 LED 2700K E	12/18W 220-240VAC DIM CRI90	325,70
328388E5	MIRBA IP44 WALL SURF 3.0 LED 3000K E	12/18W 220-240VAC DIM CRI90	325,70
328388W3	MIRBA IP44 WALL SURF 3.0 LED 2700K W	12/18W 220-240VAC DIM CRI90	325,70
328388W5	MIRBA IP44 WALL SURF 3.0 LED 3000K W	12/18W 220-240VAC DIM CRI90	325,70
329188W3	MIRBI LONG IP44 WALL SURF 1.0 LED 2700K W	4/6W 220-240VAC DIM CRI90	273,25
329188W5	MIRBI LONG IP44 WALL SURF 1.0 LED 3000K W	4/6W 220-240VAC DIM CRI90	273,25
329288W3	MIRBI LONG IP44 WALL SURF 2.0 LED 2700K W	7/12W 220-240VAC DIM CRI90	440,25
329288W5	MIRBI LONG IP44 WALL SURF 2.0 LED 3000K W	7/12W 220-240VAC DIM CRI90	440,25
329388W3	MIRBI LONG IP44 WALL SURF 3.0 LED 2700K W	12/18W 220-240VAC DIM CRI90	880,45
329388W5	MIRBI LONG IP44 WALL SURF 3.0 LED 3000K W	12/18W 220-240VAC DIM CRI90	880,45
165361B3	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K B	5W 500mA 8V CRI90	82,15
165361B5	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K B	5W 500mA 8V CRI90	82,15
165361Q3	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K Q	5W 500mA 8V CRI90	82,15
165361Q5	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K Q	5W 500mA 8V CRI90	82,15
165361W3	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K W	5W 500mA 8V CRI90	82,15
165361W5	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K W	5W 500mA 8V CRI90	82,15
184161B3	DEEP IP65 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	128,35

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
184161B3C	DEEP IP65 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	129,75
184161B5	DEEP IP65 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	128,35
184161B5C	DEEP IP65 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	129,75
184161W3	DEEP IP65 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	128,35
184161W3C	DEEP IP65 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	129,75
184161W5	DEEP IP65 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	128,35
184161W5C	DEEP IP65 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 / BLADE SPRINGS	129,75
180781B3	TAIO IP65 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 18V CRI90	109,05
180781B5	TAIO IP65 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 18V CRI90	109,05
180781G3	TAIO IP65 CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 18V CRI90	109,05
180781G5	TAIO IP65 CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 18V CRI90	109,05
180781W3	TAIO IP65 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 18V CRI90	109,05
180781W5	TAIO IP65 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 18V CRI90	109,05
733188A5	INTRA OUTDOOR CEILING REC 1.0 OPAL LED 3000K A	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	162,15
733188B5	INTRA OUTDOOR CEILING REC 1.0 OPAL LED 3000K B	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	162,15
733188W5	INTRA OUTDOOR CEILING REC 1.0 OPAL LED 3000K W	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	162,15
733268A4	INTRA OUTDOOR CEILING REC 2.0 SPOT LED 3000K A	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	162,15
733268B4	INTRA OUTDOOR CEILING REC 2.0 SPOT LED 3000K B	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	162,15
733268W4	INTRA OUTDOOR CEILING REC 2.0 SPOT LED 3000K W	7W 220-240VAC DIM CRI90 / BLADE SPRINGS	162,15
747768A5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	168,40
747768B5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	168,40
747768Q5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	168,40
747768W5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	168,40
734364W5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	258,75
734364A5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K A	12W 220-240VAC DIM CRI90	258,75
734364B5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	258,75
734364D5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K D	12W 220-240VAC DIM CRI90	258,75
734120W0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	140,80
734120A0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	140,80
734120B0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	140,80
734120D0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	140,80
734120Q0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	140,80
180884A3	TAIO IP65 CEILING SURF 1.0 LED 2700K A	11W 220-240VAC DIM CRI90	247,05
180884A5	TAIO IP65 CEILING SURF 1.0 LED 3000K A	11W 220-240VAC DIM CRI90	247,05
180884B3	TAIO IP65 CEILING SURF 1.0 LED 2700K B	11W 220-240VAC DIM CRI90	247,05
180884B5	TAIO IP65 CEILING SURF 1.0 LED 3000K B	11W 220-240VAC DIM CRI90	247,05
180884Q3	TAIO IP65 CEILING SURF 1.0 LED 2700K Q	11W 220-240VAC DIM CRI90	247,05
180884Q5	TAIO IP65 CEILING SURF 1.0 LED 3000K Q	11W 220-240VAC DIM CRI90	247,05
180884W3	TAIO IP65 CEILING SURF 1.0 LED 2700K W	11W 220-240VAC DIM CRI90	247,05
180884W5	TAIO IP65 CEILING SURF 1.0 LED 3000K W	11W 220-240VAC DIM CRI90	247,05
735464A2	RAY OUTDOOR CEILING SURF 1.0 LED 2700K A	8W 220-240VAC DIM CRI80	231,85
735464A4	RAY OUTDOOR CEILING SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI95	231,85
735464A9	RAY OUTDOOR CEILING SURF 1.0 LED 1800-2850K A	8W 220-240VAC DIM CRI80	231,85
735464B2	RAY OUTDOOR CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI80	231,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
735464B4	RAY OUTDOOR CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI80	231,85
735464B9	RAY OUTDOOR CEILING SURF 1.0 LED 1800-2850K B	8W 220-240VAC DIM CRI95	231,85
735464D2	RAY OUTDOOR CEILING SURF 1.0 LED 2700K D	8W 220-240VAC DIM CRI80	231,85
735464D4	RAY OUTDOOR CEILING SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI80	231,85
735464D9	RAY OUTDOOR CEILING SURF 1.0 LED 1800-2850K D	8W 220-240VAC DIM CRI95	231,85
735464W2	RAY OUTDOOR CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI80	231,85
735464W4	RAY OUTDOOR CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI80	231,85
735464W9	RAY OUTDOOR CEILING SURF 1.0 LED 1800-2850K W	8W 220-240VAC DIM CRI95	231,85
911041A1	RAY INNER COVER A	max. 10W	26,95
911041B1	RAY INNER COVER B	max. 10W	26,95
911041D1	RAY INNER COVER D	max. 10W	26,95
911041W1	RAY INNER COVER W	max. 10W	26,95
718668A5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	168,40
718668B5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	168,40
718668W5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	168,40
718668Q5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	168,40
734464W5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	285,70
734464A5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K A	12W 220-240VAC DIM CRI90	285,70
734464B5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	285,70
734464D5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K D	12W 220-240VAC DIM CRI90	285,70
734220W0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	187,00
734220A0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	187,00
734220B0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	187,00
734220D0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	187,00
734220Q0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	187,00
735264A2	BOX OUTDOOR CEILING SURF 1.0 LED 2700K A	8W 220-240VAC DIM CRI80	231,85
735264A4	BOX OUTDOOR CEILING SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI80	231,85
735264A9	BOX OUTDOOR CEILING SURF 1.0 LED 1800-2850K A	8W 220-240VAC DIM CRI95	231,85
735264B2	BOX OUTDOOR CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI80	231,85
735264B4	BOX OUTDOOR CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI80	231,85
735264B9	BOX OUTDOOR CEILING SURF 1.0 LED 1800-2850K B	8W 220-240VAC DIM CRI95	231,85
735264D2	BOX OUTDOOR CEILING SURF 1.0 LED 2700K D	8W 220-240VAC DIM CRI80	231,85
735264D4	BOX OUTDOOR CEILING SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI80	231,85
735264D9	BOX OUTDOOR CEILING SURF 1.0 LED 1800-2850K D	8W 220-240VAC DIM CRI95	231,85
735264Q2	BOX OUTDOOR CEILING SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CRI80	231,85
735264Q4	BOX OUTDOOR CEILING SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CRI80	231,85
735264Q9	BOX OUTDOOR CEILING SURF 1.0 LED 1800-2850K Q	8W 220-240VAC DIM CRI95	231,85
735264W2	BOX OUTDOOR CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI80	231,85
735264W4	BOX OUTDOOR CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI80	231,85
735264W9	BOX OUTDOOR CEILING SURF 1.0 LED 1800-2850K W	8W 220-240VAC DIM CRI95	231,85
911211B1	BOX 1.0 INNER REFLECTOR B	max. 10W	23,90
911211D1	BOX 1.0 INNER REFLECTOR D	max. 10W	23,90
911211Q1	BOX 1.0 INNER REFLECTOR Q	max. 10W	23,90
911211W1	BOX 1.0 INNER REFLECTOR W	max. 10W	23,90
911011B1	BOX INNER COVER B	max. 10W	26,95
911011D1	BOX INNER COVER D	max. 10W	26,95
911011Q1	BOX INNER COVER Q	max. 10W	26,95
911011W1	BOX INNER COVER W	max. 10W	26,95
701188W3	ROB IP44 CEILING SURF 1.6 LED 2700K W	12W 220-240VAC DIM CRI90	215,30
701188W5	ROB IP44 CEILING SURF 1.6 LED 3000K W	12W 220-240VAC DIM CRI90	215,30
701288W3	ROB IP44 CEILING SURF 2.6 LED 2700K W	18W 220-240VAC DIM CRI90	329,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
701288W5	ROB IP44 CEILING SURF 2.6 LED 3000K W	18W 220-240VAC DIM CRI90	329,85
701388W3	ROB IP44 CEILING SURF 3.5 LED 2700K W	32W 220-240VAC DIM CRI90	462,30
701388W5	ROB IP44 CEILING SURF 3.5 LED 3000K W	32W 220-240VAC DIM CRI90	462,30
736387B4	BLAS OUTDOOR CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI80	273,25
736387W4	BLAS OUTDOOR CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI80	273,25
736487B4	BLAS OUTDOOR CEILING SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI80	292,60
736487W4	BLAS OUTDOOR CEILING SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI80	292,60
745162A5	RETO OUTDOOR WALL REC 0.8 LED 3000K A	6W 24V CRI90	129,75
745162B5	RETO OUTDOOR WALL REC 0.8 LED 3000K B	6W 24V CRI90	129,75
745162Q5	RETO OUTDOOR WALL REC 0.8 LED 3000K Q	6W 24V CRI90	129,75
745362A5	RETO OUTDOOR WALL REC 1.3 LED 3000K A	6W 24V CRI90	176,65
745362B5	RETO OUTDOOR WALL REC 1.3 LED 3000K B	6W 24V CRI90	176,65
745362Q5	RETO OUTDOOR WALL REC 1.3 LED 3000K Q	6W 24V CRI90	176,65
745262A5	RETO OUTDOOR WALL REC 2.0 LED 3000K A	10W 24V CRI90	212,55
745262B5	RETO OUTDOOR WALL REC 2.0 LED 3000K B	10W 24V CRI90	212,55
745262Q5	RETO OUTDOOR WALL REC 2.0 LED 3000K Q	10W 24V CRI90	212,55
709161B4	ORIS OUTDOOR WALL REC 0.7 LED 3000K B	2/4W 350/700mA 6V CRI80	127,00
709161D4	ORIS OUTDOOR WALL REC 0.7 LED 3000K D	2/4W 350/700mA 6V CRI80	127,00
709161W4	ORIS OUTDOOR WALL REC 0.7 LED 3000K W	2/4W 350/700mA 6V CRI80	127,00
709761B4	ORIS OUTDOOR WALL REC 2.0 LED 3000K B	3/6W 350/700mA 9V CRI80	154,60
709761D4	ORIS OUTDOOR WALL REC 2.0 LED 3000K D	3/6W 350/700mA 9V CRI80	154,60
709761W4	ORIS OUTDOOR WALL REC 2.0 LED 3000K W	3/6W 350/700mA 9V CRI80	154,60
709461A4	ORIS OUTDOOR WALL REC 0.8 LED 3000K W	2/4W 350/700mA 6V CRI80	115,95
709461B4	ORIS OUTDOOR WALL REC 0.8 LED 3000K A	2/4W 350/700mA 6V CRI80	115,95
709461Q4	ORIS OUTDOOR WALL REC 0.8 LED 3000K B	2/4W 350/700mA 6V CRI80	115,95
709461W4	ORIS OUTDOOR WALL REC 0.8 LED 3000K Q	2/4W 350/700mA 6V CRI80	115,95
709661A4	ORIS OUTDOOR WALL REC 1.3 LED 3000K A	3/6W 350/700mA 9V CRI80	140,80
709661B4	ORIS OUTDOOR WALL REC 1.3 LED 3000K B	3/6W 350/700mA 9V CRI80	140,80
709661D4	ORIS OUTDOOR WALL REC 1.3 LED 3000K D	3/6W 350/700mA 9V CRI80	140,80
709661Q4	ORIS OUTDOOR WALL REC 1.3 LED 3000K Q	3/6W 350/700mA 9V CRI80	140,80
709661W4	ORIS OUTDOOR WALL REC 1.3 LED 3000K W	3/6W 350/700mA 9V CRI80	140,80
747568A5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	201,50
747568B5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	201,50
747568Q5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	201,50
747568W5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	201,50
747668A5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K A	2x4W 220-240VAC DIM CRI90	259,45
747668B5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K B	2x4W 220-240VAC DIM CRI90	259,45
747668Q5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K Q	2x4W 220-240VAC DIM CRI90	259,45
747668W5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K W	2x4W 220-240VAC DIM CRI90	259,45
711364W5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	233,25
711364A5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K A	12W 220-240VAC DIM CRI90	233,25
711364B5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	233,25
711364D5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K D	12W 220-240VAC DIM CRI90	233,25
711464W5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K W	2x12W 220-240VAC DIM CRI90	364,35
711464A5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K A	2x12W 220-240VAC DIM CRI90	364,35
711464B5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K B	2x12W 220-240VAC DIM CRI90	364,35
711464D5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K D	2x12W 220-240VAC DIM CRI90	364,35
711120W0	TUBE OUTDOOR WALL SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	111,80
711120A0	TUBE OUTDOOR WALL SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	111,80
711120B0	TUBE OUTDOOR WALL SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	111,80
711120D0	TUBE OUTDOOR WALL SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	111,80

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
711120Q0	TUBE OUTDOOR WALL SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	111,80
711220W0	TUBE OUTDOOR WALL SURF 2.0 PAR16 W	max. 2x5W GU10 100-240VAC	154,60
711220A0	TUBE OUTDOOR WALL SURF 2.0 PAR16 A	max. 2x5W GU10 100-240VAC	154,60
711220B0	TUBE OUTDOOR WALL SURF 2.0 PAR16 B	max. 2x5W GU10 100-240VAC	154,60
711220D0	TUBE OUTDOOR WALL SURF 2.0 PAR16 D	max. 2x5W GU10 100-240VAC	154,60
711220Q0	TUBE OUTDOOR WALL SURF 2.0 PAR16 Q	max. 2x5W GU10 100-240VAC	154,60
180584A3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K A	11W 220-240VAC CRI90	219,45
180584B3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K B	11W 220-240VAC CRI90	219,45
180584Q3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K Q	11W 220-240VAC CRI90	219,45
180584W3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K W	11W 220-240VAC CRI90	219,45
180584A5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K A	11W 220-240VAC CRI90	219,45
180584B5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K B	11W 220-240VAC CRI90	219,45
180584Q5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K Q	11W 220-240VAC CRI90	219,45
180584W5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K W	11W 220-240VAC CRI90	219,45
180684A3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K A	2x11W 220-240VAC CRI90	351,90
180684B3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K B	2x11W 220-240VAC CRI90	351,90
180684Q3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K Q	2x11W 220-240VAC CRI90	351,90
180684W3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K W	2x11W 220-240VAC CRI90	351,90
180684A5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K A	2x11W 220-240VAC CRI90	351,90
180684B5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K B	2x11W 220-240VAC CRI90	351,90
180684Q5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K Q	2x11W 220-240VAC CRI90	351,90
180684W5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K W	2x11W 220-240VAC CRI90	351,90
749168B3	RAY OUTDOOR WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	252,85
749168W3	RAY OUTDOOR WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	252,85
749168B5	RAY OUTDOOR WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	252,85
749168W5	RAY OUTDOOR WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	252,85
749148B3	RAY OUTDOOR WALL SURF 2.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	275,35
749148W3	RAY OUTDOOR WALL SURF 2.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	275,35
749148B5	RAY OUTDOOR WALL SURF 2.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	275,35
749148W5	RAY OUTDOOR WALL SURF 2.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	275,35
749268B3	RAY OUTDOOR WALL SURF 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	270,50
749268W3	RAY OUTDOOR WALL SURF 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	270,50
749268B5	RAY OUTDOOR WALL SURF 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	270,50
749268W5	RAY OUTDOOR WALL SURF 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	270,50
749248B3	RAY OUTDOOR WALL SURF 4.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	293,00
749248W3	RAY OUTDOOR WALL SURF 4.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	293,00
749248B5	RAY OUTDOOR WALL SURF 4.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	293,00
749248W5	RAY OUTDOOR WALL SURF 4.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	293,00
718143D4	TRAIN OUTDOOR WALL SURF 1.0 NARROW 3000K D	6W 220-240VAC CRI80	216,00
718143B4	TRAIN OUTDOOR WALL SURF 1.0 NARROW 3000K B	6W 220-240VAC CRI80	216,00
718243D4	TRAIN OUTDOOR WALL SURF 2.0 NARROW 3000K D	2x3W 220-240VAC CRI80	273,25
718243B4	TRAIN OUTDOOR WALL SURF 2.0 NARROW 3000K B	2x3W 220-240VAC CRI80	273,25
718868W5	TRAIN OUTDOOR WALL SURF 1.0 3000K W	6W 220-240VAC DIM CRI90	205,65
718868D5	TRAIN OUTDOOR WALL SURF 1.0 3000K D	6W 220-240VAC DIM CRI90	205,65
718868B5	TRAIN OUTDOOR WALL SURF 1.0 3000K B	6W 220-240VAC DIM CRI90	205,65
718968W5	TRAIN OUTDOOR WALL SURF 2.0 3000K W	2x4W 220-240VAC DIM CRI90	259,45
718968D5	TRAIN OUTDOOR WALL SURF 2.0 3000K D	2x4W 220-240VAC DIM CRI90	259,45
718968B5	TRAIN OUTDOOR WALL SURF 2.0 3000K B	2x4W 220-240VAC DIM CRI90	259,45
313774W5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	256,70
313774A5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	256,70
313774Q5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CRI90	256,70

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
313774B5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	256,70
313874W5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K W	2x4W 220-240VAC DIM CRI90	300,85
313874A5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K A	2x4W 220-240VAC DIM CRI90	300,85
313874Q5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K Q	2x4W 220-240VAC DIM CRI90	300,85
313874B5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K B	2x4W 220-240VAC DIM CRI90	300,85
314774A5	STATION OUTDOOR WALL SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	241,50
314774B5	STATION OUTDOOR WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	241,50
314874A5	STATION OUTDOOR WALL SURF 2.0 LED 3000K A	2x4W 220-240VAC DIM CRI90	287,05
314874B5	STATION OUTDOOR WALL SURF 2.0 LED 3000K B	2x4W 220-240VAC DIM CRI90	287,05
744364W5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	265,25
744364A5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K A	12W 220-240VAC DIM CRI90	265,25
744364B5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	265,25
744364D5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K D	12W 220-240VAC DIM CRI90	265,25
744464W5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K W	2x12W 220-240VAC DIM CRI90	405,75
744464A5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K A	2x12W 220-240VAC DIM CRI90	405,75
744464B5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K B	2x12W 220-240VAC DIM CRI90	405,75
744464D5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K D	2x12W 220-240VAC DIM CRI90	405,75
744120W0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	161,50
744120A0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	161,50
744120B0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	161,50
744120D0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	161,50
744120Q0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	161,50
744220W0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 W	max. 2x5W GU10 100-240VAC	218,05
744220A0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 A	max. 2x5W GU10 100-240VAC	218,05
744220B0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 B	max. 2x5W GU10 100-240VAC	218,05
744220D0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 D	max. 2x5W GU10 100-240VAC	218,05
744220Q0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 Q	max. 2x5W GU10 100-240VAC	218,05
748168A3	BOX OUTDOOR WALL SURF 1.0 LED 2700K A	6W 220-240VAC DIM CRI90	252,85
748168B3	BOX OUTDOOR WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	252,85
748168D3	BOX OUTDOOR WALL SURF 1.0 LED 2700K D	6W 220-240VAC DIM CRI90	252,85
748168Q3	BOX OUTDOOR WALL SURF 1.0 LED 2700K Q	6W 220-240VAC DIM CRI90	252,85
748168W3	BOX OUTDOOR WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	252,85
748168A5	BOX OUTDOOR WALL SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	252,85
748168B5	BOX OUTDOOR WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	252,85
748168D5	BOX OUTDOOR WALL SURF 1.0 LED 3000K D	6W 220-240VAC DIM CRI90	252,85
748168Q5	BOX OUTDOOR WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	252,85
748168W5	BOX OUTDOOR WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	252,85
748148A3	BOX OUTDOOR WALL SURF 2.0 LED 2700K A	2x3W 220-240VAC DIM CRI90	275,35
748148B3	BOX OUTDOOR WALL SURF 2.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	275,35
748148D3	BOX OUTDOOR WALL SURF 2.0 LED 2700K D	2x3W 220-240VAC DIM CRI90	275,35
748148Q3	BOX OUTDOOR WALL SURF 2.0 LED 2700K Q	2x3W 220-240VAC DIM CRI90	275,35
748148W3	BOX OUTDOOR WALL SURF 2.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	275,35
748148A5	BOX OUTDOOR WALL SURF 2.0 LED 3000K A	2x3W 220-240VAC DIM CRI90	275,35
748148B5	BOX OUTDOOR WALL SURF 2.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	275,35
748148D5	BOX OUTDOOR WALL SURF 2.0 LED 3000K D	2x3W 220-240VAC DIM CRI90	275,35
748148Q5	BOX OUTDOOR WALL SURF 2.0 LED 3000K Q	2x3W 220-240VAC DIM CRI90	275,35
748148W5	BOX OUTDOOR WALL SURF 2.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	275,35
748268B3	BOX OUTDOOR WALL SURF 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	270,50
748268D3	BOX OUTDOOR WALL SURF 3.0 LED 2700K D	6W 220-240VAC DIM CRI90	270,50
748268Q3	BOX OUTDOOR WALL SURF 3.0 LED 2700K Q	6W 220-240VAC DIM CRI90	270,50
748268W3	BOX OUTDOOR WALL SURF 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	270,50

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
748268B5	BOX OUTDOOR WALL SURF 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	270,50
748268D5	BOX OUTDOOR WALL SURF 3.0 LED 3000K D	6W 220-240VAC DIM CRI90	270,50
748268Q5	BOX OUTDOOR WALL SURF 3.0 LED 3000K Q	6W 220-240VAC DIM CRI90	270,50
748268W5	BOX OUTDOOR WALL SURF 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	270,50
748248B3	BOX OUTDOOR WALL SURF 4.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	293,00
748248D3	BOX OUTDOOR WALL SURF 4.0 LED 2700K D	2x3W 220-240VAC DIM CRI90	293,00
748248Q3	BOX OUTDOOR WALL SURF 4.0 LED 2700K Q	2x3W 220-240VAC DIM CRI90	293,00
748248W3	BOX OUTDOOR WALL SURF 4.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	293,00
748248B5	BOX OUTDOOR WALL SURF 4.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	293,00
748248D5	BOX OUTDOOR WALL SURF 4.0 LED 3000K D	2x3W 220-240VAC DIM CRI90	293,00
748248Q5	BOX OUTDOOR WALL SURF 4.0 LED 3000K Q	2x3W 220-240VAC DIM CRI90	293,00
748248W5	BOX OUTDOOR WALL SURF 4.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	293,00
739174B3	BOXX OUTDOOR WALL SURF 1.0 LED 2700K B	2x3W 220-240VAC DIM CRI90	433,35
739174W3	BOXX OUTDOOR WALL SURF 1.0 LED 2700K W	2x3W 220-240VAC DIM CRI90	433,35
739174B5	BOXX OUTDOOR WALL SURF 1.0 LED 3000K B	2x3W 220-240VAC DIM CRI90	433,35
739174W5	BOXX OUTDOOR WALL SURF 1.0 LED 3000K W	2x3W 220-240VAC DIM CRI90	433,35
745564Q5	RETO OUTDOOR WALL SURF 1.3 LED 3000K Q	6W 220-240VAC DIM CRI90	241,50
745564A5	RETO OUTDOOR WALL SURF 1.3 LED 3000K A	6W 220-240VAC DIM CRI90	241,50
745564B5	RETO OUTDOOR WALL SURF 1.3 LED 3000K B	6W 220-240VAC DIM CRI90	241,50
745664Q5	RETO OUTDOOR WALL SURF 2.0 LED 3000K Q	9W 220-240VAC DIM CRI90	223,60
745664A5	RETO OUTDOOR WALL SURF 2.0 LED 3000K A	9W 220-240VAC DIM CRI90	223,60
745664B5	RETO OUTDOOR WALL SURF 2.0 LED 3000K B	9W 220-240VAC DIM CRI90	223,60
4161A4A2	PALOS OUTDOOR WALL SURF 1.0 LED 2700K A	10W 220-240VAC DIM CRI80	324,30
4161A4B2	PALOS OUTDOOR WALL SURF 1.0 LED 2700K B	10W 220-240VAC DIM CRI80	324,30
4161A4Q2	PALOS OUTDOOR WALL SURF 1.0 LED 2700K Q	10W 220-240VAC DIM CRI80	324,30
4161A4A4	PALOS OUTDOOR WALL SURF 1.0 LED 3000K A	10W 220-240VAC DIM CRI80	324,30
4161A4B4	PALOS OUTDOOR WALL SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI80	324,30
4161A4Q4	PALOS OUTDOOR WALL SURF 1.0 LED 3000K Q	10W 220-240VAC DIM CRI80	324,30
4162A4A2	PALOS OUTDOOR WALL SURF 2.0 LED 2700K A	2x10W 220-240VAC DIM CRI80	407,10
4162A4B2	PALOS OUTDOOR WALL SURF 2.0 LED 2700K B	2x10W 220-240VAC DIM CRI80	407,10
4162A4Q2	PALOS OUTDOOR WALL SURF 2.0 LED 2700K Q	2x10W 220-240VAC DIM CRI80	407,10
4162A4A4	PALOS OUTDOOR WALL SURF 2.0 LED 3000K A	2x10W 220-240VAC DIM CRI80	407,10
4162A4B4	PALOS OUTDOOR WALL SURF 2.0 LED 3000K B	2x10W 220-240VAC DIM CRI80	407,10
4162A4Q4	PALOS OUTDOOR WALL SURF 2.0 LED 3000K Q	2x10W 220-240VAC DIM CRI80	407,10
4163A4A2	PALOS OUTDOOR WALL SURF 3.0 LED 2700K A	10W 220-240VAC DIM CRI80	269,10
4163A4B2	PALOS OUTDOOR WALL SURF 3.0 LED 2700K B	10W 220-240VAC DIM CRI80	269,10
4163A4Q2	PALOS OUTDOOR WALL SURF 3.0 LED 2700K Q	10W 220-240VAC DIM CRI80	269,10
4163A4A4	PALOS OUTDOOR WALL SURF 3.0 LED 3000K A	10W 220-240VAC DIM CRI80	269,10
4163A4B4	PALOS OUTDOOR WALL SURF 3.0 LED 3000K B	10W 220-240VAC DIM CRI80	269,10
4163A4Q4	PALOS OUTDOOR WALL SURF 3.0 LED 3000K Q	10W 220-240VAC DIM CRI80	269,10
722174A5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	364,35
722174B5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	364,35
722174D5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI90	364,35
722174W5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	364,35
746278K3	SWAM OUTDOOR WALL SURF 1.0 LED 2700K K	8W 220-240VAC DIM CRI90	300,85
746278B3	SWAM OUTDOOR WALL SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	287,05
746278Q3	SWAM OUTDOOR WALL SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CRI90	287,05
746378K3	SWAM OUTDOOR WALL SURF 2.0 LED 2700K K	13W 220-240VAC DIM CRI90	357,45
746378B3	SWAM OUTDOOR WALL SURF 2.0 LED 2700K B	13W 220-240VAC DIM CRI90	343,65
746378Q3	SWAM OUTDOOR WALL SURF 2.0 LED 2700K Q	13W 220-240VAC DIM CRI90	343,65
717374A4	GETTON OUTDOOR WALL SURF 2.0 LED 3000K A	8W 220-240VAC DIM CRI80	383,65

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
717774A4	GETTON OUTDOOR WALL SURF 3.0 LED 3000K A	8W 220-240VAC DIM CR180	474,75
750141I4	CARD OUTDOOR FLOOR REC 0.1 LED 3000K I	1W 350 mA 3V CR180	101,85
750241I4	CARD OUTDOOR FLOOR REC 0.2 LED 3000K I	1W 350mA 3V CR180	131,25
751168I4	MAP OUTDOOR FLOOR REC 0.6 LED 3000K I	5W 220-240VAC DIM CR180	247,05
751268I4	MAP OUTDOOR FLOOR REC 0.9 LED 3000K I	8W 220-240VAC DIM CR180	273,25
751368I4	MAP OUTDOOR FLOOR REC 1.2 LED 3000K I	12W 220-240VAC DIM CR180	336,75
751468I4	MAP OUTDOOR FLOOR REC 1.6 LED 3000K I	15W 220-240VAC DIM CR180	513,40
751558I4	MAP ASYM OUTDOOR FLOOR REC 1.2 LED 3000K I	10W 220-240VAC DIM CR180	367,10
751658I4	MAP ASYM OUTDOOR FLOOR REC 1.6 LED 3000K I	15W 220-240VAC DIM CR180	545,10
752168I4	CHART OUTDOOR FLOOR REC 0.6 LED 3000K I	5W 220-240VAC DIM CR180	252,55
752268I4	CHART OUTDOOR FLOOR REC 0.9 LED 3000K I	8W 220-240VAC DIM CR180	273,25
752368I4	CHART OUTDOOR FLOOR REC 1.2 LED 3000K I	12W 220-240VAC DIM CR180	343,65
752468I4	CHART OUTDOOR FLOOR REC 1.6 LED 3000K I	15W 220-240VAC DIM CR180	517,50
752558I4	CHART ASYM OUTDOOR FLOOR REC 1.2 LED 3000K I	10W 220-240VAC DIM CR180	343,65
752658I4	CHART ASYM OUTDOOR FLOOR REC 1.6 LED 3000K I	15W 220-240VAC DIM CR180	545,10
737168A5	STIPO OUTDOOR FLOOR PROJ 1.0 LED 3000K A	7W 220-240VAC DIM CR190	247,05
737168Q5	STIPO OUTDOOR FLOOR PROJ 1.0 LED 3000K Q	7W 220-240VAC DIM CR190	247,05
737268A5	STIPO OUTDOOR FLOOR PROJ 2.0 LED 3000K A	7W 220-240VAC DIM CR190	247,05
737268Q5	STIPO OUTDOOR FLOOR PROJ 2.0 LED 3000K Q	7W 220-240VAC DIM CR190	247,05
737368A5	STIPO OUTDOOR FLOOR PROJ 3.0 LED 3000K A	7W 220-240VAC DIM CR190	247,05
737368Q5	STIPO OUTDOOR FLOOR PROJ 3.0 LED 3000K Q	7W 220-240VAC DIM CR190	247,05
737468A5	STIPO OUTDOOR FLOOR PROJ 4.0 LED 3000K A	7W 220-240VAC DIM CR190	247,05
737468Q5	STIPO OUTDOOR FLOOR PROJ 4.0 LED 3000K Q	7W 220-240VAC DIM CR190	247,05
727174A5	STAKE OUTDOOR FLOOR PROJ 1.0 LED 3000K A	8W 220-240VAC DIM CR190	247,05
727174B5	STAKE OUTDOOR FLOOR PROJ 1.0 LED 3000K B	8W 220-240VAC DIM CR190	247,05
727274A5	STAKE FOLD OUTDOOR FLOOR PROJ 1.0 LED 3000K A	8W 220-240VAC DIM CR190	291,20
727274B5	STAKE FOLD OUTDOOR FLOOR PROJ 1.0 LED 3000K B	8W 220-240VAC DIM CR190	291,20
700374A4	X-BEAM OUTDOOR WALL SURF / FLOOR PROJ 1.0 LED 3000K A	25W 220-240VAC DIM CR180	407,10
700374B4	X-BEAM OUTDOOR WALL SURF / FLOOR PROJ 1.0 LED 3000K B	25W 220-240VAC DIM CR180	407,10
700374D4	X-BEAM OUTDOOR WALL SURF / FLOOR PROJ 1.0 LED 3000K D	25W 220-240VAC DIM CR180	407,10
746178Q3	SWAM OUTDOOR FLOOR SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CR190	343,65
746178K3	SWAM OUTDOOR FLOOR SURF 1.0 LED 2700K K	8W 220-240VAC DIM CR190	343,65
746178B3	SWAM OUTDOOR FLOOR SURF 1.0 LED 2700K B	8W 220-240VAC DIM CR190	329,85
723174D5	PACE OUTDOOR FLOOR SURF 4.0 LED 3000K D	8W 220-240VAC DIM CR190	357,45
723174B5	PACE OUTDOOR FLOOR SURF 4.0 LED 3000K B	8W 220-240VAC DIM CR190	357,45
723274D5	PACE OUTDOOR FLOOR SURF 6.0 LED 3000K D	8W 220-240VAC DIM CR190	398,85
723274B5	PACE OUTDOOR FLOOR SURF 6.0 LED 3000K B	8W 220-240VAC DIM CR190	398,85
723374D5	PACE OUTDOOR FLOOR SURF 8.0 LED 3000K D	8W 220-240VAC DIM CR190	434,70
723374B5	PACE OUTDOOR FLOOR SURF 8.0 LED 3000K B	8W 220-240VAC DIM CR190	434,70
726178D4	LINUS OUTDOOR FLOOR SURF 1.0 LED 3000K D	7W 220-240VAC DIM CR180	282,90
726178A4	LINUS OUTDOOR FLOOR SURF 1.0 LED 3000K A	7W 220-240VAC DIM CR180	282,90
726178Q4	LINUS OUTDOOR FLOOR SURF 1.0 LED 3000K Q	7W 220-240VAC DIM CR180	282,90
726288D4	LINUS OUTDOOR FLOOR SURF 2.0 LED 3000K D	7W 220-240VAC DIM CR180	351,90
726288A4	LINUS OUTDOOR FLOOR SURF 2.0 LED 3000K A	7W 220-240VAC DIM CR180	351,90
726288Q4	LINUS OUTDOOR FLOOR SURF 2.0 LED 3000K Q	7W 220-240VAC DIM CR180	351,90
726378D4	LINUS OUTDOOR FLOOR SURF 3.0 LED 3000K D	7W 220-240VAC DIM CR180	200,10
726378A4	LINUS OUTDOOR FLOOR SURF 3.0 LED 3000K A	7W 220-240VAC DIM CR180	200,10
726378Q4	LINUS OUTDOOR FLOOR SURF 3.0 LED 3000K Q	7W 220-240VAC DIM CR180	200,10
41664A2	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 2700K A	10W 220-240VAC DIM CR180	269,10

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
4166A4Q2	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 2700K Q	10W 220-240VAC DIM CRI80	269,10
4166A4B2	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 2700K B	10W 220-240VAC DIM CRI80	269,10
4166A4A4	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 3000K A	10W 220-240VAC DIM CRI80	269,10
4166A4Q4	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 3000K Q	10W 220-240VAC DIM CRI80	269,10
4166A4B4	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI80	269,10
4167A4A2	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 2700K A	2x10W 220-240VAC DIM CRI80	365,70
4167A4Q2	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 2700K Q	2x10W 220-240VAC DIM CRI80	365,70
4167A4B2	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 2700K B	2x10W 220-240VAC DIM CRI80	365,70
4165A6A4	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 3000K A	2x10W 220-240VAC DIM CRI80	365,70
4167A4Q4	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 3000K Q	2x10W 220-240VAC DIM CRI80	365,70
4167A4B4	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 3000K B	2x10W 220-240VAC DIM CRI80	365,70
4164A4A2	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 2700K A	10W 220-240VAC DIM CRI80	269,10
4164A4Q2	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 2700K Q	10W 220-240VAC DIM CRI80	269,10
4164A4B2	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 2700K B	10W 220-240VAC DIM CRI80	269,10
4164A4A4	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 3000K A	10W 220-240VAC DIM CRI80	269,10
4164A4Q4	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 3000K Q	10W 220-240VAC DIM CRI80	269,10
4164A4B4	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI80	269,10
4165A4A2	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 2700K A	2x10W 220-240VAC DIM CRI80	365,70
4165A4Q2	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 2700K Q	2x10W 220-240VAC DIM CRI80	365,70
4165A4B2	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 2700K B	2x10W 220-240VAC DIM CRI80	365,70
4165A4A4	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 3000K A	2x10W 220-240VAC DIM CRI80	365,70
4165A4Q4	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 3000K Q	2x10W 220-240VAC DIM CRI80	365,70
4165A4B4	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 3000K B	2x10W 220-240VAC DIM CRI80	365,70
756174D4	FIFTY FIFTY OUTDOOR FLOOR SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI80	321,55
756174A4	FIFTY FIFTY OUTDOOR FLOOR SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI80	321,55
720374D4	SWAY OUTDOOR FLOOR SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI80	396,10
720374A4	SWAY OUTDOOR FLOOR SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI80	396,10
720374Q4	SWAY OUTDOOR FLOOR SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CRI80	396,10
720474D4	SWAY OUTDOOR FLOOR SURF 2.0 LED 3000K D	2x8W 220-240VAC DIM CRI80	543,75
720474A4	SWAY OUTDOOR FLOOR SURF 2.0 LED 3000K A	2x8W 220-240VAC DIM CRI80	543,75
720474Q4	SWAY OUTDOOR FLOOR SURF 2.0 LED 3000K Q	2x8W 220-240VAC DIM CRI80	543,75
910076D0	POLE 470 D	with concrete ground fixation	177,75
717674A4	GETTON OUTDOOR FLOOR SURF 2.0 LED 3000K A	8W 220-240VAC DIM CRI80	369,85
724384D4	PALLUZ OUTDOOR FLOOR SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI80	426,45
724474D4	PALLUZ OUTDOOR FLOOR SURF 2.0 LED 3000K D	8W 220-240VAC DIM CRI80	426,45
722274D5	TAPE OUTDOOR FLOOR SURF 4.0 LED 3000K D	8W 220-240VAC DIM CRI90	425,05
722374D5	TAPE OUTDOOR FLOOR SURF 6.0 LED 3000K D	8W 220-240VAC DIM CRI90	480,25
722474D5	TAPE OUTDOOR FLOOR SURF 8.0 LED 3000K D	8W 220-240VAC DIM CRI90	586,50
865186YE9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K YE	1.5W 220-220VAC	295,35
865186OR9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K OR	1.5W 220-220VAC	295,35
865186SB9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K SB	1.5W 220-220VAC	295,35
8651860B9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K B	1.5W 220-220VAC	295,35
865286YE9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K YE	1.5W 220-220VAC	322,95
865286OR9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K OR	1.5W 220-220VAC	322,95
865286SB9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K SB	1.5W 220-220VAC	322,95
8652860B9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K B	1.5W 220-220VAC	322,95
90056001	COSTA 1.0 / 2.0 POLE B	with hook	545,10
90057171	COSTA DRESS 1.0 BROWN NATURAL		176,40
90057170	COSTA DRESS 1.0 BLACK		176,40
90057192	COSTA DRESS 2.0 KNITTED YELLOW		93,85
90057191	COSTA DRESS 2.0 KNITTED ORANGE		93,85

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90057193	COSTA DRESS 2.0 KNITTED BLUE		93,85
90057190	COSTA DRESS 2.0 KNITTED BLACK		93,85
90057182	COSTA DRESS 2.1 CAGE YELLOW		115,95
90057181	COSTA DRESS 2.1 CAGE ORANGE		115,95
90057183	COSTA DRESS 2.1 CAGE BLUE		115,95
90057180	COSTA DRESS 2.1 CAGE BLACK		115,95
90226401	DRIVER 250mA 7.2W 16-29V PHASE CUT DIM	IP20 220-240 VAC PRESET DIP	47,35
90249402	DRIVER 250mA 10W 6-40V DALI	IP20 220-240VAC PRESET NFC	82,15
90226501	DRIVER 250mA 10.5W 26-42V PHASE CUT DIM	IP20 220-240 VAC PRESET DIP	48,90
90228801	DRIVER 350/500/700mA 17/24/32W 2-47/47/46V PHASE CUT DIM	PUSH DIM IP20 220-240VAC PRESET DIP	66,55
90213201	DRIVER 350mA 4W 4-12V NON DIM	IP20 100-240VAC	42,40
90213202	DRIVER 350mA 6W 3-22V NON DIM	IP20 90-264VAC	42,40
90223402	DRIVER 350mA 10W 12-28V PHASE CUT DIM	IP20 220-240VAC	48,90
90223401	DRIVER 350mA 10W 14-28V PHASE CUT DIM / 1-10V DIM	IP20 220-240VAC	34,95
90223403	DRIVER 350mA 15W 27-42V PHASE CUT DIM	IP20 220-240VAC	52,05
90218601	DRIVER 350/500/700mA 17,5/20/20W 25-50/20-40/14-28.5V	NON DIM IP20 220-240VAC	47,20
90243401	DRIVER 350mA 10W 2.5-26V DALI	IP20 220-240VAC PRESET NFC	82,15
90243601	DRIVER 350mA 17W 10-49V DALI	IP20 220-240VAC PRESET DIP	82,15
90243602	DRIVER 350mA 16W 3-45V DALI / PUSH DIM	IP20 220-240VAC PRESET DIP	82,15
90213701	DRIVER 350mA 30W 43-86V NON DIM	IP20 220-240VAC	42,25
90214201	DRIVER 500mA 6W 3-12V NON DIM	IP20 90-264VAC	42,40
90214405	DRIVER 500mA 10W 11-20V NON DIM	IP20 220-240VAC	34,95
90224301	DRIVER 500mA 7W 7-13V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	29,30
90234401	DRIVER 500mA 10W 10-20V PHASE CUT DIM / 1-10V DIM	IP20 220-240VAC	42,95
90224402	DRIVER 500mA 10W 3-20V PHASE CUT DIM	IP20 220-240VAC	52,05
90244401	DRIVER 500mA 10W 2.5-20V DALI	IP20 220-240VAC PRESET NFC	82,15
90244602	DRIVER 500mA 20W 5-40V DALI	IP20 220-240VAC PRESET DIP	82,15
90224503	DRIVER 500mA 10W 12-20V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	52,05
90224602	DRIVER 500mA 20W 26-38V 220-240VAC DIM	IP20 220-240VAC PRESET DIP	54,80
90224702	DRIVER 500mA 21W 16-42V PHASE CUT DIM	IP20 220-240VAC	54,80
90224701	DRIVER 500mA 21W 28-42V PHASE CUT DIM	IP20 220-240VAC	54,80
90244604	DRIVER 500mA 20W 3-40V DALI / PUSH DIM	IP20 220-240VAC PRESET DIP	82,15
90254603	DRIVER 500mA 25W 20-50V DALI / SWITCH DIM	IP20 220-240VAC PRESET RES	87,25
90215203	DRIVER 700mA 6W 3-8.4V NON DIM	IP20 90-264VAC	42,40
90225402	DRIVER 700mA 10W 8-14V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	48,90
90225502	DRIVER 700mA 15W 12-20V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	52,05
90225603	DRIVER 700mA 20W 16-28V PHASE CUT DIM	IP20 220-240VAC	54,80
90225604	DRIVER 700mA 20W 15-28V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	54,80
90225701	DRIVER 700mA 25W 17-35V PHASE CUT DIM	IP20 220-240VAC	57,70
90225702	DRIVER 700mA 30W 26-42V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	57,70
90245401	DRIVER 700mA 10W 2.5-14V DALI	IP20 220-240VAC PRESET NFC	82,15
90245602	DRIVER 700mA 20W 3-28V DALI	IP20 220-240VAC PRESET DIP	82,15
90245703	DRIVER 700mA 30W 9-42V DALI / 1-10V DIM / PUSH DIM	IP20 220-240VAC PRESET DIP	86,95
90245801	DRIVER 700mA 28W 3-40V DALI / PUSH DIM	IP20 220-240VAC PRESET DIP	86,95
90213101	DRIVER 350mA 3W 3-15V NON DIM	IP66 90-264VAC	43,65
90213301	DRIVER 350mA 7W 10-20V NON DIM	IP67 90-295VAC	56,20
90213602	DRIVER 350mA 17W 2-49V NON DIM	IP68 99-264VAC	84,35
90214301	DRIVER 500mA 7W 5-14.5V NON DIM	IP67 90-295VAC	56,20
90214702	DRIVER 500mA 24W 2-49V NON DIM	IP68 99-264VAC	88,75
90215101	DRIVER 700mA 3W 3-4.5V NON DIM	IP66 90-264VAC	43,65

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90215301	DRIVER 700mA 7W 3-10.5V NON DIM	IP67 90-295VAC	43,65
90212801	DRIVER 24V 35W PWM DIM	IP20 220-240VAC	53,30
90212902	DRIVER 24V 100W PWM DIM	IP20 220-240VAC	87,25
90222701	DRIVER 24V 25W PHASE CUT DIM	IP20 220-240VAC	57,70
90222901	DRIVER 24V 50W PHASE CUT DIM	IP20 220-240VAC	85,85
90242901	DRIVER 24V 100W DALI	IP20 220-240VAC	190,45
90212802	DRIVER 24V 35W NON DIM	IP67 100-277VAC	63,50
90212903	DRIVER 24V 100W NON DIM	IP67 100-277VAC	190,45
90059125	PAR16 FLAT HEAD	GU10 220-240VAC	9,40
90270901	DALI TO PHASE CUT DIMMING MODULE 10-300W	230V	267,75
90059126	CONNECTOR BOX 3P PAR16	STRAIN RELIEF / 3 POLE PUSH CONNECTOR / PAR16 SOCKET	13,55
90059120	CONNECTION BOX 5P	STRAIN RELIEF / 5 POLE PUSH CONNECTOR / THROUGH-WIRING	10,50
90221905	DRIVER 12V 105W PHASE CUT DIM	IP20 220-240VAC	32,60
90221904	DRIVER 12V 70W PHASE CUT DIM	IP20 220-240VAC	26,95
90221401	DRIVER 12V 10W PHASE CUT DIM	IP20 220-240VAC	29,70
90221701	DRIVER 12V 25W PHASE CUT DIM	IP20 220-240VAC	35,20
90218901	STREX REMOTE DRIVER A1 100W	48V 220-240VAC	109,05
90218902	STREX REMOTE DRIVER A1 150W	48V 220-240VAC	132,50
90218903	STREX REMOTE DRIVER A1 250W	48V 220-240VAC	164,25
90019018	DIMMER DIN RAIL	IP30 230V max. 200W LED PHASE CUT DIM	189,75
90019100	DIMMER FOR SWITCH PHASE CUT - BLUETOOTH	LED 3-200W	102,15
90019017	DIMMER FOR SWITCH	IP30 230V max. 200W LED PHASE CUT DIM	142,15
90019194	DALI DIMMER FOR SWITCH	IP20 230V	171,85
905251W9	LED MODULE 50 HO 1800-3000K W	12W 35V 350mA CRI90	98,00
905251B9	LED MODULE 50 HO 1800-3000K B	12W 35V 350mA CRI90	98,00
905251W3	LED MODULE 50 HO 2700K W	12W 35V 350mA CRI90	98,00
905251B3	LED MODULE 50 HO 2700K B	12W 35V 350mA CRI90	98,00
905251W5	LED MODULE 50 HO 3000K W	12W 35V 350mA CRI90	98,00
905251B5	LED MODULE 50 HO 3000K B	12W 35V 350mA CRI90	98,00
905251W7	LED MODULE 50 HO 4000K W	12W 35V 350mA CRI90	98,00
905251B7	LED MODULE 50 HO 4000K B	12W 35V 350mA CRI90	98,00
901268W3	LED AC MODULE 50 2700K W	8W 220-240VAC DIM CRI90	62,10
901268B3	LED AC MODULE 50 2700K B	8W 220-240VAC DIM CRI90	62,10
901268W5	LED AC MODULE 50 3000K W	8W 220-240VAC DIM CRI90	62,10
901268B5	LED AC MODULE 50 3000K B	8W 220-240VAC DIM CRI90	62,10
901228W3	LAMP PAR16 LED 2700K W	6.5W GU10 175-250VAC DIM CRI90	27,20
901228B3	LAMP PAR16 LED 2700K B	6.5W GU10 175-250VAC DIM CRI90	27,20
905227S2	LAMP PAR16 LED 2700K S	4.3W GU10 220-240VAC NON DIM CRI80	15,50
901228W5	LAMP PAR16 LED 3000K W	6.5W GU10 175-250VAC DIM CRI90	27,20
901228B5	LAMP PAR16 LED 3000K B	6.5W GU10 175-250VAC DIM CRI90	27,20
905227S4	LAMP PAR16 LED 3000K S	4.3W GU10 220-240VAC NON DIM CRI80	15,50
90019700	METAL SPRING CLIP	alternative front lamp fixation spring for ø 50 lamp rings	2,25
900198W0	SPRING CLIP W	lamp fixation push-in system for ø 50 lamp rings	2,25
900198S0	SPRING CLIP S	lamp fixation push-in system for ø 50 lamp rings	2,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
900198G0	SPRING CLIP G	lamp fixation push-in system for ø 50 lamp rings	2,25
900198Q0	SPRING CLIP Q	lamp fixation push-in system for ø 50 lamp rings	2,25
900198B0	SPRING CLIP B	lamp fixation push-in system for ø 50 lamp rings	2,25
9019G705	LAMP QT14 LED 2700K	3W G9 220-240VAC NON DIM CRI80	18,50
9019G703	LAMP QT14 LED 3000K	3W G9 220-240VAC NON DIM CRI80	18,50
9010G804	LAMP QT14 LED 3000K	3.5W G9 220-240VAC DIM CRI80	27,50
9003C103	LAMP C35 LED 2700K	5.5W E14 220-240VAC DIM CRI90	13,55
9003E152	LAMP A60 LED 2700K	9W E27 220-240VAC DIM CRI90	17,95
9003E153	LAMP A65 LED 2700K	14.6W E27 220-240VAC DIM CRI90	28,20
9003E154	LAMP G95 LED 2700K OPAL	11.2W E27 220-240VAC DIM CRI90	41,85
9003E155	LAMP A60 LED 2200K GOLD MIRROR	6W E27 220-240VAC DIM CRI95	40,45
9003E139	LAMP A60 LED 2700K GOLD MIRROR	5W E27 220-240VAC DIM CRI90	40,45
9003E140	LAMP A60 LED 2700K SILVER MIRROR	5.1W E27 220-240VAC DIM CRI90	40,45
9003E156	LAMP G95 LED 2200K GOLD MIRROR	5.5W E27 220-240VAC DIM CRI95	44,75
9003E142	LAMP G95 LED 2700K GOLD MIRROR	5.6W E27 220-240VAC DIM CRI95	44,75
9003E157	LAMP G95 LED 2700K SILVER MIRROR	5.6W E27 220-240VAC DIM CRI95	44,75
9003E109	LAMP A60 LED 2200K GOLD TINTED	3.8W E27 220-240VAC DIM CRI95	38,25
9003E138	LAMP A60 LED 2700K CLEAR	5.3W E27 220-240VAC DIM CRI90	38,25
9003E111	LAMP G95 LED 2200K GOLD TINTED	5.4W E27 220-240VAC DIM CRI95	41,15
9003E110	LAMP ST64 LED 2200K GOLD TINTED	5.4W E27 220-240VAC DIM CRI95	42,55
9003E112	LAMP G125 LED 2200K GOLD TINTED	5.1W E27 220-240VAC DIM CRI95	42,55
9003E129	LAMP T30-225 LED 2200K GOLD TINTED	5.3W E27 220-240VAC DIM CRI95	48,30
9003E136	LAMP T30-225 LED 2700K GOLD TINTED	5.4W E27 220-240VAC DIM CRI80	48,30
9003E130	LAMP T30-300 LED 2200K GOLD TINTED	7W E27 220-240VAC DIM CRI95	52,60
9003E135	LAMP T30-300 LED 2700K GOLD TINTED	6.8W E27 220-240VAC DIM CRI90	52,60
90017104	PLANO 1.0 PLASTERKIT	plasterkit	21,30
90017105	PLANO 2.0 PLASTERKIT	plasterkit	30,50
90017101	LUNA 1.0 ROUND PLASTERKIT	not compatible with LUNA ROUND IP44 1.0 LED HV	33,95
90017102	LUNA 1.0 SQUARE PLASTERKIT	plasterkit not compatible with LUNA SQUARE IP44 1.0 LED HV	33,95
90017119	LITO PLASTER KIT - SMALL		18,80
90017111	THEMIS 1.7 PLASTER KIT		31,90
90017112	THEMIS 2.7 PLASTER KIT		37,00
90017209	DEEP ADJ TRIMLESS PLASTER KIT		33,00
90017202	STRANGE PETIT 1.0 ALUMINIUM PLASTER KIT		45,55
90017205	STRANGE PETIT 2.0 ALUMINIUM PLASTER KIT		49,70
90017208	STRANGE PETIT 3.0 ALUMINIUM PLASTER KIT		53,85
90017120	STRANGE / SNEAK TRIMLESS 1.0 ALUMINIUM PLASTER KIT		46,95
90017121	STRANGE / SNEAK TRIMLESS 2.0 ALUMINIUM PLASTER KIT		52,45
90012039	ORIS 0.7 RECESSED HOUSING INCL. PLASTERKIT		52,45
90012047	ORIS / RETO 0.8 RECESSED HOUSING INCL. PLASTERKIT		53,85
90012041	ORIS / RETO 1.3 RECESSED HOUSING INCL. PLASTERKIT		63,50
90012043	ORIS / RETO 2.0 RECESSED HOUSING INCL. PLASTERKIT		67,65
90012037	STRIPE 0.4/0.7 RECESSED HOUSING INCL. PLASTERKIT		28,05
90012038	STRIPE 2.2 RECESSED HOUSING INCL. PLASTERKIT		50,95
90012027	LITO RECESSED HOUSING ALWAYS USE WITH PLASTERKIT		31,05
90012032	THEMIS 1.7 REC. HOUSING (ALW USE WITH PL KIT)		59,35
90012033	THEMIS 2.7 REC. HOUSING (ALW USE WITH PL KIT)		70,40
90012044	ORIS 0.7 CONCRETE HOUSING		44,20

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90012046	ORIS / RETO 0.8 CONCRETE HOUSING		45,55
90012040	ORIS / RETO 1.3 CONCRETE HOUSING		46,95
90012042	ORIS / RETO 2.0 CONCRETE HOUSING		48,60
90012201	MAP/CHART 0.6 RECESSED GROUND HOUSING		29,00
90012202	MAP/CHART 0.9 RECESSED GROUND HOUSING		38,65
90012203	MAP/CHART 1.2 RECESSED GROUND HOUSING		53,85
90012204	MAP/CHART 1.6 RECESSED GROUND HOUSING		75,35
911001W0	STREX BLANK COVER W 1m		40,05
911001B0	STREX SYSTEM BLANK COVER B 1m		40,05
911002W0	STREX SYSTEM BLANK COVER W 2m		62,10
911002B0	STREX SYSTEM BLANK COVER B 2m		62,10
911003W0	STREX SYSTEM BLANK COVER W 3m		88,35
911003B0	STREX SYSTEM BLANK COVER B 3m		88,35
90019193	STREX DALI SELV DEVICE	max. 300W 48V	191,85
90014256	STREX L-CONNECTOR REC W non-electrical		218,05
90014257	STREX L-CONNECTOR REC B non-electrical		218,05
90014258	STREX L-CONNECTOR SURF / SUSP W non-electrical		141,60
90014259	STREX L-CONNECTOR SURF / SUSP B non-electrical		141,60
90014187CC	STREX TRACK PROFILE REC W 200..1000mm	48V 15A DALI CUSTOM CUT	153,90
90014188CC	STREX TRACK PROFILE REC B 200..1000mm	48V 15A DALI CUSTOM CUT	153,90
90014189CC	STREX TRACK PROFILE REC W 1001..2000mm	48V 15A DALI CUSTOM CUT	292,60
90014190CC	STREX TRACK PROFILE REC B 1001..2000mm	48V 15A DALI CUSTOM CUT	292,60
90014191CC	STREX TRACK PROFILE REC W 2001..3000mm	48V 15A DALI CUSTOM CUT	430,60
90014192CC	STREX TRACK PROFILE REC B 2001..3000mm	48V 15A DALI CUSTOM CUT	430,60
90014181CC	STREX TRACK PROFILE SURF / SUSP W 200..1000mm	48V 15A DALI CUSTOM CUT	125,60
90014182CC	STREX TRACK PROFILE SURF / SUSP B 200..1000mm	48V 15A DALI CUSTOM CUT	125,60
90014183CC	STREX TRACK PROFILE SURF / SUSP W 1001..2000mm	48V 15A DALI CUSTOM CUT	232,55
90014184CC	STREX TRACK PROFILE SURF / SUSP B 1001..2000mm	48V 15A DALI CUSTOM CUT	232,55
90014185CC	STREX TRACK PROFILE SURF / SUSP W 2001..3000mm	48V 15A DALI CUSTOM CUT	335,35
90014186CC	STREX TRACK PROFILE SURF / SUSP B 2001..3000mm	48V 15A DALI CUSTOM CUT	335,35
900140W5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 400..2000mm	48V 15A DALI CRI90 / ind. 15W/m 48V CRI90 CUSTOM CUT	702,45
900140B5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 400..2000mm	48V 15A DALI CRI90 / ind. 15W/m 48V CRI90 CUSTOM CUT	702,45
900141W5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 2001..3000mm	48V 15A DALI CRI90 / ind. 15W/m 48V CRI90 CUSTOM CUT	817,00
900141B5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 2001..3000mm	48V 15A DALI CRI90 / ind. 15W/m 48V CRI90 CUSTOM CUT	817,00
90014044	1-PHASE TRACK ADAPTER 1.0 W	no space for driver / for suspended luminaires without steel wire / incl. strain relief max. weight 10kg	15,50
90014043	1-PHASE TRACK ADAPTER 1.0 B	no space for driver / for suspended luminaires without steel wire / incl. strain relief max. weight 10kg	15,50
90014042	1-PHASE TRACK ADJUSTABLE CORNER W		44,85
90014041	1-PHASE TRACK ADJUSTABLE CORNER B		44,85
90014126	1-PHASE TRACK COVERPLATE I- / L- / T- / X-CONNECTORS W	only use with recessed tracks	8,45
90014127	1-PHASE TRACK COVERPLATE I- / L- / T- / X-CONNECTORS B	only use with recessed tracks	8,45
90014124	1-PHASE TRACK COVERPLATE END FEEDS W		10,80
90014125	1-PHASE TRACK COVERPLATE END FEEDS B		10,80
90014277	1-PHASE TRACK ADAPTER 2.0 W	no space for driver / for suspended luminaires without steel wire / incl. strain relief max. weight 3kg	17,25

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90014278	1-PHASE TRACK ADAPTER 2.0 B	no space for driver / for suspended luminaires without steel wire / incl. strain relief max. weight 3kg	17,25
90014010	1-PHASE TRACK T-CONNECTOR 1.0 W	can be used as feed	51,65
90014011	1-PHASE TRACK T-CONNECTOR 1.0 B	can be used as feed	51,65
90014012	1-PHASE TRACK T-CONNECTOR 2.0 W	can be used as feed	51,65
90014013	1-PHASE TRACK T-CONNECTOR 2.0 B	can be used as feed	51,65
90014014	1-PHASE TRACK T-CONNECTOR 3.0 W	can be used as feed	51,65
90014015	1-PHASE TRACK T-CONNECTOR 3.0 B	can be used as feed	51,65
90014016	1-PHASE TRACK T-CONNECTOR 4.0 W	can be used as feed	51,65
90014017	1-PHASE TRACK T-CONNECTOR 4.0 B	can be used as feed	51,65
90014049	1-PHASE TRACK X-CONNECTOR W	can be used as feed	62,95
90014050	1-PHASE TRACK X-CONNECTOR B	can be used as feed	62,95
90014165	STREX / 3-PHASE TRACK CUTTING TOOL		135,25
90014279	3-PHASE TRACK ADAPTER W	no space for driver / for suspended luminaires without steel wire / incl. strain relief max. weight 5kg	19,75
90014280	3-PHASE TRACK ADAPTER B	no space for driver / for suspended luminaires without steel wire / incl. strain relief max. weight 5kg	19,75
90014284	3-PHASE TRACK LUMINAIRE SUSPENSION HOOK W	max. load 5kg	10,25
90014285	3-PHASE TRACK LUMINAIRE SUSPENSION HOOK B	max. load 5kg	10,25
90014288	3-PHASE TRACK FLEXIBLE CONNECTOR W		93,85
90014289	3-PHASE TRACK FLEXIBLE CONNECTOR B		93,85
90014228	3-PHASE TRACK T-CONNECTOR 1.0 W	can be used as feed	95,95
90014229	3-PHASE TRACK T-CONNECTOR 1.0 B	can be used as feed	95,95
90014230	3-PHASE TRACK T-CONNECTOR 2.0 W	can be used as feed	95,95
90014231	3-PHASE TRACK T-CONNECTOR 2.0 B	can be used as feed	95,95
90014232	3-PHASE TRACK T-CONNECTOR 3.0 W	can be used as feed	95,95
90014233	3-PHASE TRACK T-CONNECTOR 3.0 B	can be used as feed	95,95
90014234	3-PHASE TRACK T-CONNECTOR 4.0 W	can be used as feed	95,95
90014235	3-PHASE TRACK T-CONNECTOR 4.0 B	can be used as feed	95,95
90014248	3-PHASE TRACK X-CONNECTOR W	can be used as feed	128,65
90014249	3-PHASE TRACK X-CONNECTOR B	can be used as feed	128,65
90014272	ILANE MINI CONNECTOR STRIP TO STRIP CONTINUOUS IP20	strip to strip - continuous	2,90
90014268	ILANE MINI CONNECTOR STRIP TO WIRE IP20	strip to wire	1,90
90014269	ILANE MINI CONNECTOR STRIP TO STRIP IP20	strip to strip	3,75
911902B1	ILANE 1.0 OPAL BLACK DIFFUSER 2.0m		16,30
911903B1	ILANE 1.0 OPAL BLACK DIFFUSER 3.0m		23,05
911912B1	ILANE 3.0 OPAL BLACK DIFFUSER 2.0m		19,35
911913B1	ILANE 3.0 OPAL BLACK DIFFUSER 3.0m		25,95
90052064	WIRO STRAIN RELIEF B		2,90
90052062	WIRO CABLE WALL BRACKET B		23,75
90052061	WIRO CEILING HOOK B		17,95
90019197	SUSP WALL-CEILING BRACKET W	for cables dia 4.25-5.5mm	12,15
90019198	SUSP WALL-CEILING BRACKET B	for cables dia 4.25-5.5mm	12,15
90052066	STANDARD HOOK W for 5mm plugs	for multi suspension	5,25
90052065	STANDARD HOOK B for 5mm plugs	for multi suspension	5,25
90052025	OPTIONAL HOOK W for 6mm plugs	for multi suspension	4,70
90052024	OPTIONAL HOOK B for 6mm plugs	for multi suspension	4,70
90059123	CABLE RING FOR 3 PIECES WHITE SYMMETRICAL - 3 HOLES	cable ring for 3 luminaires	22,50
90059121	CABLE RING FOR 3 PIECES BLACK SYMMETRICAL - 3 HOLES	cable ring for 3 luminaires	22,50
90059124	CABLE RING FOR 4 PIECES WHITE SYMMETRICAL - 4 HOLES	cable ring for 4 luminaires	22,50

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
90059122	CABLE RING FOR 4 PIECES BLACK SYMMETRICAL - 4 HOLES	cable ring for 4 luminaires	22,50
90019013	CORK BOTTLE 1		20,05
90019014	CORK BOTTLE 2		21,55
90051130	HONEYCOMB WHITE		17,70
90051131	HONEYCOMB BLACK		17,70
90051132	HONEYCOMB CENO FORT 3-PHASE B		23,50
900401W0	BOX/ RAY FLAPS FOR ADJUSTABLE BEAM ANGLE		46,65
90019004	STAKE SNOOT		27,50
90019023	X-BEAM SNOOT		40,85
90013106	STAKE 1.0 / STIPO GROUND SPIKE		31,75
90013107	STAKE FOLD GROUND SPIKE		49,00
90013115	X-BEAM GROUND SPIKE		35,20
90019019	SWAM GROUND FIXATION PLATE		25,40
910090Q0	SWAM STRAIGHT POLE 400 Q	incl. base and ground spike	143,55
910090B0	SWAM STRAIGHT POLE 400 B	incl. base and ground spike	143,55
910091Q0	SWAM STRAIGHT POLE 600 Q	incl. base and ground spike	149,05
910091B0	SWAM STRAIGHT POLE 600 B	incl. base and ground spike	149,05
910092Q0	SWAM STRAIGHT POLE 800 Q	incl. base and ground spike	157,35
910092B0	SWAM STRAIGHT POLE 800 B	incl. base and ground spike	157,35
910093Q0	SWAM CURVED POLE 400 Q	incl. base and ground spike	169,75
910093B0	SWAM CURVED POLE 400 B	incl. base and ground spike	169,75
910094Q0	SWAM CURVED POLE 600 Q	incl. base and ground spike	173,90
910094B0	SWAM CURVED POLE 600 B	incl. base and ground spike	173,90
910095Q0	SWAM CURVED POLE 800 Q	incl. base and ground spike	187,70
910095B0	SWAM CURVED POLE 800 B	incl. base and ground spike	187,70
90013102	TAPE / PACE GROUND SPIKE		67,65
90013103	LINUZ GROUND SPIKE		69,70
90013302	LINUZ GROUND FIXATION		69,70
910024D0	LINUS POLE 150 D		100,75
910024A0	LINUS POLE 150 A		100,75
910024Q0	LINUS POLE 150 Q		100,75
910026D0	LINUS POLE 350 D		132,50
910026A0	LINUS POLE 350 A		132,50
910026Q0	LINUS POLE 350 Q		132,50
910028D0	LINUS POLE 550 D		171,15
910028A0	LINUS POLE 550 A		171,15
910028Q0	LINUS POLE 550 Q		171,15
90013101	GETTON GROUND SPIKE		60,75
910052A0	GETTON POLE 275 A		99,40
910054A0	GETTON POLE 475 A		155,95
910058A0	GETTON POLE 675 A		240,15
90013303	PALLUZ GROUND FIXATION		121,45
910033D0	PALLUZ POLE 100 D		181,75
910036D0	PALLUZ POLE 470 D		220,55
910038D0	PALLUZ POLE 670 D		270,65
910062A0	STIPO POLE 200 A	incl. base	39,50
910062Q0	STIPO POLE 200 Q	incl. base	39,50
910064A0	STIPO POLE 400 A	incl. base	43,90
910064Q0	STIPO POLE 400 Q	incl. base	43,90
910066A0	STIPO POLE 600 A	incl. base	45,45
910066Q0	STIPO POLE 600 Q	incl. base	45,45

ARTICLE NUMBER	ARTICLE NAME	DESCRIPTION	LIST PRICE IN CHF
910013D0	POLE 170 D	with fixation plate	116,10
910013A0	POLE 170 A	with fixation plate	116,10
910013Q0	POLE 170 Q	with fixation plate	116,10
910013B0	POLE 170 B	with fixation plate	116,10
910014D0	POLE 270 D	with fixation plate	130,00
910014A0	POLE 270 A	with fixation plate	130,00
910014Q0	POLE 270 Q	with fixation plate	130,00
910014B0	POLE 270 B	with fixation plate	130,00
910016D0	POLE 470 D	with fixation plate	146,70
910016A0	POLE 470 A	with fixation plate	146,70
910016Q0	POLE 470 Q	with fixation plate	146,70
910016B0	POLE 470 B	with fixation plate	146,70
910018D0	POLE 670 D	with fixation plate	162,05
910018A0	POLE 670 A	with fixation plate	162,05
910018Q0	POLE 670 Q	with fixation plate	162,05
910018B0	POLE 670 B	with fixation plate	162,05
910010D0	POLE 870 D	with fixation plate	186,30
910010A0	POLE 870 A	with fixation plate	186,30
910010Q0	POLE 870 Q	with fixation plate	186,30
910010B0	POLE 870 B	with fixation plate	186,30
910073D0	POLE 170 D	with concrete ground fixation	147,70
910073A0	POLE 170 A	with concrete ground fixation	147,70
910073Q0	POLE 170 Q	with concrete ground fixation	147,70
910073B0	POLE 170 B	with concrete ground fixation	147,70
910074A0	POLE 270 A	with concrete ground fixation	162,30
910074Q0	POLE 270 Q	with concrete ground fixation	162,30
910074B0	POLE 270 B	with concrete ground fixation	162,30
910074D0	POLE 270 D	with concrete ground fixation	162,30
910076A0	POLE 470 A	with concrete ground fixation	177,75
910076Q0	POLE 470 Q	with concrete ground fixation	177,75
910076B0	POLE 470 B	with concrete ground fixation	177,75
910078D0	POLE 670 D	with concrete ground fixation	192,80
910078A0	POLE 670 A	with concrete ground fixation	192,80
910078Q0	POLE 670 Q	with concrete ground fixation	192,80
910078B0	POLE 670 B	with concrete ground fixation	192,80
910070D0	POLE 870 D	with concrete ground fixation	223,60
910070A0	POLE 870 A	with concrete ground fixation	223,60
910070Q0	POLE 870 Q	with concrete ground fixation	223,60
910070B0	POLE 870 B	with concrete ground fixation	223,60